

TEST REPORT

Report Number: HA0124NB030518SPS

Applicant's name: NINGBO DIE CASTING MAN ENERGY CO., LTD.

Applicant's address: Dajiahe Industrial Zone, Ninghai town, Ningbo City, China

Name of manufacturer: NINGBO DIE CASTING MAN ENERGY CO., LTD.

Address of manufacturer: Dajiahe Industrial Zone, Ninghai town, Ningbo City, China

Name of factory (ies): NINGBO DIE CASTING MAN ENERGY CO., LTD.

Address of factory (ies): Dajiahe Industrial Zone, Ninghai town, Ningbo City, China

Product Name: LED Street light

Trade Mark(s): N/A

Model No.: YASL-29-100, YASL-29-40, YASL-29-60, YASL-29-160, YASL-29-240

Ratings: 100-240V~, 50/60Hz, IP66

Total number of pages: 5 pages

Standard: IEC 62262:2002
EN 62262:2002

Date of Receipt sample: March 26, 2024

Date of Test: March 28, 2024

Date of issue: April 23, 2024

Test Report Form No.: HATEK62262_IK08B

Test Result: Pass

Prepared By:

Ningbo HATEK Co., Ltd.

6F, No. 65, Mujin Road, National Hi-Tech Zone, Ningbo, Zhejiang 315013, China

Tel: +86-574-87171888

E-mail: info@hatek.com.cn

Prepared by:

Rick Chen

Rick Chen / Project Engineer

Approved by:



Milse Xie / General Manager

TEST REPORT

General product information:

1. The products covered in this report are only LED street lights.
2. All models are the same except for size.

This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Ningbo HATEK Co., Ltd.

Address: 6F, No. 65, Mujin Road, National Hi-Tech Zone, Ningbo, Zhejiang 315013, China
Tel: 86-574-87171888 www.hatek.com.cn E-mail: info@hatek.com.cn

TEST REPORT

Test Item:

Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK08)

Test Condition:

Ambient: 25.0°C

Air pressure: 101kPa

Impact energy: 5.0J (IK08), see below Table 1

Table 1 – Relation between IK code and impact energy

IK Code	IK00	IK01	IK02	IK03	IK04	IK05	IK06	IK07	<u>IK08</u>	IK09	IK10
Impact energy, J	*	0.14	0.2	0.35	0.5	0.7	1	2	<u>5</u>	10	20

Test Method:

During the test the enclosure shall be mounted on a rigid support, according to the manufacturer's instructions for use.

The number of impacts shall be five on each exposed face. The impacts shall be evenly distributed on the faces of the enclosure under test. In no case shall more than three impacts be applied in the surroundings of the same point of the enclosure.

Acceptance Condition:

During the test, the plastic enclosure should not be damaged, and the deformation of the metal enclosure should not be enough to affect the safety of the equipment.

Test Result:

Impact position	Test result	Judgement
1	The metal enclosure was concave about 3mm, but did not affect the safety of the equipment	Pass
2	No visible change	Pass
3	No visible change	Pass
4	No visible change	Pass
5	The metal enclosure was concave about 2mm, but did not affect the safety of the equipment	Pass
6	The metal enclosure was concave about 2mm, but did not affect the safety of the equipment	Pass

This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Ningbo HATEK Co., Ltd.

Address: 6F, No. 65, Mujin Road, National Hi-Tech Zone, Ningbo, Zhejiang 315013, China

Tel: 86-574-87171888 www.hatek.com.cn E-mail: info@hatek.com.cn

TEST REPORT

Description of impact position:



☒ Pass ☐ Fail

This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Ningbo HATEK Co., Ltd.

Address: 6F, No. 65, Mujin Road, National Hi-Tech Zone, Ningbo, Zhejiang 315013, China

Tel: 86-574-87171888 www.hatek.com.cn E-mail: info@hatek.com.cn

TEST REPORT

Overall view of sample:



----- End of Test Report -----

This document cannot be reproduced except in full, without prior written approval of HATEK. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Ningbo HATEK Co., Ltd.
Address: 6F, No. 65, Mujin Road, National Hi-Tech Zone, Ningbo, Zhejiang 315013, China
Tel: 86-574-87171888 www.hatek.com.cn E-mail: info@hatek.com.cn