

## 測試報告 Test Report

號碼(No.) : CT/2018/31318

日期(Date) : 2018/04/24

頁數(Page) : 1 of 6

圖萌思實業有限公司

TWO MOMS CORP., LTD.

台中市南屯區公益路2段61號15樓A1

15F-A1, NO. 61, SEC. 2, GONGYI ROAD, NANTUN DISTRICT, TAICHUNG 40861, TAIWAN(R.O.C)



以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as) :

送樣廠商(Sample Submitted By)	: 圖萌思實業有限公司 (TWO MOMS CORP., LTD.)
樣品名稱(Sample Description)	: 2ANGELS SILICONE BABY FOOD STORAGE CUP (矽膠副食品儲存杯)
樣品型號(Style/Item No.)	: AFS0001-BL-STD / AFS0002-BL-STD
樣品材質(Sample Material)	: SILICONE
原產國(Country of Origin)	: TAIWAN(R.O.C)
收件日期(Sample Receiving Date)	: 2018/03/27
測試期間(Testing Period)	: 2018/03/27 TO 2018/04/24

### 測試需求(Test Requested) :

依據客戶指定，參考德國於2005年9月1日公告的食品、日用品及飼料法(LFGB)第30條與第31條及其修訂案、BfR recommendation進行測試。測試項目請參閱測試結果表格。 / As specified by client, the sample(s) was/were tested with reference to German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, BfR recommendation. Please refer to result table for testing item(s).

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).

  
Singh Hsiao / Supervisor  
Signed for and on behalf of  
SGS TAIWAN LTD  
Chemical Laboratory - Taipei

# 測試報告 Test Report

號碼(No.) : CT/2018/31318

日期(Date) : 2018/04/24

頁數(Page) : 2 of 6

圖萌思實業有限公司

TWO MOMS CORP., LTD.

台中市南屯區公益路2段61號15樓A1

15F-A1, NO. 61, SEC. 2, GONGYI ROAD, NANTUN DISTRICT, TAICHUNG 40861, TAIWAN(R.O.C)



## 測試結果(Test Results)

測試部位(PART NAME) No. 1 : 半透明矽膠杯 (TRANSLUCENT SILICONE CUP)

通過(PASS)

測試項目 (Test Item)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result)	限值 (Limit)
				No. 1	
鉛 / Lead (Pb)	mg/kg	參考US EPA 3052, 以感應耦合電漿原子發射光譜儀檢測。 / With reference to US EPA 3052. Analysis was performed by ICP-AES.	2	n. d.	Absent
鎘 / Cadmium (Cd)	mg/kg		2	n. d.	Absent
有機揮發物總量 / Volatile organic matter (VOM)	%	參考 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46(2003)362 (With reference to 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46(2003)362). (200°C, 4 hours)	0.1	0.466	0.5
10%酒精 / 10% Ethanol (40°C, 10 days)	%	參考 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46(2003) 362 / With reference to 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46(2003) 362.	-	<0.1	0.5
水 / Distilled water (40°C, 10 days)	%		-	<0.1	0.5
3%醋酸 / 3% Acetic Acid (40°C, 10 days)	%		-	<0.1	0.5
感官測試 (氣味) / Sensorial examination odour	-	參考DIN 10955 (2004) / With reference to DIN 10955 (2004).	-	0.0	2.5
感官測試 (味道) / Sensorial examination taste	-		-	0.0	2.5

# 測試報告

## Test Report

號碼(No.) : CT/2018/31318

日期(Date) : 2018/04/24

頁數(Page) : 3 of 6

圖萌思實業有限公司

TWO MOMS CORP., LTD.

台中市南屯區公益路2段61號15樓A1

15F-A1, NO. 61, SEC. 2, GONGYI ROAD, NANTUN DISTRICT, TAICHUNG 40861, TAIWAN(R.O.C)



通過(PASS)

測試項目 (Test Item)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result)	限值 (Limit)
				No. 1	
多環芳香烴 / Polycyclic Aromatic Hydrocarbons (PAHs)					
芴 / Acenaphthene (CAS No. : 83-32-9)	mg/kg	參考AfPS GS 2014:01 PAK方法, 以氣相層析/質譜儀檢測. / With reference to AfPS GS 2014:01 PAK method. Analysis was performed by GC/MS.	0.2	n. d.	-
芴烯 / Acenaphthylene (CAS No. : 208-96-8)	mg/kg		0.2	n. d.	-
蔥 / Anthracene (CAS No. : 120-12-7)	mg/kg		0.2	n. d.	-
苯駢蔥 / Benzo[a]anthracene (CAS No. : 56-55-3)	mg/kg		0.2	n. d.	-
苯駢(a)芘 / Benzo[a]pyrene (CAS No. : 50-32-8)	mg/kg		0.2	n. d.	-
苯(b)苯駢芴 / Benzo[b]fluoranthene (CAS No. : 205-99-2)	mg/kg		0.2	n. d.	-
苯駢芘 / Benzo[g,h,i]perylene (CAS No. : 191-24-2)	mg/kg		0.2	n. d.	-
苯(k)苯駢芴 / Benzo[k]fluoranthene (CAS No. : 207-08-9)	mg/kg		0.2	n. d.	-
Chrysene (CAS No. : 218-01-9)	mg/kg		0.2	n. d.	-
二苯駢蔥 / Dibenzo[a,h]anthracene (CAS No. : 53-70-3)	mg/kg		0.2	n. d.	-
苯駢芴 / Fluoranthene (CAS No. : 206-44-0)	mg/kg		0.2	n. d.	-
芴 / Fluorene (CAS No. : 86-73-7)	mg/kg		0.2	n. d.	-
節酮芘 / Indeno[1,2,3-c,d] pyrene (CAS No. : 193-39-5)	mg/kg		0.2	n. d.	-
萘 / Naphthalene (CAS No. : 91-20-3)	mg/kg		0.2	n. d.	-
菲 / Phenanthrene (CAS No. : 85-01-8)	mg/kg		0.2	n. d.	-
芘 / Pyrene (CAS No. : 129-00-0)	mg/kg		0.2	n. d.	-
苯(j)苯駢芴 / Benzo[j]fluoranthene (CAS No. : 205-82-3)	mg/kg		0.2	n. d.	-
苯駢(e)芘 / Benzo[e]pyrene (CAS No. : 192-97-2)	mg/kg		0.2	n. d.	-
多環芳香烴18項總和 / Sum of 18 PAHs	mg/kg		-	n. d.	Note Δ

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## 測試報告 Test Report

號碼(No.) : CT/2018/31318

日期(Date) : 2018/04/24

頁數(Page) : 4 of 6

圖萌思實業有限公司

TWO MOMS CORP., LTD.

台中市南屯區公益路2段61號15樓A1

15F-A1, NO. 61, SEC. 2, GONGYI ROAD, NANTUN DISTRICT, TAICHUNG 40861, TAIWAN(R.O.C)



### Remark :

感官測試之測試條件(Test condition for Sensorial examination): 40°C, 10 Day, 水 / Distilled Water

- 0 - 沒有明顯差異 / no perceptible difference
- 1 - 淺顯的差異 / just perceptible difference
- 2 - 略有差異 / slight difference
- 3 - 顯著的差異 / marked difference
- 4 - 極大的差異 / strong difference

### 備註(Note) :

1. mg/kg = ppm ; 0.1wt% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出) = 小於 (less than) MDL
4. "-" = Not Regulated (無規格值)
5. 測試條件及模擬液是由客戶指定 (Test condition & simulant were specified by client).
6. °C = degree Celsius / 攝氏溫度
7. 此重覆使用之樣品, 依客戶要求執行第一次溶出測試; 若有結果判定上疑義, 應執行第三次溶出測試並以該數據為判定依據。 / To the repeated use article, the test of 1st migration was specified by client. As to the doubt of compliance/incompliance, it shall be checked on the conclusive proof / the result of 3rd migration provided by client.

# 測試報告 Test Report

號碼(No.) : CT/2018/31318

日期(Date) : 2018/04/24

頁數(Page) : 5 of 6

圖萌思實業有限公司

TWO MOMS CORP., LTD.

台中市南屯區公益路2段61號15樓A1

15F-A1, NO. 61, SEC. 2, GONGYI ROAD, NANTUN DISTRICT, TAICHUNG 40861, TAIWAN(R.O.C)



△ 德國產品安全委員會(AfPS) GS PAHs 要求 /

AfPS (German commission for Product Safety): GS PAHs requirements

項目 (Parameter)	第1類(Category 1)	第2類(Category 2)		第3類(Category 3)	
	意圖放入嘴內的材料或玩具會與皮膚有所接觸(超過30秒). (Material indented to be put in the mouth or toys with intended skin contact (longer than 30 s).)	不屬於第1類的材料並可預見與皮膚接觸逾30秒(長期或經常與皮膚接觸). (Materials not falling under category 1 with foreseeable contact to skin for longer than 30 seconds (long-term skin or frequent contact).)		可預見與皮膚接觸短於30秒(短期與皮膚接觸), 以及不屬於第1類或第2類的材料. (Materials not falling under category 1 or 2 with foreseeable contact to skin for less than 30 seconds (short-term skin contact).)	
		列於2009/48/EC之玩具 (Toy under 2009/48/EC)	列於德國產品安全法之其他產品 (Other products under ProdSG)	列於2009/48/EC之玩具 (Toy under 2009/48/EC)	列於德國產品安全法之其他產品 (Other products under ProdSG)
Naphthalene	< 1	< 2		< 10	
Acenaphthylene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Acenaphthene					
Fluorene					
Phenanthrene					
Anthracene					
Fluoranthene					
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1, 2, 3-c, d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a, h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g, h, i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
18項PAH總濃度 (Sum of 18 PAH)	< 1	< 5	< 10	< 20	< 50

單位(Unit) : mg/kg

## 測試報告 Test Report

號碼(No.) : CT/2018/31318

日期(Date) : 2018/04/24

頁數(Page) : 6 of 6

圖萌思實業有限公司

TWO MOMS CORP., LTD.


台中市南屯區公益路2段61號15樓A1

15F-A1, NO. 61, SEC. 2, GONGYI ROAD, NANTUN DISTRICT, TAICHUNG 40861, TAIWAN(R.O.C)



\* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。  
(The tested sample / part is marked by an arrow if it's shown on the photo.)

### CT/2018/31318



\*\* 報告結尾 (End of Report) \*\*