



- 本报告涂改无效；无授权签字人批准无效。
The report is invalid if altered or not approved by the authorized person.
- 本报告未加盖本中心“检验检测专用章”无效；报告未加盖本中心骑缝章无效。
The report is invalid without special seal for report or paging seal of Technology Center of Fuzhou Customs District (TCFC).
- 未经本中心书面同意，不得部分复制本报告。本报告复印件未重新加盖本中心“检验检测专用章”和骑缝章，本中心不对其真实性和有效性负责。
Without TCFC' s prior written consent, this report shall not be reproduced except in full. TCFC will not be responsible for the authenticity and availability of the copy without a new special seal for report or paging seal.
- 未经本中心书面同意，不得将本报告印制于产品标签或包装上，不得将本报告用于不当宣传及司法、诉讼等用途。
Without TCFC' s prior written consent, this report shall not be printed on the label or package of the product, shall not be used for improper publicity, judicial or litigation purposes.
- 委托方确认样品、样品名称和样品标记由委托方提供并对其真实性、有效性负责。除另有说明外，本中心仅对委托方送检的上述样品的检验结果负责。
The customer should confirm that samples, together with their names and marks which are provided by customer and be responsible for the authenticity and availability. TCFC is only responsible for the test results of samples which provided by customer except for additional declaration.
- 若对本报告有异议，应于收到报告之日起 15 个日历日内向本中心提出。委托方应对其提供的通讯信息真实性、有效性负责。
Having any objection, please contact us within 15 days after receiving the report. The customer should be responsible for the authenticity and availability of contact information.
- 电子报告以本中心官方网站查询的报告文本为准。
The electronic report retrieved in TCFC official website shall be deemed the original.
- 中英文报告如有歧义以中文报告条款为准。
In case of discrepancy between the Chinese and English versions in the bilingual report, the Chinese version shall prevail.
- 本报告解释权归本中心所有。
The ultimate authority for the interpretation of the report belongs to TCFC.

检验报告 / TEST REPORT

委托方 Customer : 福建鼎白茶业有限公司

委托方地址 Address of Customer : 福建省福鼎市前岐小岳食品工业园区 1 号

生产商 Producer : /

生产商地址 Address of Producer : /

检验依据 Test Standard & Method : 详见续页

样品名称 Name of Sample : 2021 年特级牡丹

样品标识和描述 Marks & Description of Sample : /

样品状态 Condition of Sample : 有包装

样品数量 Quantity of Sample : 1 份

样品接收日期 Date Receipt of Sample : 2025/04/03


检验起止日期 Duration of Test : 2025/04/03-2025/04/09

抽样情况 Sampling : 客户送样

检验结果 Test Result : 详见续页

备注 Remarks : /

批准 :
Approver :




2025/04/09

审核 :
Auditor :



2025/04/09

编制 :
Drafter :



2025/04/09

序号	项目,单位	技术要求	检验结果	a 检出限/ b 定量限	单项判定	检验方法
1	百菌清,mg/kg	≤10	未检出	a:0.0003	符合	NY/T 761-2008 第2部分 方法二
2	百草枯,mg/kg	≤0.2	未检出	a:0.01	符合	SN/T 0293-2014
3	乐杀螨,mg/kg	≤0.05	未检出	a:0.05	符合	SN 0523-1996
4	草甘膦,mg/kg	≤1	未检出	a:0.10	符合	SN/T 1923-2007
5	草铵膦,mg/kg	≤0.5	未检出	a:0.0500	符合	SN/T 3983-2014
6	毒虫畏,mg/kg	≤0.01	未检出	a:0.01	符合	SN/T 2324-2009
7	甲磺隆,mg/kg	≤0.02	未检出	a:0.005	符合	SN/T 2325-2009
8	胺苯磺隆,mg/kg	≤0.02	未检出	a:0.005	符合	SN/T 2325-2009
9	茚草酮,mg/kg	≤0.01	未检出	a:0.01	符合	SN/T 2915-2011
10	灭螨醌,mg/kg	≤0.01	未检出	a:0.005	符合	SN/T 4066-2014
11	特乐酚,mg/kg	≤0.01	未检出	a:0.010	符合	SN/T 4591-2016
12	灭草松,mg/kg	≤0.1	未检出	a:0.00026	符合	GB/T 20769-2008
13	氯磺隆,mg/kg	≤0.02	未检出	a:0.00069	符合	GB/T 20769-2008
14	庚烯磷,mg/kg	≤0.01	未检出	a:0.00146	符合	GB/T 20769-2008
15	丙酯杀螨醇,mg/kg	≤0.02	未检出	b:0.0126	符合	GB 23200.8-2016
16	抑草蓬,mg/kg	≤0.05	未检出	b:0.0250	符合	GB 23200.8-2016
17	灭草环,mg/kg	≤0.05	未检出	b:0.0500	符合	GB 23200.8-2016
18	丁醚脲,mg/kg	≤5	未检出	b:0.00028	符合	GB 23200.13-2016
19	丁硫克百威,mg/kg	≤0.01	未检出	b:0.00080	符合	GB 23200.13-2016
20	吡蚜酮,mg/kg	≤2	未检出	b:0.03428	符合	GB 23200.13-2016
21	杀螟丹,mg/kg	≤20	未检出	b:2.08000	符合	GB 23200.13-2016
22	印楝素,mg/kg	≤1	未检出	b:0.002	符合	GB 23200.73-2016
23	滴滴涕,mg/kg	≤0.2	未检出	b:0.01	符合	GB 23200.113-2018
24	甲拌磷,mg/kg	≤0.01	未检出	b:0.01	符合	GB 23200.113-2018
25	甲基对硫磷,mg/kg	≤0.02	未检出	b:0.01	符合	GB 23200.113-2018
26	氰戊菊酯和 S-氰戊菊酯,mg/kg	≤0.1	未检出	b:0.01	符合	GB 23200.113-2018
27	甲基异柳磷,mg/kg	≤0.01	未检出	b:0.01	符合	GB 23200.113-2018
28	硫丹,mg/kg	≤10	未检出	b:0.01	符合	GB 23200.113-2018
29	六六六,mg/kg	≤0.2	未检出	b:0.01	符合	GB 23200.113-2018
30	灭线磷,mg/kg	≤0.05	未检出	b:0.01	符合	GB 23200.113-2018
31	甲氧滴滴涕,mg/kg	≤0.01	未检出	b:0.01	符合	GB 23200.113-2018
32	三氯杀螨醇,mg/kg	≤0.01	未检出	b:0.01	符合	GB 23200.113-2018
33	苯醚甲环唑,mg/kg	≤10	未检出	b:0.05	符合	GB 23200.113-2018
34	丙溴磷,mg/kg	≤0.5	未检出	b:0.05	符合	GB 23200.113-2018
35	哒螨灵,mg/kg	≤5	未检出	b:0.05	符合	GB 23200.113-2018
36	氟氯氰菊酯和高效氟氯氰菊酯,mg/kg	≤1	未检出	b:0.05	符合	GB 23200.113-2018

序号	项目,单位	技术要求	检验结果	a 检出限/ b 定量限	单项判定	检验方法
37	毒死蜱,mg/kg	≤2	未检出	b:0.05	符合	GB 23200.113-2018
38	氟氰戊菊酯,mg/kg	≤20	未检出	b:0.05	符合	GB 23200.113-2018
39	乐果,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.113-2018
40	甲氰菊酯,mg/kg	≤5	未检出	b:0.05	符合	GB 23200.113-2018
41	联苯菊酯,mg/kg	≤5	未检出	b:0.05	符合	GB 23200.113-2018
42	氯苯甲醚,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.113-2018
43	氯氟氰菊酯和高效氯氟氰菊酯,mg/kg	≤15	未检出	b:0.05	符合	GB 23200.113-2018
44	氯氰菊酯和高效氯氰菊酯,mg/kg	≤20	未检出	b:0.05	符合	GB 23200.113-2018
45	氯菊酯,mg/kg	≤20	未检出	b:0.05	符合	GB 23200.113-2018
46	乙酯杀螨醇,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.113-2018
47	三氟硝草醚,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.113-2018
48	杀螟硫磷,mg/kg	≤0.5	未检出	b:0.05	符合	GB 23200.113-2018
49	杀扑磷,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.113-2018
50	速灭磷,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.113-2018
51	西玛津,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.113-2018
52	溴氰菊酯,mg/kg	≤10	未检出	b:0.05	符合	GB 23200.113-2018
53	乙螨唑,mg/kg	≤15	未检出	b:0.05	符合	GB 23200.113-2018
54	马拉硫磷,mg/kg	≤0.5	未检出	b:0.05	符合	GB 23200.113-2018
55	巴毒磷,mg/kg	≤0.05	未检出	b:0.050	符合	GB 23200.116-2019
56	氯唑磷,mg/kg	≤0.01	未检出	b:0.01	符合	GB 23200.121-2021
57	特丁硫磷,mg/kg	≤0.01	未检出	b:0.01	符合	GB 23200.121-2021
58	氧乐果,mg/kg	≤0.05	未检出	b:0.01	符合	GB 23200.121-2021
59	甲基硫环磷,mg/kg	≤0.03	未检出	b:0.02	符合	GB 23200.121-2021
60	克百威,mg/kg	≤0.02	未检出	b:0.02	符合	GB 23200.121-2021
61	硫环磷,mg/kg	≤0.03	未检出	b:0.02	符合	GB 23200.121-2021
62	噻虫胺,mg/kg	≤10	未检出	b:0.02	符合	GB 23200.121-2021
63	噻虫嗪,mg/kg	≤10	0.038	b:0.02	符合	GB 23200.121-2021
64	吡虫啉,mg/kg	≤0.5	未检出	b:0.05	符合	GB 23200.121-2021
65	吡啶醚菌酯,mg/kg	≤10	未检出	b:0.05	符合	GB 23200.121-2021
66	除虫脲,mg/kg	≤20	未检出	b:0.05	符合	GB 23200.121-2021
67	敌百虫,mg/kg	≤2	未检出	b:0.05	符合	GB 23200.121-2021
68	啶虫脒,mg/kg	≤10	未检出	b:0.05	符合	GB 23200.121-2021
69	啶氧菌酯,mg/kg	≤20	未检出	b:0.05	符合	GB 23200.121-2021
70	多菌灵,mg/kg	≤5	未检出	b:0.05	符合	GB 23200.121-2021
71	呋虫胺,mg/kg	≤20	0.13	b:0.05	符合	GB 23200.121-2021
72	氟虫脲,mg/kg	≤20	未检出	b:0.05	符合	GB 23200.121-2021

序号	项目,单位	技术要求	检验结果	a 检出限/ b 定量限	单项判定	检验方法
73	甲氨基阿维菌素苯甲酸盐,mg/kg	≤0.5	未检出	b:0.05	符合	GB 23200.121-2021
74	甲胺磷,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.121-2021
75	甲萘威,mg/kg	≤5	未检出	b:0.05	符合	GB 23200.121-2021
76	噻螨醚,mg/kg	≤15	未检出	b:0.05	符合	GB 23200.121-2021
77	氯噻啉,mg/kg	≤3	未检出	b:0.05	符合	GB 23200.121-2021
78	灭多威,mg/kg	≤0.2	未检出	b:0.05	符合	GB 23200.121-2021
79	内吸磷,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.121-2021
80	噻虫啉,mg/kg	≤10	未检出	b:0.05	符合	GB 23200.121-2021
81	噻螨酮,mg/kg	≤15	未检出	b:0.05	符合	GB 23200.121-2021
82	烯啶虫胺,mg/kg	≤1	未检出	b:0.05	符合	GB 23200.121-2021
83	辛硫磷,mg/kg	≤0.2	未检出	b:0.05	符合	GB 23200.121-2021
84	依维菌素,mg/kg	≤0.2	未检出	b:0.05	符合	GB 23200.121-2021
85	乙酰甲胺磷,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.121-2021
86	茚虫威,mg/kg	≤5	未检出	b:0.05	符合	GB 23200.121-2021
87	莠去津,mg/kg	≤0.1	未检出	b:0.05	符合	GB 23200.121-2021
88	啉虫酰胺,mg/kg	≤50	未检出	b:0.05	符合	GB 23200.121-2021
89	仲丁威,mg/kg	≤0.05	未检出	b:0.05	符合	GB 23200.121-2021
90	噻嗪酮,mg/kg	≤10	未检出	a:0.0100	符合	GB/T 23204-2008
91	水胺硫磷,mg/kg	≤0.05	未检出	a:0.0100	符合	GB/T 23204-2008
92	氯酞酸甲酯,mg/kg	≤0.01	未检出	a:0.0100	符合	GB/T 23204-2008
93	醚菊酯,mg/kg	≤50	未检出	a:0.0125	符合	GB/T 23204-2008
94	虫螨腈,mg/kg	≤20	未检出	a:0.1000	符合	GB/T 23204-2008
95	铅 (以 Pb 计) ,mg/kg	≤5.0	0.314	b:0.05	符合	GB 5009.12-2023 第二法
结论	所检项目符合 GB 2763-2021、GB 2763.1-2022 和 GB 2762-2022 要求。					

-----报告结束/End of Test Report-----

附件：

序号	项目,单位	技术要求	检验结果	a 检出限/ b 定量限	单项判定	检验方法
1	草枯醚,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH115-2021
2	格螨酯,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH115-2021
3	环螨酯,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH115-2021
4	烯虫炔酯,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH115-2021
5	烯虫乙酯,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH115-2021
6	氟除草醚,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH115-2021
7	毒菌酚,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH115-2021
8	戊硝酚,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH115-2021
9	消螨酚,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH115-2021
10	溴甲烷,mg/kg	≤0.02	未检出	a:0.02	符合	FTSOP-SH118-2021
11	草芽畏,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH123-2022
12	氯酞酸,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH123-2022
13	茅草枯,mg/kg	≤0.01	未检出	a:0.01	符合	FTSOP-SH123-2022
14	代森锌(以CS ₂ 计),mg/kg	≤50	未检出	b:0.10	符合	FTSOP-SH129-2023
15	杀虫畏,mg/kg	≤0.01	未检出	b:0.01	符合	参照 GB 23200.113-2018
16	二溴磷,mg/kg	≤0.01	未检出	b:0.01	符合	参照 GB 23200.113-2018
结论	所检项目符合 GB 2763-2021 和 GB 2763.1-2022 要求。					

注：本附件检测项目不在资质认定(或实验室认可)能力范围内，仅供委托方了解产品品质之用。