



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2023011001587720

Valid from: Nov.15,2023

Valid until: Nov.14,2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT	Guangdong HIPO Lighting Co., Ltd. 5th Floor, No.1, Shengfeng Taiming Road, Xiaolan Town, Zhongshan City, Guangdong Province, P.R. China
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	Guangdong HIPO Lighting Co., Ltd. 5th Floor, No.1, Shengfeng Taiming Road, Xiaolan Town, Zhongshan City, Guangdong Province, P.R. China
NAME AND LOCATION OF THE FACTORY	Guangdong HIPO Lighting Co., Ltd. 5th Floor, No.1, Shengfeng Taiming Road, Xiaolan Town, Zhongshan City, Guangdong Province, P.R. China
PRODUCT MODEL(S)	Fixed Luminaire For LED Modules (Wall Mounted, LED Modules For General Lighting, Non-dimmable/Non-port Control Dimmable, ClassIII, IP67, Suitable For Direct Mounting On Normally Flammable Material) See Appendix ; 48VDC
STANDARDS AND TECHNICAL REQUIREMENTS	GB/T 17743-2021;GB 7000.1-2015;GB 7000.201-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page 1 of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	型号	功率	调光方式	互联最大数量
1.	HDM-404 48V 0.3W D	0.3W(6×0.5W/LED 模块)	控制端口调光	320
2.	HDM-404 48V 0.3W RGB	0.3W(6×0.2W/LED 模块)	控制端口调光	320
3.	HDM-404 48V 0.3W RGBW	0.3W(6×0.3W/LED 模块)	控制端口调光	320
4.	HDM-404 48V 0.3W W	0.3W(6×0.5W/LED 模块)	无	320
5.	HDM-404 48V 0.6W D	0.6W(6×0.5W/LED 模块)	控制端口调光	160
6.	HDM-404 48V 0.6W RGB	0.6W(6×0.2W/LED 模块)	控制端口调光	160
7.	HDM-404 48V 0.6W RGBW	0.6W(6×0.3W/LED 模块)	控制端口调光	160
8.	HDM-404 48V 0.6W W	0.6W(6×0.5W/LED 模块)	无	160
9.	HDM-404 48V 0.72W D	0.72W(6×0.5W/LED 模块)	控制端口调光	133
10.	HDM-404 48V 0.72W RGB	0.72W(6×0.2W/LED 模块)	控制端口调光	133
11.	HDM-404 48V 0.72W RGBW	0.72W(6×0.3W/LED 模块)	控制端口调光	133
12.	HDM-404 48V 0.72W W	0.72W(6×0.5W/LED 模块)	无	133
13.	HDM-404 48V 0.9W D	0.9W(6×0.5W/LED 模块)	控制端口调光	106
14.	HDM-404 48V 0.9W RGB	0.9W(6×0.2W/LED 模块)	控制端口调光	106
15.	HDM-404 48V 0.9W RGBW	0.9W(6×0.3W/LED 模块)	控制端口调光	106
16.	HDM-404 48V 0.9W W	0.9W(6×0.5W/LED 模块)	无	106
17.	HDM-404 48V 1W D	1W(6×0.5W/LED 模块)	控制端口调光	96
18.	HDM-404 48V 1W RGB	1W(6×0.2W/LED 模块)	控制端口调光	96
19.	HDM-404 48V 1W RGBW	1W(6×0.3W/LED 模块)	控制端口调光	96
20.	HDM-404 48V 1W W	1W(6×0.5W/LED 模块)	无	96
21.	HDM-404 48V 1.2W D	1.2W(6×0.5W/LED 模块)	控制端口调光	80
22.	HDM-404 48V 1.2W RGB	1.2W(6×0.2W/LED 模块)	控制端口调光	80
23.	HDM-404 48V 1.2W RGBW	1.2W(6×0.3W/LED 模块)	控制端口调光	80
24.	HDM-404 48V 1.2W W	1.2W(6×0.5W/LED 模块)	无	80
25.	HDM-404 48V 1.44W D	1.44W(6×0.5W/LED 模块)	控制端口调光	66
26.	HDM-404 48V 1.44W RGB	1.44W(6×0.2W/LED 模块)	控制端口调光	66
27.	HDM-404 48V 1.44W RGBW	1.44W(6×0.3W/LED 模块)	控制端口调光	66



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page2of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

28.	HDM-404 48V 1.44W W	1.44W(6×0.5W/LED 模块)	无	66
29.	HDM-404 48V 1.5W D	1.5W(6×0.5W/LED 模块)	控制端口调光	64
30.	HDM-404 48V 1.5W RGB	1.5W(6×3W/LED 模块)	控制端口调光	64
31.	HDM-404 48V 1.5W RGBW	1.5W(6×0.3W/LED 模块)	控制端口调光	64
32.	HDM-404 48V 1.5W W	1.5W(6×0.5W/LED 模块)	无	64
33.	HDM-404 48V 1.8W D	1.8W(6×0.5W/LED 模块)	控制端口调光	53
34.	HDM-404 48V 1.8W RGB	1.8W(6×3W/LED 模块)	控制端口调光	53
35.	HDM-404 48V 1.8W RGBW	1.8W(6×2W/LED 模块)	控制端口调光	53
36.	HDM-404 48V 1.8W W	1.8W(6×0.5W/LED 模块)	无	53
37.	HDM-404 48V 2W D	2W(6×0.5W/LED 模块)	控制端口调光	48
38.	HDM-404 48V 2W RGB	2W(6×3W/LED 模块)	控制端口调光	48
39.	HDM-404 48V 2W RGBW	2W(6×2W/LED 模块)	控制端口调光	48
40.	HDM-404 48V 2W W	2W(6×0.5W/LED 模块)	无	48
41.	HDM-405 48V 0.3W D	0.3W(6×0.5W/LED 模块)	控制端口调光	320
42.	HDM-405 48V 0.3W RGB	0.3W(6×0.2W/LED 模块)	控制端口调光	320
43.	HDM-405 48V 0.3W RGBW	0.3W(6×0.3W/LED 模块)	控制端口调光	320
44.	HDM-405 48V 0.3W W	0.3W(6×0.5W/LED 模块)	无	320
45.	HDM-405 48V 0.6W D	0.6W(6×0.5W/LED 模块)	控制端口调光	160
46.	HDM-405 48V 0.6W RGB	0.6W(6×0.2W/LED 模块)	控制端口调光	160
47.	HDM-405 48V 0.6W RGBW	0.6W(6×0.3W/LED 模块)	控制端口调光	160
48.	HDM-405 48V 0.6W W	0.6W(6×0.5W/LED 模块)	无	160
49.	HDM-405 48V 0.72W D	0.72W(6×0.5W/LED 模块)	控制端口调光	133
50.	HDM-405 48V 0.72W RGB	0.72W(6×0.2W/LED 模块)	控制端口调光	133
51.	HDM-405 48V 0.72W RGBW	0.72W(6×0.3W/LED 模块)	控制端口调光	133
52.	HDM-405 48V 0.72W W	0.72W(6×0.5W/LED 模块)	无	133
53.	HDM-405 48V 0.9W D	0.9W(6×0.5W/LED 模块)	控制端口调光	106
54.	HDM-405 48V 0.9W RGB	0.9W(6×0.2W/LED 模块)	控制端口调光	106
55.	HDM-405 48V 0.9W RGBW	0.9W(6×0.3W/LED 模块)	控制端口调光	106
56.	HDM-405 48V 0.9W W	0.9W(6×0.5W/LED 模块)	无	106



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page3of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

57.	HDM-405 48V 1W D	1W(6×0.5W/LED 模块)	控制端口调光	96
58.	HDM-405 48V 1W RGB	1W(6×0.2W/LED 模块)	控制端口调光	96
59.	HDM-405 48V 1W RGBW	1W(6×0.3W/LED 模块)	控制端口调光	96
60.	HDM-405 48V 1W W	1W(6×0.5W/LED 模块)	无	96
61.	HDM-405 48V 1.2W D	1.2W(6×0.5W/LED 模块)	控制端口调光	80
62.	HDM-405 48V 1.2W RGB	1.2W(6×0.2W/LED 模块)	控制端口调光	80
63.	HDM-405 48V 1.2W RGBW	1.2W(6×0.3W/LED 模块)	控制端口调光	80
64.	HDM-405 48V 1.2W W	1.2W(6×0.5W/LED 模块)	无	80
65.	HDM-405 48V 1.44W D	1.44W(6×0.5W/LED 模块)	控制端口调光	66
66.	HDM-405 48V 1.44W RGB	1.44W(6×0.2W/LED 模块)	控制端口调光	66
67.	HDM-405 48V 1.44W RGBW	1.44W(6×0.3W/LED 模块)	控制端口调光	66
68.	HDM-405 48V 1.44W W	1.44W(6×0.5W/LED 模块)	无	66
69.	HDM-405 48V 1.5W D	1.5W(6×0.5W/LED 模块)	控制端口调光	64
70.	HDM-405 48V 1.5W RGB	1.5W(6×3W/LED 模块)	控制端口调光	64
71.	HDM-405 48V 1.5W RGBW	1.5W(6×0.3W/LED 模块)	控制端口调光	64
72.	HDM-405 48V 1.5W W	1.5W(6×0.5W/LED 模块)	无	64
73.	HDM-405 48V 1.8W D	1.8W(6×0.5W/LED 模块)	控制端口调光	53
74.	HDM-405 48V 1.8W RGB	1.8W(6×3W/LED 模块)	控制端口调光	53
75.	HDM-405 48V 1.8W RGBW	1.8W(6×2W/LED 模块)	控制端口调光	53
76.	HDM-405 48V 1.8W W	1.8W(6×0.5W/LED 模块)	无	53
77.	HDM-405 48V 2W D	2W(6×0.5W/LED 模块)	控制端口调光	48
78.	HDM-405 48V 2W RGB	2W(6×3W/LED 模块)	控制端口调光	48
79.	HDM-405 48V 2W RGBW	2W(6×2W/LED 模块)	控制端口调光	48
80.	HDM-405 48V 2W W	2W(6×0.5W/LED 模块)	无	48
81.	HDM-406 48V 0.3W D	0.3W(6×0.5W/LED 模块)	控制端口调光	320
82.	HDM-406 48V 0.3W RGB	0.3W(6×0.2W/LED 模块)	控制端口调光	320
83.	HDM-406 48V 0.3W RGBW	0.3W(6×0.3W/LED 模块)	控制端口调光	320
84.	HDM-406 48V 0.3W W	0.3W(6×0.5W/LED 模块)	无	320
85.	HDM-406 48V 0.6W D	0.6W(6×0.5W/LED 模块)	控制端口调光	160



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page4of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

86.	HDM-406 48V 0.6W RGB	0.6W(6×0.2W/LED 模块)	控制端口调光	160
87.	HDM-406 48V 0.6W RGBW	0.6W(6×0.3W/LED 模块)	控制端口调光	160
88.	HDM-406 48V 0.6W W	0.6W(6×0.5W/LED 模块)	无	160
89.	HDM-406 48V 0.72W D	0.72W(6×0.5W/LED 模块)	控制端口调光	133
90.	HDM-406 48V 0.72W RGB	0.72W(6×0.2W/LED 模块)	控制端口调光	133
91.	HDM-406 48V 0.72W RGBW	0.72W(6×0.3W/LED 模块)	控制端口调光	133
92.	HDM-406 48V 0.72W W	0.72W(6×0.5W/LED 模块)	无	133
93.	HDM-406 48V 0.9W D	0.9W(6×0.5W/LED 模块)	控制端口调光	106
94.	HDM-406 48V 0.9W RGB	0.9W(6×0.2W/LED 模块)	控制端口调光	106
95.	HDM-406 48V 0.9W RGBW	0.9W(6×0.3W/LED 模块)	控制端口调光	106
96.	HDM-406 48V 0.9W W	0.9W(6×0.5W/LED 模块)	无	106
97.	HDM-406 48V 1W D	1W(6×0.5W/LED 模块)	控制端口调光	96
98.	HDM-406 48V 1W RGB	1W(6×0.2W/LED 模块)	控制端口调光	96
99.	HDM-406 48V 1W RGBW	1W(6×0.3W/LED 模块)	控制端口调光	96
100.	HDM-406 48V 1W W	1W(6×0.5W/LED 模块)	无	96
101.	HDM-406 48V 1.2W D	1.2W(6×0.5W/LED 模块)	控制端口调光	80
102.	HDM-406 48V 1.2W RGB	1.2W(6×0.2W/LED 模块)	控制端口调光	80
103.	HDM-406 48V 1.2W RGBW	1.2W(6×0.3W/LED 模块)	控制端口调光	80
104.	HDM-406 48V 1.2W W	1.2W(6×0.5W/LED 模块)	无	80
105.	HDM-406 48V 1.44W D	1.44W(6×0.5W/LED 模块)	控制端口调光	66
106.	HDM-406 48V 1.44W RGB	1.44W(6×0.2W/LED 模块)	控制端口调光	66
107.	HDM-406 48V 1.44W RGBW	1.44W(6×0.3W/LED 模块)	控制端口调光	66
108.	HDM-406 48V 1.44W W	1.44W(6×0.5W/LED 模块)	无	66
109.	HDM-406 48V 1.5W D	1.5W(6×0.5W/LED 模块)	控制端口调光	64
110.	HDM-406 48V 1.5W RGB	1.5W(6×3W/LED 模块)	控制端口调光	64
111.	HDM-406 48V 1.5W RGBW	1.5W(6×0.3W/LED 模块)	控制端口调光	64
112.	HDM-406 48V 1.5W W	1.5W(6×0.5W/LED 模块)	无	64
113.	HDM-406 48V 1.8W D	1.8W(6×0.5W/LED 模块)	控制端口调光	53
114.	HDM-406 48V 1.8W RGB	1.8W(6×3W/LED 模块)	控制端口调光	53



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page5of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

115.	HDM-406 48V 1.8W RGBW	1.8W(6×2W/LED 模块)	控制端口调光	53
116.	HDM-406 48V 1.8W W	1.8W(6×0.5W/LED 模块)	无	53
117.	HDM-406 48V 2W D	2W(6×0.5W/LED 模块)	控制端口调光	48
118.	HDM-406 48V 2W RGB	2W(6×3W/LED 模块)	控制端口调光	48
119.	HDM-406 48V 2W RGBW	2W(6×2W/LED 模块)	控制端口调光	48
120.	HDM-406 48V 2W W	2W(6×0.5W/LED 模块)	无	48
121.	HDM-408 48V 0.3W D	0.3W(6×0.5W/LED 模块)	控制端口调光	320
122.	HDM-408 48V 0.3W RGB	0.3W(6×0.2W/LED 模块)	控制端口调光	320
123.	HDM-408 48V 0.3W RGBW	0.3W(6×0.3W/LED 模块)	控制端口调光	320
124.	HDM-408 48V 0.3W W	0.3W(6×0.5W/LED 模块)	无	320
125.	HDM-408 48V 0.6W D	0.6W(6×0.5W/LED 模块)	控制端口调光	160
126.	HDM-408 48V 0.6W RGB	0.6W(6×0.2W/LED 模块)	控制端口调光	160
127.	HDM-408 48V 0.6W RGBW	0.6W(6×0.3W/LED 模块)	控制端口调光	160
128.	HDM-408 48V 0.6W W	0.6W(6×0.5W/LED 模块)	无	160
129.	HDM-408 48V 0.72W D	0.72W(6×0.5W/LED 模块)	控制端口调光	133
130.	HDM-408 48V 0.72W RGB	0.72W(6×0.2W/LED 模块)	控制端口调光	133
131.	HDM-408 48V 0.72W RGBW	0.72W(6×0.3W/LED 模块)	控制端口调光	133
132.	HDM-408 48V 0.72W W	0.72W(6×0.5W/LED 模块)	无	133
133.	HDM-408 48V 0.9W D	0.9W(6×0.5W/LED 模块)	控制端口调光	106
134.	HDM-408 48V 0.9W RGB	0.9W(6×0.2W/LED 模块)	控制端口调光	106
135.	HDM-408 48V 0.9W RGBW	0.9W(6×0.3W/LED 模块)	控制端口调光	106
136.	HDM-408 48V 0.9W W	0.9W(6×0.5W/LED 模块)	无	106
137.	HDM-408 48V 1W D	1W(6×0.5W/LED 模块)	控制端口调光	96
138.	HDM-408 48V 1W RGB	1W(6×0.2W/LED 模块)	控制端口调光	96
139.	HDM-408 48V 1W RGBW	1W(6×0.3W/LED 模块)	控制端口调光	96
140.	HDM-408 48V 1W W	1W(6×0.5W/LED 模块)	无	96
141.	HDM-408 48V 1.2W D	1.2W(6×0.5W/LED 模块)	控制端口调光	80
142.	HDM-408 48V 1.2W RGB	1.2W(6×0.2W/LED 模块)	控制端口调光	80
143.	HDM-408 48V 1.2W RGBW	1.2W(6×0.3W/LED 模块)	控制端口调光	80



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page6of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

144.	HDM-408 48V 1.2W W	1.2W(6×0.5W/LED 模块)	无	80
145.	HDM-408 48V 1.44W D	1.44W(6×0.5W/LED 模块)	控制端口调光	66
146.	HDM-408 48V 1.44W RGB	1.44W(6×0.2W/LED 模块)	控制端口调光	66
147.	HDM-408 48V 1.44W RGBW	1.44W(6×0.3W/LED 模块)	控制端口调光	66
148.	HDM-408 48V 1.44W W	1.44W(6×0.5W/LED 模块)	无	66
149.	HDM-408 48V 1.5W D	1.5W(6×0.5W/LED 模块)	控制端口调光	64
150.	HDM-408 48V 1.5W RGB	1.5W(6×3W/LED 模块)	控制端口调光	64
151.	HDM-408 48V 1.5W RGBW	1.5W(6×0.3W/LED 模块)	控制端口调光	64
152.	HDM-408 48V 1.5W W	1.5W(6×0.5W/LED 模块)	无	64
153.	HDM-408 48V 1.8W D	1.8W(6×0.5W/LED 模块)	控制端口调光	53
154.	HDM-408 48V 1.8W RGB	1.8W(6×3W/LED 模块)	控制端口调光	53
155.	HDM-408 48V 1.8W RGBW	1.8W(6×2W/LED 模块)	控制端口调光	53
156.	HDM-408 48V 1.8W W	1.8W(6×0.5W/LED 模块)	无	53
157.	HDM-408 48V 2W D	2W(6×0.5W/LED 模块)	控制端口调光	48
158.	HDM-408 48V 2W RGB	2W(6×3W/LED 模块)	控制端口调光	48
159.	HDM-408 48V 2W RGBW	2W(6×2W/LED 模块)	控制端口调光	48
160.	HDM-408 48V 2W W	2W(6×0.5W/LED 模块)	无	48
161.	HDM-409 48V 0.3W D	0.3W(6×0.5W/LED 模块)	控制端口调光	320
162.	HDM-409 48V 0.3W RGB	0.3W(6×0.2W/LED 模块)	控制端口调光	320
163.	HDM-409 48V 0.3W RGBW	0.3W(6×0.3W/LED 模块)	控制端口调光	320
164.	HDM-409 48V 0.3W W	0.3W(6×0.5W/LED 模块)	无	320
165.	HDM-409 48V 0.6W D	0.6W(6×0.5W/LED 模块)	控制端口调光	160
166.	HDM-409 48V 0.6W RGB	0.6W(6×0.2W/LED 模块)	控制端口调光	160
167.	HDM-409 48V 0.6W RGBW	0.6W(6×0.3W/LED 模块)	控制端口调光	160
168.	HDM-409 48V 0.6W W	0.6W(6×0.5W/LED 模块)	无	160
169.	HDM-409 48V 0.72W D	0.72W(6×0.5W/LED 模块)	控制端口调光	133
170.	HDM-409 48V 0.72W RGB	0.72W(6×0.2W/LED 模块)	控制端口调光	133
171.	HDM-409 48V 0.72W RGBW	0.72W(6×0.3W/LED 模块)	控制端口调光	133
172.	HDM-409 48V 0.72W W	0.72W(6×0.5W/LED 模块)	无	133



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page7of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

173.	HDM-409 48V 0.9W D	0.9W(6×0.5W/LED 模块)	控制端口调光	106
174.	HDM-409 48V 0.9W RGB	0.9W(6×0.2W/LED 模块)	控制端口调光	106
175.	HDM-409 48V 0.9W RGBW	0.9W(6×0.3W/LED 模块)	控制端口调光	106
176.	HDM-409 48V 0.9W W	0.9W(6×0.5W/LED 模块)	无	106
177.	HDM-409 48V 1W D	1W(6×0.5W/LED 模块)	控制端口调光	96
178.	HDM-409 48V 1W RGB	1W(6×0.2W/LED 模块)	控制端口调光	96
179.	HDM-409 48V 1W RGBW	1W(6×0.3W/LED 模块)	控制端口调光	96
180.	HDM-409 48V 1W W	1W(6×0.5W/LED 模块)	无	96
181.	HDM-409 48V 1.2W D	1.2W(6×0.5W/LED 模块)	控制端口调光	80
182.	HDM-409 48V 1.2W RGB	1.2W(6×0.2W/LED 模块)	控制端口调光	80
183.	HDM-409 48V 1.2W RGBW	1.2W(6×0.3W/LED 模块)	控制端口调光	80
184.	HDM-409 48V 1.2W W	1.2W(6×0.5W/LED 模块)	无	80
185.	HDM-409 48V 1.44W D	1.44W(6×0.5W/LED 模块)	控制端口调光	66
186.	HDM-409 48V 1.44W RGB	1.44W(6×0.2W/LED 模块)	控制端口调光	66
187.	HDM-409 48V 1.44W RGBW	1.44W(6×0.3W/LED 模块)	控制端口调光	66
188.	HDM-409 48V 1.44W W	1.44W(6×0.5W/LED 模块)	无	66
189.	HDM-409 48V 1.5W D	1.5W(6×0.5W/LED 模块)	控制端口调光	64
190.	HDM-409 48V 1.5W RGB	1.5W(6×3W/LED 模块)	控制端口调光	64
191.	HDM-409 48V 1.5W RGBW	1.5W(6×0.3W/LED 模块)	控制端口调光	64
192.	HDM-409 48V 1.5W W	1.5W(6×0.5W/LED 模块)	无	64
193.	HDM-409 48V 1.8W D	1.8W(6×0.5W/LED 模块)	控制端口调光	53
194.	HDM-409 48V 1.8W RGB	1.8W(6×3W/LED 模块)	控制端口调光	53
195.	HDM-409 48V 1.8W RGBW	1.8W(6×2W/LED 模块)	控制端口调光	53
196.	HDM-409 48V 1.8W W	1.8W(6×0.5W/LED 模块)	无	53
197.	HDM-409 48V 2W D	2W(6×0.5W/LED 模块)	控制端口调光	48
198.	HDM-409 48V 2W RGB	2W(6×3W/LED 模块)	控制端口调光	48
199.	HDM-409 48V 2W RGBW	2W(6×2W/LED 模块)	控制端口调光	48
200.	HDM-409 48V 2W W	2W(6×0.5W/LED 模块)	无	48
201.	HDM-410 48V 2W D	2W(6×1W/LED 模块)	控制端口调光	48



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page8of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

202.	HDM-410 48V 2W RGB	2W(6×1W/LED 模块)	控制端口调光	48
203.	HDM-410 48V 2W RGBW	2W(12×1W/LED 模块)	控制端口调光	48
204.	HDM-410 48V 2W W	2W(6×1W/LED 模块)	无	48
205.	HDM-410 48V 2.4W D	2.4W(6×1W/LED 模块)	控制端口调光	40
206.	HDM-410 48V 2.4W RGB	2.4W(6×1W/LED 模块)	控制端口调光	40
207.	HDM-410 48V 2.4W RGBW	2.4W(12×1W/LED 模块)	控制端口调光	40
208.	HDM-410 48V 2.4W W	2.4W(6×1W/LED 模块)	无	40
209.	HDM-410 48V 3W D	3W(6×1W/LED 模块)	控制端口调光	32
210.	HDM-410 48V 3W RGB	3W(6×1W/LED 模块)	控制端口调光	32
211.	HDM-410 48V 3W RGBW	3W(12×1W/LED 模块)	控制端口调光	32
212.	HDM-410 48V 3W W	3W(6×1W/LED 模块)	无	32
213.	HDM-410 48V 3.6W D	3.6W(6×1W/LED 模块)	控制端口调光	26
214.	HDM-410 48V 3.6W RGB	3.6W(6×1W/LED 模块)	控制端口调光	26
215.	HDM-410 48V 3.6W RGBW	3.6W(12×1W/LED 模块)	控制端口调光	26
216.	HDM-410 48V 3.6W W	3.6W(6×1W/LED 模块)	无	26
217.	HDM-410 48V 4W D	4W(6×1W/LED 模块)	控制端口调光	24
218.	HDM-410 48V 4W RGB	4W(6×1W/LED 模块)	控制端口调光	24
219.	HDM-410 48V 4W RGBW	4W(12×1W/LED 模块)	控制端口调光	24
220.	HDM-410 48V 4W W	4W(6×1W/LED 模块)	无	24
221.	HDM-410 48V 5W D	5W(6×1W/LED 模块)	控制端口调光	19
222.	HDM-410 48V 5W RGB	5W(6×1W/LED 模块)	控制端口调光	19
223.	HDM-410 48V 5W RGBW	5W(12×1W/LED 模块)	控制端口调光	19
224.	HDM-410 48V 5W W	5W(6×1W/LED 模块)	无	19
225.	HDM-410 48V 6W D	6W(6×1W/LED 模块)	控制端口调光	16
226.	HDM-410 48V 6W RGB	6W(6×1W/LED 模块)	控制端口调光	16
227.	HDM-410 48V 6W RGBW	6W(12×1W/LED 模块)	控制端口调光	16
228.	HDM-410 48V 6W W	6W(6×1W/LED 模块)	无	16
229.	HDM-410 48V 7.2W D	7.2W(9×1W/LED 模块)	控制端口调光	13
230.	HDM-410 48V 7.2W RGB	7.2W(9×1W/LED 模块)	控制端口调光	13



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page9of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

231.	HDM-410 48V 7.2W RGBW	7.2W(12×1W/LED 模块)	控制端口调光	13
232.	HDM-410 48V 7.2W W	7.2W(9×1W/LED 模块)	无	13
233.	HDM-410 48V 9W D	9W(9×1W/LED 模块)	控制端口调光	10
234.	HDM-410 48V 9W RGB	9W(9×1W/LED 模块)	控制端口调光	10
235.	HDM-410 48V 9W RGBW	9W(12×1W/LED 模块)	控制端口调光	10
236.	HDM-410 48V 9W W	9W(9×1W/LED 模块)	无	10
237.	HDM-410 48V 10W D	10W(12×1W/LED 模块)	控制端口调光	9
238.	HDM-410 48V 10W RGB	10W(12×1W/LED 模块)	控制端口调光	9
239.	HDM-410 48V 10W RGBW	10W(12×1W/LED 模块)	控制端口调光	9
240.	HDM-410 48V 10W W	10W(12×1W/LED 模块)	无	9
241.	HDM-410 48V 12W D	12W(12×1W/LED 模块)	控制端口调光	8
242.	HDM-410 48V 12W RGB	12W(12×1W/LED 模块)	控制端口调光	8
243.	HDM-410 48V 12W RGBW	12W(12×1W/LED 模块)	控制端口调光	8
244.	HDM-410 48V 12W W	12W(12×1W/LED 模块)	无	8
245.	HDM-411 48V 0.72W D	0.72W(6×0.5W/LED 模块)	控制端口调光	133
246.	HDM-411 48V 0.72W RGB	0.72W(6×0.2W/LED 模块)	控制端口调光	133
247.	HDM-411 48V 0.72W RGBW	0.72W(6×0.3W/LED 模块)	控制端口调光	133
248.	HDM-411 48V 0.72W W	0.72W(6×0.5W/LED 模块)	无	133
249.	HDM-411 48V 0.9W D	0.9W(6×0.5W/LED 模块)	控制端口调光	106
250.	HDM-411 48V 0.9W RGB	0.9W(6×0.2W/LED 模块)	控制端口调光	106
251.	HDM-411 48V 0.9W RGBW	0.9W(6×0.3W/LED 模块)	控制端口调光	106
252.	HDM-411 48V 0.9W W	0.9W(6×0.5W/LED 模块)	无	106
253.	HDM-411 48V 1W D	1W(6×0.5W/LED 模块)	控制端口调光	96
254.	HDM-411 48V 1W RGB	1W(6×0.2W/LED 模块)	控制端口调光	96
255.	HDM-411 48V 1W RGBW	1W(6×0.3W/LED 模块)	控制端口调光	96
256.	HDM-411 48V 1W W	1W(6×0.5W/LED 模块)	无	96
257.	HDM-411 48V 1.2W D	1.2W(6×0.5W/LED 模块)	控制端口调光	80
258.	HDM-411 48V 1.2W RGB	1.2W(6×0.2W/LED 模块)	控制端口调光	80
259.	HDM-411 48V 1.2W RGBW	1.2W(6×0.3W/LED 模块)	控制端口调光	80



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page10of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

260.	HDM-411 48V 1.2W W	1.2W(6×0.5W/LED 模块)	无	80
261.	HDM-411 48V 1.44W D	1.44W(6×0.5W/LED 模块)	控制端口调光	66
262.	HDM-411 48V 1.44W RGB	1.44W(6×0.2W/LED 模块)	控制端口调光	66
263.	HDM-411 48V 1.44W RGBW	1.44W(6×0.3W/LED 模块)	控制端口调光	66
264.	HDM-411 48V 1.44W W	1.44W(6×0.5W/LED 模块)	无	66
265.	HDM-411 48V 1.5W D	1.5W(12×0.5W/LED 模块)	控制端口调光	64
266.	HDM-411 48V 1.5W RGB	1.5W(12×0.2W/LED 模块)	控制端口调光	64
267.	HDM-411 48V 1.5W RGBW	1.5W(12×0.3W/LED 模块)	控制端口调光	64
268.	HDM-411 48V 1.5W W	1.8W(12×0.5W/LED 模块)	无	64
269.	HDM-411 48V 1.8W D	1.8W(12×0.5W/LED 模块)	控制端口调光	53
270.	HDM-411 48V 1.8W RGB	1.8W(12×0.2W/LED 模块)	控制端口调光	53
271.	HDM-411 48V 1.8W RGBW	1.8W(12×0.3W/LED 模块)	控制端口调光	53
272.	HDM-411 48V 1.8W W	1.8W(12×0.5W/LED 模块)	无	53
273.	HDM-411 48V 2W D	2W(12×0.5W/LED 模块)	控制端口调光	48
274.	HDM-411 48V 2W RGB	2W(12×0.2W/LED 模块)	控制端口调光	48
275.	HDM-411 48V 2W RGBW	2W(12×0.3W/LED 模块)	控制端口调光	48
276.	HDM-411 48V 2W W	2W(12×0.5W/LED 模块)	无	48
277.	HDM-411 48V 2.4W D	2.4W(12×0.5W/LED 模块)	控制端口调光	40
278.	HDM-411 48V 2.4W RGB	2.4W(12×0.2W/LED 模块)	控制端口调光	40
279.	HDM-411 48V 2.4W RGBW	2.4W(12×0.3W/LED 模块)	控制端口调光	40
280.	HDM-411 48V 2.4W W	2.4W(12×0.5W/LED 模块)	无	40
281.	HDM-411 48V 3W D	3W(12×0.5W/LED 模块)	控制端口调光	32
282.	HDM-411 48V 3W RGB	3W(12×3W/LED 模块)	控制端口调光	32
283.	HDM-411 48V 3W RGBW	3W(12×0.3W/LED 模块)	控制端口调光	32
284.	HDM-411 48V 3W W	3W(12×0.5W/LED 模块)	无	32
285.	HDM-411 48V 3.6W D	3.6W(12×0.5W/LED 模块)	控制端口调光	26
286.	HDM-411 48V 3.6W RGB	3.6W(12×3/LED 模块)	控制端口调光	26
287.	HDM-411 48V 3.6W RGBW	3.6W(12×2W/LED 模块)	控制端口调光	26
288.	HDM-411 48V 3.6W W	3.6W(12×0.5W/LED 模块)	无	26



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page 1 of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

289.	HDM-411 48V 4W D	4W(12×0.5W/LED 模块)	控制端口调光	24
290.	HDM-411 48V 4W RGB	4W(12×3W/LED 模块)	控制端口调光	24
291.	HDM-411 48V 4W RGBW	4W(12×2W/LED 模块)	控制端口调光	24
292.	HDM-411 48V 4W W	4W(12×0.5W/LED 模块)	无	24
293.	HDM-411 48V 5W D	5W(12×0.5W/LED 模块)	控制端口调光	19
294.	HDM-411 48V 5W RGB	5W(12×3W/LED 模块)	控制端口调光	19
295.	HDM-411 48V 5W RGBW	5W(12×2W/LED 模块)	控制端口调光	19
296.	HDM-411 48V 5W W	5W(12×0.5W/LED 模块)	无	19
297.	HDM-411 48V 6W D	6W(12×0.5W/LED 模块)	控制端口调光	16
298.	HDM-411 48V 6W RGB	6W(12×3W/LED 模块)	控制端口调光	16
299.	HDM-411 48V 6W RGBW	6W(12×2W/LED 模块)	控制端口调光	16
300.	HDM-411 48V 6W W	6W(12×0.5W/LED 模块)	无	16
301.	HDM-413 48V 0.72W D	0.72W(6×0.5W/LED 模块)	控制端口调光	133
302.	HDM-413 48V 0.72W RGB	0.72W(6×0.2W/LED 模块)	控制端口调光	133
303.	HDM-413 48V 0.72W RGBW	0.72W(6×0.3W/LED 模块)	控制端口调光	133
304.	HDM-413 48V 0.72W W	0.72W(6×0.5W/LED 模块)	无	133
305.	HDM-413 48V 0.9W D	0.9W(6×0.5W/LED 模块)	控制端口调光	106
306.	HDM-413 48V 0.9W RGB	0.9W(6×0.2W/LED 模块)	控制端口调光	106
307.	HDM-413 48V 0.9W RGBW	0.9W(6×0.3W/LED 模块)	控制端口调光	106
308.	HDM-413 48V 0.9W W	0.9W(6×0.5W/LED 模块)	无	106
309.	HDM-413 48V 1W D	1W(6×0.5W/LED 模块)	控制端口调光	96
310.	HDM-413 48V 1W RGB	1W(6×0.2W/LED 模块)	控制端口调光	96
311.	HDM-413 48V 1W RGBW	1W(6×0.3W/LED 模块)	控制端口调光	96
312.	HDM-413 48V 1W W	1W(6×0.5W/LED 模块)	无	96
313.	HDM-413 48V 1.2W D	1.2W(6×0.5W/LED 模块)	控制端口调光	80
314.	HDM-413 48V 1.2W RGB	1.2W(6×0.2W/LED 模块)	控制端口调光	80
315.	HDM-413 48V 1.2W RGBW	1.2W(6×0.3W/LED 模块)	控制端口调光	80
316.	HDM-413 48V 1.2W W	1.2W(6×0.5W/LED 模块)	无	80
317.	HDM-413 48V 1.44W D	1.44W(6×0.5W/LED 模块)	控制端口调光	66



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page12of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

318.	HDM-413 48V 1.44W RGB	1.44W(6×0.2W/LED 模块)	控制端口调光	66
319.	HDM-413 48V 1.44W RGBW	1.44W(6×0.3W/LED 模块)	控制端口调光	66
320.	HDM-413 48V 1.44W W	1.44W(6×0.5W/LED 模块)	无	66
321.	HDM-413 48V 1.5W D	1.5W(12×0.5W/LED 模块)	控制端口调光	64
322.	HDM-413 48V 1.5W RGB	1.5W(12×0.2W/LED 模块)	控制端口调光	64
323.	HDM-413 48V 1.5W RGBW	1.5W(12×0.3W/LED 模块)	控制端口调光	64
324.	HDM-413 48V 1.5W W	1.8W(12×0.5W/LED 模块)	无	64
325.	HDM-413 48V 1.8W D	1.8W(12×0.5W/LED 模块)	控制端口调光	53
326.	HDM-413 48V 1.8W RGB	1.8W(12×0.2W/LED 模块)	控制端口调光	53
327.	HDM-413 48V 1.8W RGBW	1.8W(12×0.3W/LED 模块)	控制端口调光	53
328.	HDM-413 48V 1.8W W	1.8W(12×0.5W/LED 模块)	无	53
329.	HDM-413 48V 2W D	2W(12×0.5W/LED 模块)	控制端口调光	48
330.	HDM-413 48V 2W RGB	2W(12×0.2W/LED 模块)	控制端口调光	48
331.	HDM-413 48V 2W RGBW	2W(12×0.3W/LED 模块)	控制端口调光	48
332.	HDM-413 48V 2W W	2W(12×0.5W/LED 模块)	无	48
333.	HDM-413 48V 2.4W D	2.4W(12×0.5W/LED 模块)	控制端口调光	40
334.	HDM-413 48V 2.4W RGB	2.4W(12×0.2W/LED 模块)	控制端口调光	40
335.	HDM-413 48V 2.4W RGBW	2.4W(12×0.3W/LED 模块)	控制端口调光	40
336.	HDM-413 48V 2.4W W	2.4W(12×0.5W/LED 模块)	无	40
337.	HDM-413 48V 3W D	3W(12×0.5W/LED 模块)	控制端口调光	32
338.	HDM-413 48V 3W RGB	3W(12×3W/LED 模块)	控制端口调光	32
339.	HDM-413 48V 3W RGBW	3W(12×2W/LED 模块)	控制端口调光	32
340.	HDM-413 48V 3W W	3W(12×0.5W/LED 模块)	无	32
341.	HDM-413 48V 3.6W D	3.6W(12×0.5W/LED 模块)	控制端口调光	26
342.	HDM-413 48V 3.6W RGB	3.6W(12×3W/LED 模块)	控制端口调光	26
343.	HDM-413 48V 3.6W RGBW	3.6W(12×2W/LED 模块)	控制端口调光	26
344.	HDM-413 48V 3.6W W	3.6W(12×0.5W/LED 模块)	无	26
345.	HDM-413 48V 4W D	4W(12×0.5W/LED 模块)	控制端口调光	24
346.	HDM-413 48V 4W RGB	4W(12×3W/LED 模块)	控制端口调光	24



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page13of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

347.	HDM-413 48V 4W RGBW	4W(12×2W/LED 模块)	控制端口调光	24
348.	HDM-413 48V 4W W	4W(12×0.5W/LED 模块)	无	24
349.	HDM-413 48V 5W D	5W(12×0.5W/LED 模块)	控制端口调光	19
350.	HDM-413 48V 5W RGB	5W(12×3W/LED 模块)	控制端口调光	19
351.	HDM-413 48V 5W RGBW	5W(12×2W/LED 模块)	控制端口调光	19
352.	HDM-413 48V 5W W	5W(12×0.5W/LED 模块)	无	19
353.	HDM-413 48V 6W D	6W(12×0.5W/LED 模块)	控制端口调光	16
354.	HDM-413 48V 6W RGB	6W(12×3W/LED 模块)	控制端口调光	16
355.	HDM-413 48V 6W RGBW	6W(12×2W/LED 模块)	控制端口调光	16
356.	HDM-413 48V 6W W	6W(12×0.5W/LED 模块)	无	16
357.	HDM-416 48V 2W D	2W(6×1W/LED 模块)	控制端口调光	48
358.	HDM-416 48V 2W RGB	2W(6×1W/LED 模块)	控制端口调光	48
359.	HDM-416 48V 2W RGBW	2W(12×1W/LED 模块)	控制端口调光	48
360.	HDM-416 48V 2W W	2W(6×1W/LED 模块)	无	48
361.	HDM-416 48V 2.4W D	2.4W(6×1W/LED 模块)	控制端口调光	40
362.	HDM-416 48V 2.4W RGB	2.4W(6×1W/LED 模块)	控制端口调光	40
363.	HDM-416 48V 2.4W RGBW	2.4W(12×1W/LED 模块)	控制端口调光	40
364.	HDM-416 48V 2.4W W	2.4W(6×1W/LED 模块)	无	40
365.	HDM-416 48V 3W D	3W(6×1W/LED 模块)	控制端口调光	32
366.	HDM-416 48V 3W RGB	3W(6×1W/LED 模块)	控制端口调光	32
367.	HDM-416 48V 3W RGBW	3W(12×1W/LED 模块)	控制端口调光	32
368.	HDM-416 48V 3W W	3W(6×1W/LED 模块)	无	32
369.	HDM-416 48V 3.6W D	3.6W(6×1W/LED 模块)	控制端口调光	26
370.	HDM-416 48V 3.6W RGB	3.6W(6×1W/LED 模块)	控制端口调光	26
371.	HDM-416 48V 3.6W RGBW	3.6W(12×1W/LED 模块)	控制端口调光	26
372.	HDM-416 48V 3.6W W	3.6W(6×1W/LED 模块)	无	26
373.	HDM-416 48V 4W D	4W(6×1W/LED 模块)	控制端口调光	24
374.	HDM-416 48V 4W RGB	4W(6×1W/LED 模块)	控制端口调光	24
375.	HDM-416 48V 4W RGBW	4W(12×1W/LED 模块)	控制端口调光	24



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page14of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

376.	HDM-416 48V 4W W	4W(6×1W/LED 模块)	无	24
377.	HDM-416 48V 5W D	5W(6×1W/LED 模块)	控制端口调光	19
378.	HDM-416 48V 5W RGB	5W(6×1W/LED 模块)	控制端口调光	19
379.	HDM-416 48V 5W RGBW	5W(12×1W/LED 模块)	控制端口调光	19
380.	HDM-416 48V 5W W	5W(6×1W/LED 模块)	无	19
381.	HDM-416 48V 6W D	6W(6×1W/LED 模块)	控制端口调光	16
382.	HDM-416 48V 6W RGB	6W(6×1W/LED 模块)	控制端口调光	16
383.	HDM-416 48V 6W RGBW	6W(12×1W/LED 模块)	控制端口调光	16
384.	HDM-416 48V 6W W	6W(6×1W/LED 模块)	无	16
385.	HDM-416 48V 7.2W D	7.2W(9×1W/LED 模块)	控制端口调光	13
386.	HDM-416 48V 7.2W RGB	7.2W(9×1W/LED 模块)	控制端口调光	13
387.	HDM-416 48V 7.2W RGBW	7.2W(12×1W/LED 模块)	控制端口调光	13
388.	HDM-416 48V 7.2W W	7.2W(9×1W/LED 模块)	无	13
389.	HDM-416 48V 9W D	9W(9×1W/LED 模块)	控制端口调光	10
390.	HDM-416 48V 9W RGB	9W(9×1W/LED 模块)	控制端口调光	10
391.	HDM-416 48V 9W RGBW	9W(12×1W/LED 模块)	控制端口调光	10
392.	HDM-416 48V 9W W	9W(9×1W/LED 模块)	无	10
393.	HDM-416 48V 10W D	10W(12×1W/LED 模块)	控制端口调光	9
394.	HDM-416 48V 10W RGB	10W(12×1W/LED 模块)	控制端口调光	9
395.	HDM-416 48V 10W RGBW	10W(12×1W/LED 模块)	控制端口调光	9
396.	HDM-416 48V 10W W	10W(12×1W/LED 模块)	无	9
397.	HDM-416 48V 12W D	12W(12×1W/LED 模块)	控制端口调光	8
398.	HDM-416 48V 12W RGB	12W(12×1W/LED 模块)	控制端口调光	8
399.	HDM-416 48V 12W RGBW	12W(12×1W/LED 模块)	控制端口调光	8
400.	HDM-416 48V 12W W	12W(12×1W/LED 模块)	无	8
401.	HDM-418 48V 0.3W D	0.3W(6×0.5W/LED 模块)	控制端口调光	320
402.	HDM-418 48V 0.3W RGB	0.3W(6×0.2W/LED 模块)	控制端口调光	320
403.	HDM-418 48V 0.3W RGBW	0.3W(6×0.3W/LED 模块)	控制端口调光	320
404.	HDM-418 48V 0.3W W	0.3W(6×0.5W/LED 模块)	无	320



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page15of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

405.	HDM-418 48V 0.6W D	0.6W(6×0.5W/LED 模块)	控制端口调光	160
406.	HDM-418 48V 0.6W RGB	0.6W(6×0.2W/LED 模块)	控制端口调光	160
407.	HDM-418 48V 0.6W RGBW	0.6W(6×0.3W/LED 模块)	控制端口调光	160
408.	HDM-418 48V 0.6W W	0.6W(6×0.5W/LED 模块)	无	160
409.	HDM-418 48V 0.72W D	0.72W(6×0.5W/LED 模块)	控制端口调光	133
410.	HDM-418 48V 0.72W RGB	0.72W(6×0.2W/LED 模块)	控制端口调光	133
411.	HDM-418 48V 0.72W RGBW	0.72W(6×0.3W/LED 模块)	控制端口调光	133
412.	HDM-418 48V 0.72W W	0.72W(6×0.5W/LED 模块)	无	133
413.	HDM-418 48V 0.9W D	0.9W(6×0.5W/LED 模块)	控制端口调光	106
414.	HDM-418 48V 0.9W RGB	0.9W(6×0.2W/LED 模块)	控制端口调光	106
415.	HDM-418 48V 0.9W RGBW	0.9W(6×0.3W/LED 模块)	控制端口调光	106
416.	HDM-418 48V 0.9W W	0.9W(6×0.5W/LED 模块)	无	106
417.	HDM-418 48V 1W D	1W(6×0.5W/LED 模块)	控制端口调光	96
418.	HDM-418 48V 1W RGB	1W(6×0.2W/LED 模块)	控制端口调光	96
419.	HDM-418 48V 1W RGBW	1W(6×0.3W/LED 模块)	控制端口调光	96
420.	HDM-418 48V 1W W	1W(6×0.5W/LED 模块)	无	96
421.	HDM-418 48V 1.2W D	1.2W(6×0.5W/LED 模块)	控制端口调光	80
422.	HDM-418 48V 1.2W RGB	1.2W(6×0.2W/LED 模块)	控制端口调光	80
423.	HDM-418 48V 1.2W RGBW	1.2W(6×0.3W/LED 模块)	控制端口调光	80
424.	HDM-418 48V 1.2W W	1.2W(6×0.5W/LED 模块)	无	80
425.	HDM-418 48V 1.44W D	1.44W(6×0.5W/LED 模块)	控制端口调光	66
426.	HDM-418 48V 1.44W RGB	1.44W(6×0.2W/LED 模块)	控制端口调光	66
427.	HDM-418 48V 1.44W RGBW	1.44W(6×0.3W/LED 模块)	控制端口调光	66
428.	HDM-418 48V 1.44W W	1.44W(6×0.5W/LED 模块)	无	66
429.	HDM-418 48V 1.5W D	1.5W(6×0.5W/LED 模块)	控制端口调光	64
430.	HDM-418 48V 1.5W RGB	1.5W(6×3W/LED 模块)	控制端口调光	64
431.	HDM-418 48V 1.5W RGBW	1.5W(6×0.3W/LED 模块)	控制端口调光	64
432.	HDM-418 48V 1.5W W	1.5W(6×0.5W/LED 模块)	无	64
433.	HDM-418 48V 1.8W D	1.8W(6×0.5W/LED 模块)	控制端口调光	53



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page16of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

434.	HDM-418 48V 1.8W RGB	1.8W(6×3W/LED 模块)	控制端口调光	53
435.	HDM-418 48V 1.8W RGBW	1.8W(6×2W/LED 模块)	控制端口调光	53
436.	HDM-418 48V 1.8W W	1.8W(6×0.5W/LED 模块)	无	53
437.	HDM-418 48V 2W D	2W(6×0.5W/LED 模块)	控制端口调光	48
438.	HDM-418 48V 2W RGB	2W(6×3W/LED 模块)	控制端口调光	48
439.	HDM-418 48V 2W RGBW	2W(6×2W/LED 模块)	控制端口调光	48
440.	HDM-418 48V 2W W	2W(6×0.5W/LED 模块)	无	48
441.	HDM-420 48V 0.3W D	0.3W(6×0.5W/LED 模块)	控制端口调光	320
442.	HDM-420 48V 0.3W RGB	0.3W(6×0.2W/LED 模块)	控制端口调光	320
443.	HDM-420 48V 0.3W RGBW	0.3W(6×0.3W/LED 模块)	控制端口调光	320
444.	HDM-420 48V 0.3W W	0.3W(6×0.5W/LED 模块)	无	320
445.	HDM-420 48V 0.6W D	0.6W(6×0.5W/LED 模块)	控制端口调光	160
446.	HDM-420 48V 0.6W RGB	0.6W(6×0.2W/LED 模块)	控制端口调光	160
447.	HDM-420 48V 0.6W RGBW	0.6W(6×0.3W/LED 模块)	控制端口调光	160
448.	HDM-420 48V 0.6W W	0.6W(6×0.5W/LED 模块)	无	160
449.	HDM-420 48V 0.72W D	0.72W(6×0.5W/LED 模块)	控制端口调光	133
450.	HDM-420 48V 0.72W RGB	0.72W(6×0.2W/LED 模块)	控制端口调光	133
451.	HDM-420 48V 0.72W RGBW	0.72W(6×0.3W/LED 模块)	控制端口调光	133
452.	HDM-420 48V 0.72W W	0.72W(6×0.5W/LED 模块)	无	133
453.	HDM-420 48V 0.9W D	0.9W(6×0.5W/LED 模块)	控制端口调光	106
454.	HDM-420 48V 0.9W RGB	0.9W(6×0.2W/LED 模块)	控制端口调光	106
455.	HDM-420 48V 0.9W RGBW	0.9W(6×0.3W/LED 模块)	控制端口调光	106
456.	HDM-420 48V 0.9W W	0.9W(6×0.5W/LED 模块)	无	106
457.	HDM-420 48V 1W D	1W(6×0.5W/LED 模块)	控制端口调光	96
458.	HDM-420 48V 1W RGB	1W(6×0.2W/LED 模块)	控制端口调光	96
459.	HDM-420 48V 1W RGBW	1W(6×0.3W/LED 模块)	控制端口调光	96
460.	HDM-420 48V 1W W	1W(6×0.5W/LED 模块)	无	96
461.	HDM-420 48V 1.2W D	1.2W(6×0.5W/LED 模块)	控制端口调光	80
462.	HDM-420 48V 1.2W RGB	1.2W(6×0.2W/LED 模块)	控制端口调光	80



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page17of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

463.	HDM-420 48V 1.2W RGBW	1.2W(6×0.3W/LED 模块)	控制端口调光	80
464.	HDM-420 48V 1.2W W	1.2W(6×0.5W/LED 模块)	无	80
465.	HDM-420 48V 1.44W D	1.44W(6×0.5W/LED 模块)	控制端口调光	66
466.	HDM-420 48V 1.44W RGB	1.44W(6×0.2W/LED 模块)	控制端口调光	66
467.	HDM-420 48V 1.44W RGBW	1.44W(6×0.3W/LED 模块)	控制端口调光	66
468.	HDM-420 48V 1.44W W	1.44W(6×0.5W/LED 模块)	无	66
469.	HDM-420 48V 1.5W D	1.5W(12×0.5W/LED 模块)	控制端口调光	64
470.	HDM-420 48V 1.5W RGB	1.5W(12×0.2W/LED 模块)	控制端口调光	64
471.	HDM-420 48V 1.5W RGBW	1.5W(12×0.3W/LED 模块)	控制端口调光	64
472.	HDM-420 48V 1.5W W	1.8W(12×0.5W/LED 模块)	无	64
473.	HDM-420 48V 1.8W D	1.8W(12×0.5W/LED 模块)	控制端口调光	53
474.	HDM-420 48V 1.8W RGB	1.8W(12×0.2W/LED 模块)	控制端口调光	53
475.	HDM-420 48V 1.8W RGBW	1.8W(12×0.3W/LED 模块)	控制端口调光	53
476.	HDM-420 48V 1.8W W	1.8W(12×0.5W/LED 模块)	无	53
477.	HDM-420 48V 2W D	2W(12×0.5W/LED 模块)	控制端口调光	48
478.	HDM-420 48V 2W RGB	2W(12×0.2W/LED 模块)	控制端口调光	48
479.	HDM-420 48V 2W RGBW	2W(12×0.3W/LED 模块)	控制端口调光	48
480.	HDM-420 48V 2W W	2W(12×0.5W/LED 模块)	无	48
481.	HDM-420 48V 2.4W D	2.4W(12×0.5W/LED 模块)	控制端口调光	40
482.	HDM-420 48V 2.4W RGB	2.4W(12×0.2W/LED 模块)	控制端口调光	40
483.	HDM-420 48V 2.4W RGBW	2.4W(12×0.3W/LED 模块)	控制端口调光	40
484.	HDM-420 48V 2.4W W	2.4W(12×0.5W/LED 模块)	无	40
485.	HDM-420 48V 3W D	3W(12×0.5W/LED 模块)	控制端口调光	32
486.	HDM-420 48V 3W RGB	3W(12×3W/LED 模块)	控制端口调光	32
487.	HDM-420 48V 3W RGBW	3W(12×0.3W/LED 模块)	控制端口调光	32
488.	HDM-420 48V 3W W	3W(12×0.5W/LED 模块)	无	32
489.	HDM-420 48V 3.6W D	3.6W(12×0.5W/LED 模块)	控制端口调光	26
490.	HDM-420 48V 3.6W RGB	3.6W(12×3W/LED 模块)	控制端口调光	26
491.	HDM-420 48V 3.6W RGBW	3.6W(12×2W/LED 模块)	控制端口调光	26



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011001587720

page18of 18

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

492.	HDM-420 48V 3.6W W	3.6W(12×0.5W/LED 模块)	无	26
493.	HDM-420 48V 4W D	4W(12×0.5W/LED 模块)	控制端口调光	24
494.	HDM-420 48V 4W RGB	4W(12×3W/LED 模块)	控制端口调光	24
495.	HDM-420 48V 4W RGBW	4W(12×2W/LED 模块)	控制端口调光	24
496.	HDM-420 48V 4W W	4W(12×0.5W/LED 模块)	无	24
497.	HDM-415 48V 15W D	15W(24×1W/LED 模块)	控制端口调光	6
498.	HDM-415 48V 15W RGB	15W(12×3W/LED 模块)	控制端口调光	6
499.	HDM-415 48V 15W RGBW	15W(12×2W/LED 模块)	控制端口调光	6
500.	HDM-415 48V 15W W	15W(24×1W/LED 模块)	无	6
501.	HDM-415 48V 18W D	18W(24×1W/LED 模块)	控制端口调光	5
502.	HDM-415 48V 18W RGB	18W(12×3W/LED 模块)	控制端口调光	5
503.	HDM-415 48V 18W RGBW	18W(12×2W/LED 模块)	控制端口调光	5
504.	HDM-415 48V 18W W	18W(24×1W/LED 模块)	无	5
505.	HDM-415 48V 20W D	20W(24×1W/LED 模块)	控制端口调光	4
506.	HDM-415 48V 20W RGB	20W(12×3W/LED 模块)	控制端口调光	4
507.	HDM-415 48V 20W RGBW	20W(12×2W/LED 模块)	控制端口调光	4
508.	HDM-415 48V 20W W	20W(24×1W/LED 模块)	无	4
509.	HDM-415 48V 24W D	24W(24×1W/LED 模块)	控制端口调光	4
510.	HDM-415 48V 24W RGB	24W(12×3W/LED 模块)	控制端口调光	4
511.	HDM-415 48V 24W RGBW	24W(12×2W/LED 模块)	控制端口调光	4
512.	HDM-415 48V 24W W	24W(24×1W/LED 模块)	无	4

以上型号输入均为 48VDC，输入功率均小于 25W。



CHINA QUALITY CERTIFICATION CENTRE