

**Certificate No.:** SGS/210349

# CERTIFICATE OF APPROVAL

This certificate is issued to confirm that **SGS Systems & Services Certification Pty Ltd** (Electrical Product Certification Services (EPCS) Australia) as accredited by JAS-ANZ in accordance with AS/NZS ISO/IEC 17065 has certified the electrical article(s) described herein. It is a requirement that the electrical article(s) supplied under this certificate shall be identical to the electrical article(s) as certified. The electrical article must be marked with the regulatory compliance mark (RCM) in accordance with its conditions of use as set out in AS/NZS 4417.1 and the authorised marking as specified herein. The electrical articles comply with the minimum safety standards for which the application has been made by:

## CERTIFICATE HOLDER

**Company Name:** Shenzhen Flypower Technology Co., Ltd.  
**Address:** Building A2, Haosan Linpokeng 2nd Industry Zone, Nanpu Road, Shajing, Bao'an, Shenzhen, Guangdong, China

## CERTIFICATION DETAILS

**Certification Standard:** AS/NZS 62368.1: 2018  
**Conditions:** Only use for Audio/Video or IT equipment  
**Authorised Marking:** SGS-210349-EA  
**Certificate Issue Date:** 13 May 2021  
**Certificate Expiry Date:** 12 May 2026

## ELECTRICAL ARTICLE

**Class:** Power Supply Or Charger  
**Description:** Switching Adapter

Trade Name	Model Number	Ratings
FLYPOWER	PS30D120K1000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.00 V d.c.; 1.00 A; 12.00 W
FLYPOWER	PS30D120K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.00 V d.c.; 1.20 A; 14.40 W
FLYPOWER	PS30D120K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.00 V d.c.; 1.25 A; 15.00 W
FLYPOWER	PS30D120K1500AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.00 V d.c.; 1.50 A; 18.00 W
FLYPOWER	PS30D120K1800AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.00 V d.c.; 1.80 A; 21.60 W
FLYPOWER	PS30D120K2000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.00 V d.c.; 2.00 A; 24.00 W



**For and On Behalf of**  
**SGS Systems & Services Certification Pty Ltd**

Page 1 of 7

This document is issued by the Company under its General Conditions of Service accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



[www.jas-anz.org/register](http://www.jas-anz.org/register)



**Certificate No.:** SGS/210349

FLYPOWER	PS30D120K2200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.00 V d.c.; 2.20 A; 26.40 W
FLYPOWER	PS30D120K2500AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.00 V d.c.; 2.50 A; 30.00 W
FLYPOWER	PS30D125K1000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.50 V d.c.; 1.00 A; 12.50 W
FLYPOWER	PS30D125K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.50 V d.c.; 1.20 A; 15.00 W
FLYPOWER	PS30D125K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.50 V d.c.; 1.25 A; 15.63 W
FLYPOWER	PS30D125K1500AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.50 V d.c.; 1.50 A; 18.75 W
FLYPOWER	PS30D125K1800AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.50 V d.c.; 1.80 A; 22.50 W
FLYPOWER	PS30D125K2000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.50 V d.c.; 2.00 A; 25.00 W
FLYPOWER	PS30D125K2200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.50 V d.c.; 2.20 A; 27.50 W
FLYPOWER	PS30D125K2400AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 12.50 V d.c.; 2.40 A; 30.00 W
FLYPOWER	PS30D130K1000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.00 V d.c.; 1.00 A; 13.00 W
FLYPOWER	PS30D130K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.00 V d.c.; 1.20 A; 15.60 W
FLYPOWER	PS30D130K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.00 V d.c.; 1.25 A; 16.25 W
FLYPOWER	PS30D130K1500AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.00 V d.c.; 1.50 A; 19.50 W
FLYPOWER	PS30D130K1800AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.00 V d.c.; 1.80 A; 23.40 W
FLYPOWER	PS30D130K2000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.00 V d.c.; 2.00 A; 26.00 W
FLYPOWER	PS30D130K2200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.00 V d.c.; 2.20 A; 28.60 W
FLYPOWER	PS30D135K1000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.50 V d.c.; 1.00 A; 13.50 W



**For and On Behalf of**  
**SGS Systems & Services Certification Pty Ltd**

Page 2 of 7

This document is issued by the Company under its General Conditions of Service accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



[www.jas-anz.org/register](http://www.jas-anz.org/register)



**SGS Systems & Services Certification Pty Ltd**  
10/585 Blackburn Road, Notting Hill, 3168, Australia  
[www.sgs.com.au](http://www.sgs.com.au)  
Member of the SGS Group (SGS SA)

**Certificate No.:** SGS/210349

FLYPOWER	PS30D135K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.50 V d.c.; 1.20 A; 16.20 W
FLYPOWER	PS30D135K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.50 V d.c.; 1.25 A; 16.88 W
FLYPOWER	PS30D135K1500AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.50 V d.c.; 1.50 A; 20.25 W
FLYPOWER	PS30D135K1800AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.50 V d.c.; 1.80 A; 24.30 W
FLYPOWER	PS30D135K2000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.50 V d.c.; 2.00 A; 27.00 W
FLYPOWER	PS30D135K2200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 13.50 V d.c.; 2.20 A; 29.70 W
FLYPOWER	PS30D140K1000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 14.00 V d.c.; 1.00 A; 14.00 W
FLYPOWER	PS30D140K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 14.00 V d.c.; 1.20 A; 16.80 W
FLYPOWER	PS30D140K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 14.00 V d.c.; 1.25 A; 17.50 W
FLYPOWER	PS30D140K1500AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 14.00 V d.c.; 1.50 A; 21.00 W
FLYPOWER	PS30D140K1800AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 14.00 V d.c.; 1.80 A; 25.20 W
FLYPOWER	PS30D140K2000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 14.00 V d.c.; 2.00 A; 28.00 W
FLYPOWER	PS30D145K1000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 14.50 V d.c.; 1.00 A; 14.50 W
FLYPOWER	PS30D145K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 14.50 d.c.; 1.20 A; 17.40 W
FLYPOWER	PS30D145K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 14.50 V d.c.; 1.25 A; 18.13 W
FLYPOWER	PS30D145K1500AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 14.50 V d.c.; 1.50 A; 21.75 W
FLYPOWER	PS30D145K1800AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 14.50 V d.c.; 1.80 A; 26.10 W
FLYPOWER	PS30D145K2000AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 14.50 V d.c.; 2.00 A; 29.00 W



**For and On Behalf of**  
**SGS Systems & Services Certification Pty Ltd**

Page 3 of 7

This document is issued by the Company under its General Conditions of Service accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



[www.jas-anz.org/register](http://www.jas-anz.org/register)



**SGS Systems & Services Certification Pty Ltd**  
10/585 Blackburn Road, Notting Hill, 3168, Australia  
[www.sgs.com.au](http://www.sgs.com.au)  
Member of the SGS Group (SGS SA)

**Certificate No.:** SGS/210349

FLYPOWER	PS30D150K1000AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 15.00 V d.c.; 1.00 A; 15.00 W
FLYPOWER	PS30D150K1200AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 15.00 V d.c.; 1.20 A; 18.00 W
FLYPOWER	PS30D150K1250AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 15.00 V d.c.; 1.25 A; 18.75 W
FLYPOWER	PS30D150K1500AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 15.00 V d.c.; 1.50 A; 22.50 W
FLYPOWER	PS30D150K1800AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 15.00 V d.c.; 1.80 A; 27.00 W
FLYPOWER	PS30D150K2000AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 15.00 V d.c.; 2.00 A; 30.00 W
FLYPOWER	PS30D180K1000AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 18.00 V d.c.; 1.00 A; 18.00 W
FLYPOWER	PS30D180K1200AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 18.00 V d.c.; 1.20 A; 21.60 W
FLYPOWER	PS30D180K1250AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 18.00 V d.c.; 1.25 A; 22.50 W
FLYPOWER	PS30D180K1500AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 18.00 d.c.; 1.50 A; 27.00 W
FLYPOWER	PS30D180K1660AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 18.00 V d.c.; 1.66 A; 29.88 W
FLYPOWER	PS30D185K1000AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 18.50 V d.c.; 1.00 A; 18.50 W
FLYPOWER	PS30D185K1200AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 18.50 V d.c.; 1.20 A; 22.20 W
FLYPOWER	PS30D185K1250AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 18.50 V d.c.; 1.25 A; 23.13 W
FLYPOWER	PS30D185K1500AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 18.50 V d.c.; 1.50 A; 27.75 W
FLYPOWER	PS30D190K1000AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 19.00 V d.c.; 1.00 A; 19.00 W
FLYPOWER	PS30D190K1200AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 19.00 V d.c.; 1.20 A; 22.80 W
FLYPOWER	PS30D190K1250AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 19.00 V d.c.; 1.25 A; 23.75 W



**For and On Behalf of**  
**SGS Systems & Services Certification Pty Ltd**

Page 4 of 7

This document is issued by the Company under its General Conditions of Service accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



[www.jas-anz.org/register](http://www.jas-anz.org/register)



**SGS Systems & Services Certification Pty Ltd**  
10/585 Blackburn Road, Notting Hill, 3168, Australia  
[www.sgs.com.au](http://www.sgs.com.au)  
Member of the SGS Group (SGS SA)



**Certificate No.:** SGS/210349

FLYPOWER	PS30D190K1500AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 19.00 V d.c.; 1.50 A; 28.50 W
FLYPOWER	PS30D195K1000AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 19.50 V d.c.; 1.00 A; 19.50 W
FLYPOWER	PS30D195K1200AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 19.50 V d.c.; 1.20 A; 23.40 W
FLYPOWER	PS30D195K1250AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 19.50 V d.c.; 1.25 A; 24.38 W
FLYPOWER	PS30D195K1500AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 19.50 V d.c.; 1.50 A; 29.25 W
FLYPOWER	PS30D200K1000AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 20.00 V d.c.; 1.00 A; 20.00 W
FLYPOWER	PS30D200K1200AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 20.00 V d.c.; 1.20 A; 24.00 W
FLYPOWER	PS30D200K1250AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 20.00 V d.c.; 1.25 A; 25.00 W
FLYPOWER	PS30D200K1500AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 20.00 V d.c.; 1.50 A; 30.00 W
FLYPOWER	PS30D205K1000AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 20.50 V d.c.; 1.00 A; 20.50 W
FLYPOWER	PS30D205K1200AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 20.50 V d.c.; 1.20 A; 24.60 W
FLYPOWER	PS30D205K1250AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 20.50 V d.c.; 1.25 A; 25.63 W
FLYPOWER	PS30D205K1400AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 20.50 V d.c.; 1.40 A; 28.70 W
FLYPOWER	PS30D210K1000AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 21.00 V d.c.; 1.00 A; 21.00 W
FLYPOWER	PS30D210K1200AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 21.00 V d.c.; 1.20 A; 25.20 W
FLYPOWER	PS30D210K1250AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 21.00 V d.c.; 1.25 A; 26.25 W
FLYPOWER	PS30D210K1400AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 21.00 V d.c.; 1.40 A; 29.40 W
FLYPOWER	PS30D215K1000AD	Input: 100-240V a.c.; 50/60Hz; 800mA Output: 21.50 V d.c.; 1.00 A; 21.50 W



**For and On Behalf of**  
**SGS Systems & Services Certification Pty Ltd**

Page 5 of 7

This document is issued by the Company under its General Conditions of Service accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



[www.jas-anz.org/register](http://www.jas-anz.org/register)



**SGS Systems & Services Certification Pty Ltd**  
10/585 Blackburn Road, Notting Hill, 3168, Australia  
[www.sgs.com.au](http://www.sgs.com.au)  
Member of the SGS Group (SGS SA)

**Certificate No.:** SGS/210349

FLYPOWER	PS30D215K1200AD	Input: 100-240V a.c.; 50/60 Hz; 800mA Output: 21.50 V d.c.; 1.20 A; 25.80 W
FLYPOWER	PS30D215K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 21.50 V d.c.; 1.25 A; 26.88 W
FLYPOWER	PS30D215K1300AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 21.50 V d.c.; 1.30 A; 27.95 W
FLYPOWER	PS30D220K1000AD	Input: 100-240V a.c.; 50/60 Hz; 800mA Output: 22.00 V d.c.; 1.00 A; 22.00 W
FLYPOWER	PS30D220K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 22.00 V d.c.; 1.20 A; 26.40 W
FLYPOWER	PS30D220K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 22.00 V d.c.; 1.25 A; 27.50 W
FLYPOWER	PS30D220K1300AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 22.00 V d.c.; 1.30 A; 28.60 W
FLYPOWER	PS30D225K1000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 22.50 V d.c.; 1.00 A; 22.50 W
FLYPOWER	PS30D225K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 22.50 V d.c.; 1.20 A; 27.00 W
FLYPOWER	PS30D225K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 22.50 V d.c.; 1.25 A; 28.13 W
FLYPOWER	PS30D225K1300AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 22.50 V d.c.; 1.30 A; 29.25 W
FLYPOWER	PS30D230K1000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 23.00 V d.c.; 1.00 A; 23.00 W
FLYPOWER	PS30D230K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 23.00 V d.c.; 1.20 A; 27.60 W
FLYPOWER	PS30D230K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 23.00 V d.c.; 1.25 A; 28.75 W
FLYPOWER	PS30D230K1300AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 23.00 V d.c.; 1.30 A; 29.90 W
FLYPOWER	PS30D235K1000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 23.50 V d.c.; 1.00 A; 23.50 W
FLYPOWER	PS30D235K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 23.50 V d.c.; 1.20 A; 28.20 W
FLYPOWER	PS30D235K1250AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 23.50 V d.c.; 1.25 A; 29.38 W



**For and On Behalf of**  
**SGS Systems & Services Certification Pty Ltd**

Page 6 of 7

This document is issued by the Company under its General Conditions of Service accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



[www.jas-anz.org/register](http://www.jas-anz.org/register)



**SGS Systems & Services Certification Pty Ltd**  
10/585 Blackburn Road, Notting Hill, 3168, Australia  
[www.sgs.com.au](http://www.sgs.com.au)  
Member of the SGS Group (SGS SA)

**Certificate No.:** SGS/210349

FLYPOWER	PS30D240K0500AD	Input: 100-240 V a.c.; 50/60Hz; 800mA Output: 24.00 V d.c.; 0.50 A; 12.00 W
FLYPOWER	PS30D240K0800AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 24.00 V d.c.; 0.80 A; 19.20 W
FLYPOWER	PS30D240K1000AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 24.00 V d.c.; 1.00 A; 24.00 W
FLYPOWER	PS30D240K1200AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 24.00 V d.c.; 1.20 A; 28.80 W
FLYPOWER	PS30D240K1250AD	Input: 100-240 V a.c.; 50/60 Hz; 800mA Output: 24.00 V d.c.; 1.25 A; 30.00 W



**For and On Behalf of**  
**SGS Systems & Services Certification Pty Ltd**

Page 7 of 7

This document is issued by the Company under its General Conditions of Service accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

