

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 1 of 25

Applicant: SHANTOU YUANDA TOYS INDUSTRIAL CO., LTD.
Address: CHENGHAI DISTRICT, SHANTOU CITY, GUANGDONG PROVINCE, CHINA

Sample Name: Football table / Billiards table / Air ball table / Multi-functional ball table
Item No.: 1001,1002,1003,1021,1022,1023,1025,1026F,C1025B,C1026F,1027F,1028B,1029B,1103,1102,1101,C1037,C1090,C1067,1068,1069,1070,1073,1075,1091,1092,1093,1094,1095,1096,1110,1112,1113,1115,1088,1089,1090,1120,1015A,1016,1017B,1019A,1076,1080,1081,1083,1087,1055,1056,1057,1058A+1,1059A+1,1052,1051,1007,1200,1201,1203,1205,1206,C6003-8,C6003-6,C6008-4,6002B-4,6008-4,5001-3,5001-5,5002-3,5002-5,5003-3,5003-5,6007-2,6007-4,6003-6,6003-8,6002A-6,6002C-6,6001A-8,6001B-8,6010,C3008,C3007,C3006,C3005,3009+1,3001,3003,3005,3006,3020,3021,3022,G3060,G3060+P3,G3061,G3061+P3,G3061+1,G3061+P3H,D7001,D7002

Country of Origin: CHINA

The above sample(s) and information were provided by the client.

Labeled Age Grading: 3+
Age group assessed by lab: Over 3 years
Age group applied in testing: Over 3 years
Sample Receiving Date: November 20, 2025
Testing Period: From November 20, 2025 to December 8, 2025
Test Requested: Please refer to next page(s).
Test Method(s): Please refer to next page(s).
Test Result(s): Please refer to next page(s).

Signed for and on Behalf of SFT



Reed Qin & Tom Yin / Technical Manager
Guangdong Safety Testing Co., Ltd.

Report Verification Code: BJ202511113957

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 2 of 25

SUMMARY OF TEST RESULTS

Test sample	TEST REQUESTED	CONCLUSION
Submitted sample	Mechanical and physical properties - European Standard EN 71-1:2014+A1: 2018	PASS
Submitted sample	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys	See Result
Submitted sample	Flammability - European Standard EN 71-2: 2020	PASS
Submitted sample	Flammability - European Standard EN 71-2: 2020+A1:2025	PASS
Submitted sample	Migration of Certain Elements - European Standard EN 71-3: 2019+A2:2024	PASS

Test Result(s): Please refer to next page(s).

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 3 of 25

Test Result(s):

Mechanical and physical properties - European Standard EN 71-1:2014+A1:2018

Test method: EN 71-1:2014+A1:2018

Section	Testing Items	Assessment
4	General requirements	PASS
4.1	Material Cleanliness	PASS
4.2	Assembly	PASS
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	PASS
4.8	Points and metallic wires	PASS
4.9	Protruding parts	PASS
4.10	Parts moving against each other	PASS
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving Mechanisms	PASS
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	PASS
4.23	Magnets	NA

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 4 of 25

4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toys disguise costumes	NA
4.27	Flying toys	NA
5	Toy intended for children under 36 months	NA
5.1	General requirements	NA
5.1a	Small part requirement on toy & removable Components(Test method 8.2)	NA
5.1b	Torque test (Test method 8.3)	NA
	Tension test (Test method 8.4)	NA
	Drop test (Test method 8.5)	NA
	Tip over test (Test method 8.6)	NA
	Impact test (Test method 8.7)	NA
	Compression test (Test method 8.8)	NA
	Sharp edge (Test method 8.11)	NA
	Sharp point (Test method 8.12)	NA
	Tension test for magnet (Test method 8.34)	NA
5.1c	Potential hazardous metal points and wires with a cross section of 2mm or less	NA
5.1d	Large and bulky toys	NA
5.1e	Glued wooden toys and toys with glued on plastic decals	NA
5.1f	The casing of toys intended for children too young to sit up unaided	NA
5.1g	Foam toys and toys containing accessible foam components	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 5 of 25

5.15	Sledges with cords for pulling	NA
6	Packaging	PASS
7	Warnings, markings and instructions for use	PASS
7.1	General	PASS
7.2	Toys not intended for children under 36 months	PASS
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.10.1	Roller skates, inline skates and skateboards	NA
7.10.2	Ride-on toys without a braking device	NA
7.10.3	Electrically-driven ride-on toys	NA
7.10.4	Instructions for use	NA
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.25.1	Flying toys	NA

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 6 of 25

7.25.2	Remote controlled flying toys	NA
7.26	Improvised projectiles	NA

Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toysⁿ

Summary table:

	On product	On packaging
Washing/Cleaning instruction	N/A	N/A
CE marking	Absent	Present
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Present
Importer's address	Absent	Present
Sample ID	Absent	Present

Remark 1: Washing/Cleaning label: According to Directive 2009/48/EC the following safety requirements apply regarding cleaning and washing: A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy must fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.

Remark 2: Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.

Remark 3: The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer

Remark 4: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- Note / Key :
1. NA = Not Applicable.
 2. NC = Not Conducted as per client's request.
 3. Tests with (n) are not included in CNAS scope

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 7 of 25

Flammability - European Standard EN 71-2: 2020

Test method: EN 71-2:2020

Section	Testing Items	Assessment
4	Requirements	PASS
4.1	General requirements	PASS
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Flammability - European Standard EN 71-2: 2020+A1:2025ⁿ

Test method: EN 71-2:2020+A1:2025

Section	Testing Items	Assessment
4	Requirements	PASS
4.1	General requirements	PASS
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Remark: Tests with (n) are not included in CNAS scope

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 8 of 25
Migration of Certain Elements - European Standard EN 71-3: 2019+A2:2024

EN 71-3:2019+A2:2024. Analyzed by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES)/Inductively Coupled Plasma Mass Spectrophotometer (ICP-MS)/ Gas Chromatography-Mass Spectrometer.(GC-MS)

Test method:

Class: Category III-Scraped-off toy material

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			1	2	3	4	5	6
Aluminium (Al)	5.0	28130	60	49	31	30	22	10
Antimony (Sb)	5.0	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	5.0	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	5.0	18750	134	6	7	6	ND	6
Boron (B)	5.0	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	5.0	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	2.0	460	13	12	12	9	ND	ND
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	5.0	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	5.0	7700	8	6	ND	ND	ND	ND
Lead (Pb)	5.0	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	5.0	15000	6	ND	ND	ND	ND	ND
Mercury (Hg)	5.0	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	5.0	930	15	ND	ND	ND	ND	ND
Selenium (Se)	5.0	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	5.0	56000	19	17	18	14	24	8
Tin (Sn)	5.0	180000	20	ND	ND	ND	ND	ND
Organic tin	5.0	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	5.0	46000	209	31	48	67	44	1000
Conclusion			PASS	PASS	PASS	PASS	PASS	PASS

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 9 of 25

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			7	8	9	10	11	12
Aluminium (Al)	5.0	28130	22	34	203	ND	ND	ND
Antimony (Sb)	5.0	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	5.0	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	5.0	18750	195	15	137	ND	ND	ND
Boron (B)	5.0	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	5.0	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	2.0	460	ND	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	5.0	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	5.0	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	5.0	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	5.0	15000	7	ND	ND	ND	ND	ND
Mercury (Hg)	5.0	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	5.0	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	5.0	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	5.0	56000	9	11	ND	22	ND	ND
Tin (Sn)	5.0	180000	ND	ND	ND	ND	ND	ND
Organic tin	5.0	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	5.0	46000	38	3170	47	ND	ND	ND
Conclusion			PASS	PASS	PASS	PASS	PASS	PASS

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

 No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
 Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 10 of 25

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			13	14	15	16	17	18
Aluminium (Al)	5.0	28130	5	ND	6	ND	27	ND
Antimony (Sb)	5.0	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	5.0	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	5.0	18750	ND	ND	ND	ND	ND	ND
Boron (B)	5.0	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	5.0	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	2.0	460	ND	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	5.0	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	5.0	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	5.0	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	5.0	15000	ND	ND	ND	ND	ND	ND
Mercury (Hg)	5.0	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	5.0	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	5.0	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	5.0	56000	ND	ND	ND	ND	ND	ND
Tin (Sn)	5.0	180000	ND	ND	ND	ND	ND	ND
Organic tin	5.0	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	5.0	46000	8	29	ND	ND	ND	ND
Conclusion			PASS	PASS	PASS	PASS	PASS	PASS

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

 No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
 Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 11 of 25

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			19	20	21	22	23	24
Aluminium (Al)	5.0	28130	ND	ND	14	ND	ND	ND
Antimony (Sb)	5.0	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	5.0	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	5.0	18750	ND	ND	8	ND	ND	ND
Boron (B)	5.0	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	5.0	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	2.0	460	ND	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	5.0	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	5.0	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	5.0	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	5.0	15000	ND	ND	ND	ND	ND	ND
Mercury (Hg)	5.0	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	5.0	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	5.0	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	5.0	56000	ND	ND	6	ND	ND	ND
Tin (Sn)	5.0	180000	ND	ND	ND	ND	ND	ND
Organic tin	5.0	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	5.0	46000	ND	ND	38	ND	ND	ND
Conclusion			PASS	PASS	PASS	PASS	PASS	PASS

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

 No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
 Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 12 of 25

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			25	26	27	28	29	30
Aluminium (Al)	5.0	28130	ND	ND	27	6	ND	8
Antimony (Sb)	5.0	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	5.0	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	5.0	18750	ND	ND	ND	ND	ND	ND
Boron (B)	5.0	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	5.0	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	2.0	460	ND	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	5.0	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	5.0	7700	ND	ND	ND	76	ND	8
Lead (Pb)	5.0	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	5.0	15000	ND	ND	ND	ND	ND	ND
Mercury (Hg)	5.0	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	5.0	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	5.0	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	5.0	56000	ND	ND	ND	ND	ND	ND
Tin (Sn)	5.0	180000	ND	ND	ND	ND	ND	ND
Organic tin	5.0	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	5.0	46000	ND	ND	94	ND	ND	319
Conclusion			PASS	PASS	PASS	PASS	PASS	PASS

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

 No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
 Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 13 of 25

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			31	32	33	34	35	36
Aluminium (Al)	5.0	28130	5	ND	7	17	ND	ND
Antimony (Sb)	5.0	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	5.0	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	5.0	18750	ND	ND	ND	13	ND	ND
Boron (B)	5.0	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	5.0	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	2.0	460	ND	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	5.0	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	5.0	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	5.0	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	5.0	15000	ND	ND	ND	ND	ND	ND
Mercury (Hg)	5.0	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	5.0	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	5.0	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	5.0	56000	5	ND	ND	ND	5	9
Tin (Sn)	5.0	180000	ND	ND	ND	ND	ND	ND
Organic tin	5.0	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	5.0	46000	ND	ND	12	21	39	29
Conclusion			PASS	PASS	PASS	PASS	PASS	PASS

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 14 of 25

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			37	38	39	40	41	42
Aluminium (Al)	5.0	28130	86	116	62	35	12	14
Antimony (Sb)	5.0	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	5.0	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	5.0	18750	20	8	19	20	7	17
Boron (B)	5.0	15000	ND	6	ND	ND	ND	ND
Cadmium (Cd)	5.0	17	ND	ND	ND	ND	ND	7
Chromium III (Cr III)	2.0	460	ND	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	5.0	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	5.0	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	5.0	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	5.0	15000	102	63	96	119	ND	ND
Mercury (Hg)	5.0	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	5.0	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	5.0	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	5.0	56000	24	12	37	20	ND	ND
Tin (Sn)	5.0	180000	ND	ND	ND	ND	ND	ND
Organic tin	5.0	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	5.0	46000	9	16	5	8	324	18
Conclusion			PASS	PASS	PASS	PASS	PASS	PASS

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

 No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
 Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 15 of 25

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			43	44	45	64	47	48
Aluminium (Al)	5.0	28130	19	27	51	10	14	42
Antimony (Sb)	5.0	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	5.0	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	5.0	18750	20	26	15	ND	6	10
Boron (B)	5.0	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	5.0	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	2.0	460	ND	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	5.0	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	5.0	7700	ND	ND	ND	8	ND	ND
Lead (Pb)	5.0	23	ND	ND	ND	12	ND	ND
Manganese (Mn)	5.0	15000	10	ND	128	ND	16	6
Mercury (Hg)	5.0	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	5.0	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	5.0	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	5.0	56000	ND	ND	19	ND	ND	ND
Tin (Sn)	5.0	180000	6	ND	ND	ND	ND	ND
Organic tin	5.0	12	9	ND	ND	ND	ND	ND
Zinc (Zn)	5.0	46000	11	11	10	5	5	9
Conclusion			PASS	PASS	PASS	PASS	PASS	PASS

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

 No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
 Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 16 of 25

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			49	50	51	52	53	54
Aluminium (Al)	5.0	28130	28	41	ND	827	995	301
Antimony (Sb)	5.0	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	5.0	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	5.0	18750	15	17	ND	14	18	10
Boron (B)	5.0	15000	ND	ND	ND	8	9	6
Cadmium (Cd)	5.0	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	2.0	460	ND	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	5.0	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	5.0	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	5.0	23	ND	ND	ND	ND	ND	ND
Manganese (Mn)	5.0	15000	16	14	ND	48	58	30
Mercury (Hg)	5.0	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	5.0	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	5.0	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	5.0	56000	29	14	ND	33	34	28
Tin (Sn)	5.0	180000	ND	ND	ND	ND	ND	ND
Organic tin	5.0	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	5.0	46000	28	6	ND	19	21	17
Conclusion			PASS	PASS	PASS	PASS	PASS	PASS

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

 No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
 Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 17 of 25

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			55	65	57	58	59	60
Aluminium (Al)	5.0	28130	13	14	126	12	84	ND
Antimony (Sb)	5.0	560	ND	ND	ND	ND	ND	ND
Arsenic (As)	5.0	47	ND	ND	ND	ND	ND	ND
Barium (Ba)	5.0	18750	ND	ND	14	ND	7	ND
Boron (B)	5.0	15000	ND	ND	ND	ND	ND	ND
Cadmium (Cd)	5.0	17	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	2.0	460	ND	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	ND	ND	ND
Cobalt (Co)	5.0	130	ND	ND	ND	ND	ND	ND
Copper (Cu)	5.0	7700	ND	ND	ND	ND	ND	ND
Lead (Pb)	5.0	23	ND	9	ND	ND	ND	ND
Manganese (Mn)	5.0	15000	5	ND	ND	ND	ND	ND
Mercury (Hg)	5.0	94	ND	ND	ND	ND	ND	ND
Nickel (Ni)	5.0	930	ND	ND	ND	ND	ND	ND
Selenium (Se)	5.0	460	ND	ND	ND	ND	ND	ND
Strontium (Sr)	5.0	56000	30	ND	ND	ND	ND	22
Tin (Sn)	5.0	180000	ND	ND	ND	ND	ND	ND
Organic tin	5.0	12	ND	ND	ND	ND	ND	ND
Zinc (Zn)	5.0	46000	7	5	64	30	9	ND
Conclusion			PASS	PASS	PASS	PASS	PASS	PASS

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

 No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
 Guangdong, China
 Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 18 of 25

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)					
			Test Component(s)					
			61	62	63	-	-	-
Aluminium (Al)	5.0	28130	ND	12	6	-	-	-
Antimony (Sb)	5.0	560	ND	ND	ND	-	-	-
Arsenic (As)	5.0	47	ND	ND	ND	-	-	-
Barium (Ba)	5.0	18750	ND	ND	ND	-	-	-
Boron (B)	5.0	15000	ND	ND	ND	-	-	-
Cadmium (Cd)	5.0	17	ND	ND	ND	-	-	-
Chromium III (Cr III)	2.0	460	ND	ND	ND	-	-	-
Chromium VI (Cr VI)	0.05	0.053	ND	ND	ND	-	-	-
Cobalt (Co)	5.0	130	ND	ND	ND	-	-	-
Copper (Cu)	5.0	7700	ND	ND	ND	-	-	-
Lead (Pb)	5.0	23	ND	ND	ND	-	-	-
Manganese (Mn)	5.0	15000	ND	ND	ND	-	-	-
Mercury (Hg)	5.0	94	ND	ND	ND	-	-	-
Nickel (Ni)	5.0	930	ND	ND	ND	-	-	-
Selenium (Se)	5.0	460	ND	ND	ND	-	-	-
Strontium (Sr)	5.0	56000	ND	ND	ND	-	-	-
Tin (Sn)	5.0	180000	ND	ND	ND	-	-	-
Organic tin	5.0	12	ND	ND	ND	-	-	-
Zinc (Zn)	5.0	46000	ND	20	ND	-	-	-
Conclusion			PASS	PASS	PASS	-	-	-

Note / Key : ND= Not detected(<MDL)

MDL=Method Detection Limit (mg/kg)

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyl tin cation content in mg/kg

Remark: ◇Result(s) of organic tin was (were) calculated by assuming the soluble tin content was wholly contributed from tributyltin (TBT) cation unless further specified.

The test component < 10 > was/were provided by client for retest on dated December 5, 2025.

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 19 of 25

Migration of Certain Elements - European Standard EN 71-3: 2019+A2:2024

Test method: EN 71-3:2019+A2:2024. Analyzed by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES)/Inductively Coupled Plasma Mass Spectrophotometer (ICP-MS)/ Gas Chromatography-Mass Spectrometer.(GC-MS)
Class: Category I-Dry, brittle, powder-like or pliable toy material

Test Item	MDL (mg/kg)	Limit (mg/kg)	Result (mg/kg)		
			Test Component(s)		
			56	-	-
Aluminium (Al)	5.0	2250	8	-	-
Antimony (Sb)	5.0	45	ND	-	-
Arsenic (As)	0.2	3.8	ND	-	-
Barium (Ba)	5.0	1500	ND	-	-
Boron (B)	5.0	1200	ND	-	-
Cadmium (Cd)	0.2	1.3	ND	-	-
Chromium III (Cr III)	2	37.5	ND	-	-
Chromium VI (Cr VI)	0.02	0.02	ND	-	-
Cobalt (Co)	0.2	10.5	ND	-	-
Copper (Cu)	5.0	622.5	ND	-	-
Lead (Pb)	0.2	2.0	ND	-	-
Manganese (Mn)	5.0	1200	ND	-	-
Mercury (Hg)	0.2	7.5	ND	-	-
Nickel (Ni)	5.0	75	ND	-	-
Selenium (Se)	5.0	37.5	ND	-	-
Strontium (Sr)	5.0	4500	28	-	-
Tin (Sn)	5.0	15000	ND	-	-
Organic tin	0.2	0.9	ND	-	-
Zinc (Zn)	5.0	3750	ND	-	-
Conclusion			PASS	-	-

Note / Key : ND= Not detected(<MDL)
 MDL=Method Detection Limit (mg/kg)
 mg/kg = milligrams per kilogram (ppm=parts per million)
 Organic tin = migration of total organic tin is expressed as tributyl tin cation content in mg/kg
Remark: ◇Result(s) of organic tin was (were) calculated by assuming the soluble tin content was wholly contributed from tributyltin (TBT) cation unless further specified.

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 20 of 25

As requirement of client, the following materials apply only to the samples submitted for testing	
Test Component	Sample Description/Location
1	Black/Red coating (Little Person)
2	Apricot/Black coating (Little Person)
3	Yellow/Black coating (Little Person)
4	Black/bluish violet coating (Little Person)
5	Dark Blue coating (Little Person)
6	Black coating (Billiard Stick/Football)
7	Bright Black coating (Table Leg)
8	Transparent coating (Surface of Billiard Stick)
9	Silver coating (Surface of Parts)
10	Transparent laminated film / dark blue printed white paper (table surface)
11	Black plastic (part)
12	White plastic (Little Person)
13	Milky white plastic (football)
14	Milky white plastic (at the top of the billiard stick)
15	Red plastic (net frame)
16	Bright red plastic (ice hockey handle/ice hockey blade)
17	Bright black plastic (triangular frame/ice hockey handle/ ice hockey blade)
18	Black plastic (on the pole / handle / net frame / net frame structure)
19	Black plastic (The side of the wooden board) hole / table border/table mat/gasket)
20	Matte black plastic (three-pronged spiral twist)
21	Pure black plastic (brush hair)
22	Light yellow plastic (brush)
23	Black printed with white/orange plastic (5-ball/13-ball)
24	Black printed with white plastic (8-ball)
25	White plastic (white ball)
26	Black printed with white / wine red plastic (7-ball/15-ball)
27	Black printed with white/green plastic (14-ball/9-ball)
28	Black printed with white/blue plastic (10-ball/2-ball)
29	Black printed with white/yellow plastic (6-ball/1-ball)
30	Black printed with white/purple plastic (12- ball/4- ball)

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 21 of 25

31	Black printed with white/red plastic (3-ball/11-ball)
32	Black soft plastic (at the end of the (billiard cue))
33	Beige soft plastic (wheel)
34	Black soft plastic (wheel)
35	Original color wooden stick (pool cue)
36	Light brown wooden stick (pool cue)
37	Dark brown fiber wood board with glue (fixing frame)
38	Brown fiber wood board (at the top of the (billiard cue)/ wood strips)
39	Dark brown fiber wood board (wood strips / table legs / guard plates / table)
40	Light brown fiber wood board (wood strips /board / tabletop / table)
41	Black foam (foam block)
42	Brown/White soft plastic tape adhesive (on the surface of the wooden board)
43	Dark brown/black soft plastic tape adhesive (on the surface of the wooden board)
44	Silver soft plastic tape adhesive (on the surface of the table legs / the partition)
45	Black soft plastic tape adhesive (bottom of table legs)
47	White/purple soft plastic tape adhesive (table top)
48	White/green soft plastic tape adhesive (table top)
49	Dark blue soft plastic tape adhesive (on the surface of the wood strip / the table)
50	Black printed white plastic tape adhesive (on the surface of the wood strip / the stand)
51	Transparent plastic / black printed white plastic tape adhesive (on the surface of the wooden board)
52	White paper (billiard ball) packaging box)
53	Primary color paper box (billiard ball) packaging box)
54	Transparent plastic / black printed white paper tape adhesive(billiard ball) packaging box)
55	Multicolor printed white tape adhesive (chalk packaging paper)
56	Blue chalk (in blocks)
57	Green fabric (Ice hockey stick) lab mat)
58	White fabric (The inside of the billiard ball case) non-woven fabric)
59	Light green fabric (tablecloth)
60	Transparent plastic white/Purple printed white paper tape adhesive (table top)
61	Black plastic (charger/connector)
62	White/black plastic adhesive tape (charger) sticker)
63	Transparent plastic (LED light (charger))
64	Black soft plastic (charger head)

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Test Report




Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 22 of 25

65	White printed black soft plastic (cable cover (charger))
----	--

Photo of Sample






The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 23 of 25



The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 24 of 25



End of Report

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.: SFT251120101073-01E

Date: December 23, 2025

Page 25 of 25

Statement

1. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which SFT hasn't verified.
2. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in LAC-G8.09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits. The statement of conformity is based on the test results, but does not include the measurement uncertainty.
3. The test report is effective only with both signature and specialized stamp. Without written approval of SFT, this report can't be reproduced in full or in part.
4. Unauthorized use of the test results for improper publicity is impermissible
5. This test data is only responsible for the tested sample. The data and results provided by the report without CMA accreditation are not to prove to the society.
6. The test item with the superscript letter "s" in the report is out of the scope of CMA accreditation. The test item with the superscript letter "n" in the report is out of the scope of CNAS accreditation. The report can be only used as scientific research, teaching, and internal quality control without CMA marking, and has no social proof function.
7. If there is any objection to the report, client shall lodge a complaint with the company on the 30 working days from the date of receipt of the report. No late application will be accepted.

The result(s) shown in this report refer(s) only to the sample(s) tested; Without written approval of SFT, this report can't be reproduced except in full. The test report is only used for customer research, teaching, internal quality control, product development and other purposes, for internal reference only.

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>