



CERTIFICATE

No. U6 003436 0012 Rev. 02

Holder of Certificate: **Shenzhen Sinoco Lighting Technologies Co., Ltd.**
 G Building, Shasi , High-Tec, Industrial Park, Shajing Town
 Baoan District
 518104 Shenzhen, Guangdong
 PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **Luminaires for road and street lighting (LED Street Light)**

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64142195008403

Date, 2020-08-21

(Taylor Yao)

CERTIFICATE

No. U6 003436 0012 Rev. 02

Model(s):

ST-41-30W; ST-41-40W; ST-41-45W; ST-41-60W;
 ST-41-80W; ST-41-90W; ST-41-100W; ST-41-115W;
 ST-41-120W; ST-41-130W; ST-41-150W; ST-52-30W;
 ST-52-35W; ST-52-40W; ST-52-45W; ST-52-50W;
 ST-52-55W; ST-52-60W; ST-52-65W; ST-52-70W;
 ST-52M-65W; ST-52M-70W; ST-52-75W; ST-52-80W;
 ST-52-85W; ST-52-90W; ST-52-95W; ST-52-100W;
 ST-52-105W; ST-52-110W; ST-52-115W; ST-52M-120W;
 ST-52M-125W; ST-52M-130W; ST-52M-135W;
 ST-52M-140W; ST-52M-145W; ST-52M-150W;
 ST-52-120W; ST-52-125W; ST-52-130W; ST-52-135W;
 ST-52-140W; ST-52-145W; ST-52-150W

Brand Name:

SINOCO



Parameters:

Rated Voltage : 220-240VAC
 Rated Frequency : 50/60Hz
 Rated Power : See below table for details
 Protection Class : II
 Degree of Protection : IP66
 ta : 45°C

Model No.	Rated Power (W)
ST-41-30W	30
ST-41-40W	40
ST-41-45W	45
ST-41-60W	60
ST-41-80W	80
ST-41-90W	90
ST-41-100W	100
ST-41-115W	115
ST-41-120W	120
ST-41-130W	130
ST-41-150W	150
ST-52-30W	30
ST-52-35W	35
ST-52-40W	40
ST-52-45W	45
ST-52-50W	50
ST-52-55W	55
ST-52-60W	60
ST-52-65W	65
ST-52-70W	70
ST-52M-65W	65



Product Service

CERTIFICATE

No. U6 003436 0012 Rev. 02

ST-52M-70W	70
ST-52-75W	75
ST-52-80W	80
ST-52-85W	85
ST-52-90W	90
ST-52-95W	95
ST-52-100W	100
ST-52-105W	105
ST-52-110W	110
ST-52-115W	115
ST-52M-120W	120
ST-52M-125W	125
ST-52M-130W	130
ST-52M-135W	135
ST-52M-140W	140
ST-52M-145W	145
ST-52M-150W	150
ST-52-120W	120
ST-52-125W	125
ST-52-130W	130
ST-52-135W	135
ST-52-140W	140
ST-52-145W	145
ST-52-150W	150

**Tested
according to:**

EN 60598-2-3:2003/A1:2011
EN 60598-1:2015/A1:2018

**Production
Facility(ies):**

003436