



Test Report

No.: 70.452.25.16834.01

Date: 2025-10-17

Applicant: ZHONGSHAN WELLBEST BABY PRODUCTS CO., LTD
Address: 3RD FLOOR, NO.45 LONGCHANG ROAD, DONGSHENG TOWN, ZHONGSHAN CITY, GUANGDONG PROVINCE, CHINA.
Product Name: S1 stroller
Receipt Date of Sample: 2025-09-16
Date of Testing: 2025-09-16 to 2025-10-15
Date of Further Information: 2025-10-09
Sample Submitted: The sample(s) was (were) submitted by applicant and identified.
Test Result: Refer to the data listed in following pages

Test Item	Conclusion
1. EN 1888-1:2018+A1:2022 Child care articles — Wheeled child conveyances — Part 1: Pushchairs and prams — Excluding clause 6, clause 7, clause 9 and clause 10	Pass
2. EN 1888-2:2018+A1:2022 Child care articles — Wheeled child conveyances — Part 2: Pushchairs for children above 15 kg up to 22 kg — Excluding clause 7	Pass

Remark: The test results are transferred from report 70.452.25.16522.01.

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
Testing Center


Prepared by:



Jenny Yao
Technical Engineer

Authorized by:





Tang Wei
Technical Manager

Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied. Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production. For further details please see "Testing, Certification, Validation and Verification Regulations", chapter A-3.3. For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) Sample and (or) material information is provided by the client. TÜV SÜD assumes no responsibility for verifying the accuracy, appropriateness and (or) completeness of the information provided by the client.
- (3) The testing results are only valid for the sample tested.
- (4) The test report shall not be reproduced except in full, without the written approval of the laboratory.
- (5) Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

Test Report

No.: 70.452.25.16834.01

Date: 2025-10-17



Description of Tested Subject:

Sample Receiving Info	Sample Received on: 2025-09-16, Complete test sample 1 set.	
Sample Description	Overall weight (kg):	7.51
	Overall size (Length x width x height in mm):	890 x 530 x 1120
	Suitable age:	From birth and up to 22kg
	Claimed max load of under basket	No claim, test load for basket: 2kg
	Front wheel:	Diameter: 160 mm, single wheels and swiveling
	Rear wheel:	Diameter: 213 mm, single wheels
	The angle between backrest and seat:	101.8/133.1/157.0°
	Width of the straps:	Waist strap: 25 mm; Crotch strap: 25 mm; Shoulder strap: 25 mm
	Construction:	Parking device: Linkage; Canopy: Adjustable.

Sample Photos



Front view of test sample



Side view of test sample



Back view of test sample



Detail view of test sample



Test Report

No.: 70.452.25.16834.01

Date: 2025-10-17

Test Result(s):

1. EN 1888-1:2018+A1:2022 Child care articles — Wheeled child conveyances — Part 1: Pushchairs and prams — Excluding clause 6, clause 7, clause 9 and clause 10

Clause	Test Item	Test Result
6	Chemical hazards (EN 71-3)	N/R
7	Thermal hazards	N/R
	A-deviation for France (EN 71-2:2020, 5.4)	N/R
	A-deviation for United Kingdom (Furniture and Furnishings (Fire) (Safety) Regulations 1988 Statutory Instrument No. 1324 (as amended))	N/R
8	Mechanical hazards	-
8.1	Protective function	-
8.1.1	Suitability of vehicle	P
8.1.2	Minimum internal height of pram body	N/A
8.1.3	Restraint system and fasteners	P
8.2	Entrapment hazards	-
8.2.1	Holes and openings	P
8.2.2	Entrapment between the handle and the pram body	N/A
8.3	Hazards from moving parts	-
8.3.1	General	P
8.3.2	Shearing hazards	P
8.3.3	Crushing hazards, requirement	P
8.3.4	Wheels	P
8.3.5	Locking mechanism(s)	-
8.3.5.1	Folding system for storage or transportation	P
8.3.5.2	Pushchairs with rotating seat units	N/A
8.3.5.3	Handle movement	N/A
8.3.5.4	Requirements for the attachment of pram body and seat unit and car seats to the chassis	N/A
8.4	Entanglement hazards	N/A
8.5	Choking and ingestion hazards	P
8.6	Suffocation hazards	-
8.6.1	Internal lining of the pram body and seat unit	P
8.6.2	Plastic packaging	N/A
8.7	Hazardous edges and protrusions	P
8.8	Parking and braking devices	P
8.9	Stability	-
8.9.1	Stability of vehicle	P
8.9.2	Longitudinal stability of a pram body with carrying handles	N/A



Test Report

No.: 70.452.25.16834.01

Date: 2025-10-17

Clause	Test Item	Test Result
8.10	Structural integrity	-
8.10.1	Carrying handles and handle anchorage points of pram bodies and detachable seat units	N/A
8.10.2	Strength and durability of attachment devices for pram bodies or seat units or car seats	N/A
8.10.3	Irregular surface test	P
8.10.4	Dynamic strength	P
8.10.5	Wheel strength	P
8.10.6	Handle strength	P
9	Durability of marking	N/R
10	Product information	N/R

Abbreviation: P = Pass; N/A = Not Applicable; N/R = Not Requested per client.

2. EN 1888-2:2018+A1:2022 Child care articles — Wheeled child conveyances — Part 2: Pushchairs for children above 15 kg up to 22 kg — Excluding clause 7

Note: This European Standard applies in conjunction with and in addition to the European standard EN 1888-1 and it cannot be used separately.

Clause	Test Item	Test Result
4	General requirements and test conditions	-
4.1	General requirement	Refer to result 1
4.2	Test conditions	-
6	Mechanical hazards	-
6.1	Restraint system	P
6.2	Parking and braking devices	P
6.3	Stability	P
6.4	Structural integrity	-
6.4.1	Strength and durability of attachment devices for seat units	N/A
6.4.2	Irregular surface test	P
6.4.3	Dynamic strength	P
6.4.4	Handle strength	P
7	Product information	N/R

Abbreviation: P = Pass; N/A = Not Applicable; N/R = Not Requested per client.

-End of Test Report-