

Test Report

Number: SHAH01673387S1

Applicant: JIAXING HUIPENG INDUSTRIAL CO.LTD
INDUSTRIAL ZONE,QUANTANG TOWN,
PINGHU CITY

Date: 20 Aug, 2024

*This Is To Supersede Report No.
SHAH01673387 Dated Jul 09, 2024*

Sample Description:

One (1) piece of submitted sample said to be :
Item Name : Children Car.
Item No. : HP-012.
Labelled Age Group : 3 Years+.
Packaging Provided By Applicant : Yes.
Country Of Origin : China

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager




Test Report

Number: SHAH01673387S1

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Submitted Sample Set	EN71-1: 2014+ A1: 2018 for Mechanical And Physical Properties	Pass
Submitted Sample set	EN71-2: 2020 Flammability Test	Pass
Tested components of submitted sample	EN 71-3:2019+A1:2021 on migration of certain elements	Pass
Submitted Sample set	BS EN71-1 : 2014 + A1 : 2018- Mechanical and physical properties	Pass
Submitted Sample set	BS EN71-2: 2020 Flammability Test	Pass
Tested components of submitted sample	BS EN 71-3: 2019+A1:2021 on migration of certain elements	Pass
Tested components of submitted sample	Phthalates content requirement in Annex XVII Item 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 (Formerly known as Directive 2005/84/EC)	Pass
Tested components of submitted sample	Phthalates content requirement in Annex XVII Items 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 (formerly known as Directive 2005/84/EC)	Pass
Tested components of submitted sample	Cadmium content requirement in Commission Regulation (EU) No. 494/2011 of 20 May 2011, (EU) No. 835/2012 of 18 September 2012 and (EU) No. 2016/217 of 16 February 2016 Amending Annex XVII Items 23 of the Reach Regulation (EC) No. 1907/2006	Pass
Tested Component of Submitted Sample	Azocolourants content requirement in Annex XVII Item 43 of the REACH Regulation (EC) No. 1907/2006 & Amendment (EC) No. 552/2009 and (EU) 2020/2096	Pass

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager



Test Report

Number: SHAH01673387S1

Tests Conducted

1 Mechanical and Physical Test

As Per European Standard on Safety of Toys EN71-1: 2014+ A1: 2018.

Applicant's Specified Age Group for Testing: Over 3 Years

The submitted samples were undergone the following abuse tests:

Test	Clause	Parameter
Protective Components	8.4.2.3	60 N
Tip over test	8.6	3 times

Clause	Testing Items	Assessment
4	General Requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for Children under 36 Months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA



Test Report

Number: SHAH01673387S1

Tests Conducted

Clause	Testing Items	Assessment
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates and skateboards and certain other ride-on toys	P
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA



Test Report

Number: SHAH01673387S1

Tests Conducted

Clause	Testing Items	Assessment
7.26	Improvised projectiles	NA

Remark: P = Pass

NA = Not Applicable

Artwork of packaging was provided for testing.

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN 71 but are not standard requirements:

1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

After checking, it was found that:

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present

Below is additional information checking according to the UK Toy (Safety) Regulations requirement.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that:

	Toy	Packaging
Name of authorised representative in Great Britain	Present	Present
Address of authorised representative in Great Britain	Present	Present
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that:

	Toy	Packaging
UKCA marking	Present	Present

Date Sample Received: 01 Apr, 2024

Testing Period: 01 Apr, 2024 To 13 Jun, 2024



Test Report

Number: SHAH01673387S1

Tests Conducted

2 Flammability Test

As per European Standard on Safety of Toys EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass

NA = Not Applicable

Date Sample Received : 01 Apr, 2024

Testing Period : 01 Apr, 2024 To 13 Jun, 2024



Test Report

Number: SHAH01673387S1

Tests Conducted

3 19 Toxic Element Migration Test
(A) Test Result

As per EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, Ion Chromatography with UV-VIS and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH01673387S1

Tests Conducted

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(6)	(7)	(8)	(9)	(10)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND	ND	ND#	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(11)	(12)	(13)	(14)	(15)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND	ND	ND	ND#	ND#	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH01673387S1

Tests Conducted

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(16)	(17)	(18)	(19)	(20)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND	ND#	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	38	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	9.2	2.5	180000
Organic tin **	ND	ND	ND	ND	NDΔ	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	(21)	(23)	(24)	(25)		
Aluminium (Al)	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND	ND#	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH01673387S1

Tests Conducted

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(26)	(27)	(28)	(29)	(30)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	20	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	26	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000

Element	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	(31)	(32)	(33)	(34)	(22)		
Aluminium (Al)	ND	ND	ND	ND	ND	300	28130
Antimony (Sb)	ND	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND	ND	ND	ND	ND	0.025	0.053
Cobalt (Co)	ND	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	ND	5	12
Zinc (Zn)	ND	ND	ND	ND	ND	100	46000



Test Report

Number: SHAH01673387S1

Tests Conducted

Element	Result (mg/kg)		Reporting Limit (mg/kg)	Limit (mg/kg)
	(35)	(36)		
Aluminium (Al)	ND	ND	300	28130
Antimony (Sb)	ND	ND	10	560
Arsenic (As)	ND	ND	10	47
Barium (Ba)	ND	ND	10	18750
Boron (B)	ND	ND	50	15000
Cadmium (Cd)	ND	ND	5	17
Chromium (III) (Cr III) ⁺⁺	ND	ND	10	460
Chromium (VI) (Cr VI) ⁺⁺	ND#	ND	0.025	0.053
Cobalt (Co)	ND	ND	10	130
Copper (Cu)	ND	ND	10	7700
Lead (Pb)	ND	ND	10	23
Manganese (Mn)	ND	ND	10	15000
Mercury (Hg)	ND	ND	10	94
Nickel (Ni)	ND	ND	10	930
Selenium (Se)	ND	ND	10	460
Strontium (Sr)	ND	ND	100	56000
Tin (Sn)	ND	ND	2.5	180000
Organic tin ⁺⁺	ND	ND	5	12
Zinc (Zn)	ND	ND	100	46000

Remark : mg/kg = milligram per kilogram

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

ND = Not detected (less than reporting limit)

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Δ = Confirmation test was performed on the tested component. The reported value was the sum of the migration values of Dimethyl tin, Methyl tin, Butyl tin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin and Triphenyl tin after converted to Tributyl tin by calculation. Other Organic tin compounds may be also be present in sample as stated in EN 71-3:2019+A1:2021.

Tested components: See component list in the last section of this report.



Test Report

Number: SHAH01673387S1

Tests Conducted

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received : 01 Apr, 2024 ; 14 Aug, 2024

Testing Period : 01 Apr, 2024 To 09 Jul, 2024 ; 14 Aug, 2024 To 20 Aug, 2024



Test Report

Number: SHAH01673387S1

Tests Conducted

4 Mechanical and Physical Test

As per British Standard on Safety of toys BS EN 71-1: 2014+A1: 2018.

Applicant's specified age group for testing: Over 3 Years

The submitted samples were undergone the following abuse tests:

<u>Clause</u>	<u>Testing items</u>
8.4.2.3	Protective components (60 N)
8.6	Tip over test (3 times)

Clause	Testing items	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	P
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	P
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	P
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA



Test Report

Number: SHAH01673387S1

Tests Conducted

Clause	Testing items	Assessment
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for children under 36 months	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inlineskates and skateboards and certain other ride-on toys	P
7.11	Toys otherwise intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA



Test Report

Number: SHAH01673387S1

Tests Conducted

Clause	Testing items	Assessment
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation: P = Pass

NA = Not Applicable

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the BS EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packaging shall also bear the CE-marking.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present



Test Report

Number: SHAH01673387S1

Tests Conducted

Below is additional information checking according to the UK Toy (Safety) Regulations requirement. The checking is not within accreditation scope.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
UK Importer's name	Present	Present
UK Importer's address	Present	Present
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020.

After checking UKCA marking, it was found that

	Toy	Packaging
UKCA marking	Present	Present

Date sample received: 01 Apr, 2024

Testing period:: Apr, 2024 To 01 Jul, 2024



Test Report

Number: SHAH01673387S1

Tests Conducted

5 Flammability Test

As per British Standard on Safety of Toys BS EN71-2: 2020

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	NA
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	NA
4.2.4	Full or partial moulded head masks	NA
4.2.5	Toys to be worn on the head	NA
4.3	Toy Disguise Costumes and Toys Intended to be Worn by a Child in Play	NA
4.4	Toys Intended to be Entered by a Child	NA
4.5	Soft Filled Toys	NA

Remark : P = Pass

NA = Not Applicable

Date Sample Received : 01 Apr, 2024

Testing Period : 01 Apr, 2024 To 13 Jun, 2024



Test Report

Number: SHAH01673387S1

Tests Conducted

6 19 Toxic Elements Migration Test

(A) Test Result

As per BS EN 71-3:2019+A1:2021 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Inductively Coupled Argon Mass Spectrometry, Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry, and Gas Chromatographic - Mass Spectrometry.

Category (III): Scraped-off toy material

Element	Result (mg/kg)					Limit (mg/kg)
	(1)	(2)	(3)	(4)	(5)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) ⁺⁺	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) ⁺⁺	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin ⁺⁺	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)					Limit (mg/kg)
	(6)	(7)	(8)	(9)	(10)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) ⁺⁺	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) ⁺⁺	< 0.025	< 0.025	< 0.025#	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin ⁺⁺	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000



Test Report

Number: SHAH01673387S1

Tests Conducted



Test Report

Number: SHAH01673387S1

Tests Conducted

Element	Result (mg/kg)					Limit (mg/kg)
	(11)	(12)	(13)	(14)	(15)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025#	< 0.025#	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)					Limit (mg/kg)
	(16)	(17)	(18)	(19)	(20)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025#	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	38	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0Δ	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000



Test Report

Number: SHAH01673387S1

Tests Conducted

Element	Result (mg/kg)				Limit (mg/kg)
	(21)	(23)	(24)	(25)	
Aluminium (Al)	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025#	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)				Limit (mg/kg)
	(26)	(27)	(28)	(29)	
Aluminium (Al)	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	20	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	26	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	46000



Test Report

Number: SHAH01673387S1

Tests Conducted

Element	Result (mg/kg)					Limit (mg/kg)
	(31)	(32)	(33)	(34)	(22)	
Aluminium (Al)	< 300	< 300	< 300	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	< 10	< 10	< 10	560
Arsenic (As)	< 10	< 10	< 10	< 10	< 10	47
Barium (Ba)	< 10	< 10	< 10	< 10	< 10	18750
Boron (B)	< 50	< 50	< 50	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	< 5	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	< 10	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025	< 0.025	< 0.025	< 0.025	< 0.025	0.053
Cobalt (Co)	< 10	< 10	< 10	< 10	< 10	130
Copper (Cu)	< 10	< 10	< 10	< 10	< 10	7700
Lead (Pb)	< 10	< 10	< 10	< 10	< 10	23
Manganese (Mn)	< 10	< 10	< 10	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	< 10	< 10	< 10	94
Nickel (Ni)	< 10	< 10	< 10	< 10	< 10	930
Selenium (Se)	< 10	< 10	< 10	< 10	< 10	460
Strontium (Sr)	< 100	< 100	< 100	< 100	< 100	56000
Tin (Sn)	< 10	< 10	< 10	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	< 3.0	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	< 100	< 100	< 100	46000

Element	Result (mg/kg)		Limit (mg/kg)
	(35)	(36)	
Aluminium (Al)	< 300	< 300	28130
Antimony (Sb)	< 10	< 10	560
Arsenic (As)	< 10	< 10	47
Barium (Ba)	< 10	< 10	18750
Boron (B)	< 50	< 50	15000
Cadmium (Cd)	< 5	< 5	17
Chromium (III) (Cr III) **	< 10	< 10	460
Chromium (VI) (Cr VI) **	< 0.025#	< 0.025	0.053
Cobalt (Co)	< 10	< 10	130
Copper (Cu)	< 10	< 10	7700
Lead (Pb)	< 10	< 10	23
Manganese (Mn)	< 10	< 10	15000
Mercury (Hg)	< 10	< 10	94
Nickel (Ni)	< 10	< 10	930
Selenium (Se)	< 10	< 10	460
Strontium (Sr)	< 100	< 100	56000
Tin (Sn)	< 10	< 10	180000
Organic tin **	< 3.0	< 3.0	12
Zinc (Zn)	< 100	< 100	46000



Test Report

Number: SHAH01673387S1

Tests Conducted

Remark: mg/kg = Milligram per kilogram

++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

- Organic tin test result was expressed as tributyl tin.

= Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Δ = Confirmation test was performed on the tested component. The reported value was calculated by summation of the migration values of Methyl tin, Dimethyl tin, Dibutyl tin, Tributyl tin, Tetraethyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Monobutyl tin and Triphenyl tin. Other Organic tin compounds may be also be present in sample as stated in BS EN 71-3:2019+A1: 2021.

Tested Components: See component list in the last section of this report.

(B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date Sample Received : 01 Apr, 2024 ; 14 Aug, 2024

Testing Period : 01 Apr, 2024 To 09 Jul, 2024 ; 14 Aug, 2024 To 20 Aug, 2024



Test Report

Number: SHAH01673387S1

Tests Conducted

7 Phthalate Content

With reference to ISO 8124-6: 2018 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result (%w/w)			Detection Limit (%w/w)	Limit (%w/w)
		(3)	(4)	(5+12+13)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	0.02	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	0.02	0.01	0.1

Test Item	CAS No.	Result (%w/w)			Detection Limit (%w/w)	Limit (%w/w)
		(8+10)	(33)	(1+2+23)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	ND	0.01	0.1

Test Item	CAS No.	Result (%w/w)			Detection Limit (%w/w)	Limit (%w/w)
		(6+16+18)	(7)	(9+11+21)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	ND	0.01	0.1

Test Item	CAS No.	Result (%w/w)			Detection Limit (%w/w)	Limit (%w/w)
		(14+30+32)	(15)	(19)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	ND	0.01	0.1



Test Report

Number: SHAH01673387S1

Tests Conducted

Test Item	CAS No.	Result (%w/w)			Detection Limit (%w/w)	Limit (%w/w)
		(20)	(24+25+26)	(27)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	ND	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	ND	0.01	0.1

Test Item	CAS No.	Result (%w/w)		Detection Limit (%w/w)	Limit (%w/w)
		(31)	(34+22)		
Dibutyl phthalate (DBP)	84-74-2	ND	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	ND	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	ND	0.01	0.1

Test Item	CAS No.	Result (%w/w)	Detection Limit (%w/w)	Limit (%w/w)
		(35+36)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	0.01	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	-
Sum of DBP,DEHP,BBP and DIBP	--	ND	0.01	0.1

The above limit was quoted according to Annex XVII Item 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 for phthalate content in articles.

Remark: ND = Not Detected (Less than detection limit)

@ = The surface coatings were tested with the substrate for phthalate test. With the consideration of the dilution factor, the testing result may not represent the result of the individual coatings and substrate.

Tested Components: See component list in the last section of this report.

Date Sample Received : 01 Apr, 2024 ; 14 Aug, 2024

Testing Period : 01 Apr, 2024 To 09 Jul, 2024 ; 14 Aug, 2024 To 20 Aug, 2024



Test Report

Number: SHAH01673387S1

Tests Conducted

8 Phthalate Content

With reference to ISO 8124-6: 2018 method A or C, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Tested Compound	CAS No.	Result (%w/w)			Limit (%w/w)
		(3)	(4)	(5+12+13)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	0.02	-
Sum of DINP, DNOP and DIDP	--	ND	ND	0.02	0.1

Tested Compound	CAS No.	Result (%w/w)			Limit (%w/w)
		(8+10)	(33)	(1+2+23)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%w/w)			Limit (%w/w)
		(6+16+18)	(7)	(9+11+21)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%w/w)			Limit (%w/w)
		(14+30+32)	(15)	(19)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	0.1

Tested Compound	CAS No.	Result (%w/w)			Limit (%w/w)
		(20)	(24+25+26)	(27)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	ND	0.1



Test Report

Number: SHAH01673387S1

Tests Conducted

Tested Compound	CAS No.	Result (%w/w)		Limit (%w/w)
		(31)	(34+22)	(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	ND	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	ND	-
Sum of DINP, DNOP and DIDP	--	ND	ND	0.1

Tested Compound	CAS No.	Result (%w/w)		Limit (%w/w)
		(35+36)		(Max.)
Di-n-octyl phthalate (DnOP)	117-84-0	ND		-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND		-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND		-
Sum of DINP, DNOP and DIDP	--	ND		0.1

The above limit was quoted according to Annex XVII Item 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 for phthalate content in toys and childcare articles.

Remark: Detection Limit = 0.01%(w/w)
ND = Not Detected

@ = As requested by the applicant, the surface coatings were tested with the substrate for phthalate test. With the consideration of the dilution factor, the testing result may not represent the result of the individual coatings and substrate.

Tested Components: See component list in the last section of this report.

Date Sample Received : 01 Apr, 2024 ; 14 Aug, 2024

Testing Period : 01 Apr, 2024 To 09 Jul, 2024 ; 14 Aug, 2024 To 20 Aug, 2024



Test Report

Number: SHAH01673387S1

Tests Conducted

9 Cadmium (Cd) Content

With reference to methods IEC 62321, acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Tested Component</u>	<u>Result in %</u>
(3)	ND
(4)	ND
(5+12+13)	ND
(8+10)	ND
(33)	ND
(1+2+23)	ND
(6+16+18)	ND
(7)	ND
(9+11+21)	ND
(14)	ND
(15)	ND
(19)	ND
(20)	ND
(24+25+26)	ND
(27)	ND
(28+29)	ND
(30+32)	ND
(31)	ND
(34+22)	ND
(35+36)	ND

Requirement:	
<u>Category</u>	<u>Limit (%)</u>
Painted article	0.1
Plastic	0.01
Metal parts of jewellery & hair accessories	0.01

Remark: ND = Not Detected (<0.0005%)

Tested Components: See component list in the last section of this report.

Date Sample Received: 01 Apr, 2024 ; 14 Aug, 2024

Testing Period: 01 Apr, 2024 To 09 Jul, 2024 ; 14 Aug, 2024 To 20 Aug, 2024



Test Report

Number: SHAH01673387S1

Tests Conducted

10 Detection Of Amines Derived From Azocolourants and Azodyes:

By Gas Chromatographic - Mass Spectrometric (GC-MS) And High Performance Liquid Chromatographic (HPLC) Analysis.

Test Method: EN ISO 14362-1: 2017 for Textile Material

<u>Forbidden</u>		<u>Cas No.</u>	<u>Result (ppm)</u>	
			<u>Method T</u>	<u>Method D</u>
			<u>(15)</u>	<u>(15)</u>
1.	4-Aminodiphenyl	92-67-1	N	N
2.	Benzidine	92-87-5	N	N
3.	4-Chloro-o-Toluidine	95-69-2	N	N
4.	2-Naphthylamine	91-59-8	N	N
5.	o-Aminoazotoluene	97-56-3	N	N
6.	2-Amino-4-Nitrotoluene	99-55-8	N	N
7.	p-Chloroaniline	106-47-8	N	N
8.	2,4-Diaminoaniline	615-05-4	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N
13.	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N
14.	p-Cresidine	120-71-8	N	N
15.	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N
18.	o-Toluidine	95-53-4	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N
21.	o-Anisidine	90-04-0	N	N
23.	2,4-xylidine	95-68-1	N	N
24.	2,6-xylidine	87-62-7	N	N

Remark: N = Not Detected
Detection Limit = 5 ppm
Requirement = 30ppm(Max.)
ppm = Parts per million = mg/kg

Method T: Direct buffer extraction as per EN ISO 14362-1: 2017 Section 10.2

Method D: Colourant extraction with Xylene as per EN ISO 14362-1: 2017 Section 10.1

The result of additional amines (23-24) are reported for reference only.

Tested Components: See component list in the last section of this report.

Date Sample Received: 01 Apr, 2024

Testing Period: 01 Apr, 2024 To 09 Jul, 2024



Test Report

Number: SHAH01673387S1


Tests Conducted

Photo

SHAH01673387S1



SHAH01673387S1



SHAH01673387S1



SHAH01673387S1



Test Report

Number: SHAH01673387S1

Tests Conducted

The Photos Were Submitted By The Client, Not Tested, Only For Reference.





Test Report

Number: SHAH01673387S1

Tests Conducted

Tested Components:

- (1) Black Plastic(Body).
- (2) Transparent Plastic(Front Light).
- (3) White Adhesive Paper With Multi-Color Printing With Plastic Film(Sticker On Body).
- (4) Matte Black Plastic(Wheel Cover, Front Fence).
- (5) Deep Grey Plastic(Wheel Hub).
- (6) Black Plastic(Wheel).
- (7) Black Soft Plastic(Wheel Antiskid Part).
- (8) Silver Reflect Plastic(Rearview Mirror).
- (9) Black Plastic(Seat).
- (10) Coffee Transparent Plastic(Front Window).
- (11) Black Plastic(Steering Wheel).
- (12) Red Plastic(Button On Steering Wheel).
- (13) Black Plastic(Instrument Panel).
- (14) Black Plastic(Safety Belt Adjuster).
- (15) Black Webbing(Safety Belt).
- (16) White Plastic(Coupling Of Wheel).
- (17) Black Coating On Metal(Frame).
- (18) Red Transparent Plastic(Tail Light).
- (19) Black Transparent Plastic With White Printing(Button On Instrument Panel).
- (20) Black Plastic With White Printing(Button On Instrument Panel).
- (21) Black Plastic(Button On Instrument Panel).
- (22) Blue Plastic.
- (23) Dull White Plastic(Chassis).
- (24) White Plastic(Remote Control).
- (25) Black Plastic(Button On Remote Control).
- (26) Black Plastic(Charger Battery).
- (27) Black Soft Plastic With White Printing(Charger Wire Covering).
- (28) Silver Metal(Charger Plug).
- (29) Silver Metal Excluding Coating(Frame).
- (30) Pink Plastic.
- (31) White Plastic.
- (32) Red Plastic.
- (33) Yellow Plastic(Remote Control).
- (34) Yellow Plastic.
- (35) Hot Pink Plastic.
- (36) Dark Grey Plastic.

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.



To: JIAXING HUIPENG INDUSTRIAL CO.LTD

Date: 20 Aug, 2024


Re: Report Revision Notification

Intertek Testing Services Report Number SHAH01673387 Dated Jul 09, 2024

Please be informed that all the content recorded in the above captioned report will be void. This captioned report is now superseded by a revised Intertek Testing Services Report Number SHAH01673387S1

Thank you for your attention.

Prepared And Checked By:
For Intertek Testing Services Wuxi Ltd.



Bill Zhang
General Manager

