



中国认可
国际互认
检测
TESTING
CNAS L2929

Test Report

No.: T52410270770TY

Date: MAR 22, 2024

Page 1 of 29

GUANGDONG EDUKIDDO INNOVATIVE AND EDUCATION TECHNOLOGY CO.,LTD.
RIGHT OF GUANGYI STREET OFFICE NORTH OF GUANGYI DENG FENG ROAD,
CHENGHAI DISTRICT, SHANTOU CITY, GUANGDONG, P.R.CHINA

The following samples were submitted and identified by/on behalf of the client as:

15 IN 1 DISCOVER ACTIVITY CUBE

Client Reference Information : HE806, HA806, E806, A806, 806
Labeled Age Grading : 18M+
Requested Age Grading : 18M+

Age Group Assessed by SGS As Per Age : OVER 18 MONTHS
Guideline
Age Group Applied in Testing : OVER 18 MONTHS
Sample Receiving Date : MAR 14, 2024
Testing Period : MAR 14, 2024 TO MAR 22, 2024

Test Requested		Conclusion
1.	As per client's requirements, flash point test was applied on the submitted sample(s).	PASS
2.	For compliance with the European standard on Safety of toys:-	--
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2: 2020 – Safety of toys – Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 + A1:2021 – Migration of certain elements	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Inspection & Testing Services
Shenzhen Branch Testing Center Hardlines

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Requested	Conclusion
3. For compliance with the British Standard on Safety of toys:-	--
BS EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
BS EN 71-2:2020 – Safety of toys – Part 2: Flammability	PASS
Labeling requirement (Washing/Cleaning Label, UKCA marking or CE marking, importer/manufacturer name and address, product identification) for the market of Great Britain (England, Wales and Scotland) with reference to the Toys (Safety) Regulations 2011	SEE RESULT
The Toys (Safety) Regulations 2011 (S.I. 2011 No.1881) & its Amendments (including S.I. 2022 No.659) & Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – BS EN 71-3:2019 + A1:2021 – Migration of certain elements	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
 SGS-CSTC Standards Technical
 Services Co., Ltd. Shenzhen Branch Testing Center




Scan to see the report



T52410270770TY

Verification:
 check.sgsonline.com.cn

Sun Enxu, Aaron
 Dept. Manager
 CNAS Approved Signatories

Sun Yaqing, Sunny
 Supervisor
 CNAS Approved Signatories



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Results:

FLASH POINT TEST

TEST METHOD: As specified in EN 71-2:2020 / BS EN 71-2:2020 standard test methods for flash-point by closed cup tester.

CONCLUSION: The submitted sample was not flammable liquid.

Test Component	Result (°C)
Transparent liquid	>60°C

Remark:

Flashpoint	Substance to be considered as
>=23°C and <=60°C	Flammable
<23 °C (initial boiling point>35 °C)	Highly flammable
<23 °C (initial boiling point<=35 °C)	Extremely flammable

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

Clause	Description	Result
4	General Requirements	
4.1	Materials cleanliness	PASS
4.7	Edges	PASS
4.8	Points and Metallic Wires	PASS



Clause	Description	Result												
4.20	Acoustics	PASS (See Table)												
	<p>Table:</p> <p>Music sound:</p> <table border="1" style="margin-left: 20px;"> <tr> <td colspan="2" style="text-align: center;">Max Result</td> </tr> <tr> <td>L_{pA}: 67.2 dB</td> <td>L_{Cpeak}: 87.8 dB</td> </tr> </table> <p>Clik sound:</p> <table border="1" style="margin-left: 20px;"> <tr> <td colspan="2" style="text-align: center;">Max Result</td> </tr> <tr> <td>L_{pA}: 77.8 dB</td> <td>L_{Cpeak}: 99.6 dB</td> </tr> </table> <p>Squeeze Toys:</p> <table border="1" style="margin-left: 20px;"> <tr> <td colspan="2" style="text-align: center;">Max Result</td> </tr> <tr> <td>L_{pA}: 60.7 dB</td> <td>L_{Cpeak}: 84.6 dB</td> </tr> </table> <p>Voice toy: (See Remark)</p> <p>Remark: The voice toys sound of microphone complies with the request standard since L1-L2<3dB, L_{pA} cannot be calculated.</p>	Max Result		L _{pA} : 67.2 dB	L _{Cpeak} : 87.8 dB	Max Result		L _{pA} : 77.8 dB	L _{Cpeak} : 99.6 dB	Max Result		L _{pA} : 60.7 dB	L _{Cpeak} : 84.6 dB	
Max Result														
L _{pA} : 67.2 dB	L _{Cpeak} : 87.8 dB													
Max Result														
L _{pA} : 77.8 dB	L _{Cpeak} : 99.6 dB													
Max Result														
L _{pA} : 60.7 dB	L _{Cpeak} : 84.6 dB													
5	Toys intended for Children under 36 months													
5.1	General Requirements													
5.1a	Small part requirement on toys & removable Components (Test method 8.2)	PASS												
5.1b	Torque test (Test method 8.3)	PASS												
5.1b	Tension test (Test method 8.4)	PASS												
5.1b	Drop test (Test method 8.5)	PASS												
5.1b	Impact test (Test method 8.7)	PASS												
5.1b	Compression test (Test method 8.8)	PASS												
5.1b	Sharp edge (Test method 8.11)	PASS												
5.1b	Sharp point (Test method 8.12)	PASS												
5.4	Cords, chains and electrical cables in toys	PASS												
5.10	Small balls	PASS												
6	Packaging	PASS												



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Clause	Description	Result
7	Warnings, markings and instructions for use	
	Only English warnings were checked for the clause 7.	
7.1	General	PASS
	Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects: a) Emphasising the warning b) Contrast, background and colours c) Reflecting surfaces and obscuring material d) Font type e) Font size f) Logical direction of text For more details, see EN 71-1.	
	According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.	

EN 71-2: 2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2: 2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Type of gas: Butane gas used in the test burner

Clauses relevant to the item:

Clause	Description	Result
4.1	General requirements	PASS



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

LABELING REQUIREMENT (WASHING/CLEANING LABEL, CE MARK, IMPORTER / MANUFACTURER MARK (NAME, ADDRESS), PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC-SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not Applicable	----
CE mark	Present	Packaging
Importer's Name & Address	Absent. See note 3	----
Manufacturer's Name & Address	Absent. See note 3	----
Product ID	Present	Packaging

Note:

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



SGS-CSTC Shenzhen Branch
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019+A1:2021 – Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES / Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis or LC-ICP-MS / organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)			MDL	Permissible Limit
	1	2	3		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	4	5	6		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	7	8	9		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	10	11	12		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	13	14	15		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	16	17	18		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	19	20	21		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)		MDL	Permissible Limit
Specimen No.	22	23	--	--
Mass of trace amount (mg)	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	15	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	50	46000

Specimen Description:

1. Cream-white plastic (Body, bead set base)
2. Grey plastic (Body)
3. Pink-orange plastic (Body, car, button, switch, microphone)
4. Green plastic (Body, handle, hammer)
5. Red plastic (Handle)
6. Orange plastic (Handle, banana, animal face, doorbell, car key)
7. Mauve plastic (Handle, rotating gear)
8. Dark blue plastic (Handle, switch base, dashboard, bead set base)
9. Off-white plastic (Flashing drum)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

10. Pink plastic (Bead)
11. Purple plastic (Bead, rotating gear, music button, star)
12. Light green plastic (Bead, apple, animal face)
13. Yellow plastic (Bead, microphone switch, mirror, steering wheel, flying bead push button)
14. Blue plastic (Bead, microphone, cell phone)
15. Dark blue soft plastic (Bead set)
16. Cream soft plastic (Bead set)
17. Light orange soft plastic (Hammer)
18. Transparent plastic (Window, flying bead box, turntable)
19. Light orange plastic (Flying bead push button, mirror, volume switch)
20. Transparent plastic sheet (Mirror)
21. Light pink plastic (Turntable)
22. White paper label w/ multi-color, black coating (Sticker)
23. White woven cord (Banana, apple)

- Note:
- mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - + Soluble Chromium is not restricted by EN 71-3:2019+A1:2021, results shown only for reference

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * = Exceeds Permissible Limit

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in EN 71-3:2019+A1:2021.

Bright brown coating on plastic (Cell phone)

Yellow coating on plastic (Cell phone)

Orange-red coating on plastic (Volume switch)

Red, pink, light green, dark yellow, dark blue, blue, light blue, orange-yellow, light pink, black (Pattern), white (Pattern, lettering), light grey, black-blue (Lettering) coating on plastic



BRITISH STANDARD ON SAFETY OF TOYS

BS EN 71-1:2014+A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN BS EN 71-1:2014+A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

Clause	Description	Result												
4	General Requirements													
4.1	Materials cleanliness	PASS												
4.7	Edges	PASS												
4.8	Points and Metallic Wires	PASS												
4.20	Acoustics	PASS (See Table)												
	<p>Table:</p> <p>Music sound:</p> <table border="1" style="margin-left: 20px;"> <tr> <td colspan="2" style="text-align: center;">Max Result</td> </tr> <tr> <td>L_{pA}: 67.2 dB</td> <td>L_{Cpeak}: 87.8 dB</td> </tr> </table> <p>Clik sound:</p> <table border="1" style="margin-left: 20px;"> <tr> <td colspan="2" style="text-align: center;">Max Result</td> </tr> <tr> <td>L_{pA}: 77.8 dB</td> <td>L_{Cpeak}: 99.6 dB</td> </tr> </table> <p>Squeeze Toys:</p> <table border="1" style="margin-left: 20px;"> <tr> <td colspan="2" style="text-align: center;">Max Result</td> </tr> <tr> <td>L_{pA}: 60.7 dB</td> <td>L_{Cpeak}: 84.6 dB</td> </tr> </table> <p>Voice toy: (See Remark)</p> <p>Remark: The voice toys sound of microphone complies with the request standard since L1-L2<3dB, L_{pA} cannot be calculated.</p>	Max Result		L _{pA} : 67.2 dB	L _{Cpeak} : 87.8 dB	Max Result		L _{pA} : 77.8 dB	L _{Cpeak} : 99.6 dB	Max Result		L _{pA} : 60.7 dB	L _{Cpeak} : 84.6 dB	
Max Result														
L _{pA} : 67.2 dB	L _{Cpeak} : 87.8 dB													
Max Result														
L _{pA} : 77.8 dB	L _{Cpeak} : 99.6 dB													
Max Result														
L _{pA} : 60.7 dB	L _{Cpeak} : 84.6 dB													



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Clause	Description	Result
5	Toys intended for Children under 36 months	
5.1	General Requirements	
5.1a	Small part requirement on toys & removable Components (Test method 8.2)	PASS
5.1b	Torque test (Test method 8.3)	PASS
5.1b	Tension test (Test method 8.4)	PASS
5.1b	Drop test (Test method 8.5)	PASS
5.1b	Impact test (Test method 8.7)	PASS
5.1b	Compression test (Test method 8.8)	PASS
5.1b	Sharp edge (Test method 8.11)	PASS
5.1b	Sharp point (Test method 8.12)	PASS
5.4	Cords, chains and electrical cables in toys	PASS
5.10	Small balls	PASS
6	Packaging	PASS
7	Warnings, markings and instructions for use	
7.1	General	PASS
	Note: Please note that for assessing the visibility and legibility of warnings, CEN has introduced good practice in the informative Annex A.33 by addressing the following aspects: a) Emphasising the warning b) Contrast, background and colours c) Reflecting surfaces and obscuring material d) Font type e) Font size f) Logical direction of text For more details, see EN 71-1.	

BS EN 71-2:2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN BS EN 71-2:2020 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Type of gas: Butane gas used in the test burner

Clauses relevant to the item:

Clause	Description	Result
4.1	General requirements	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

LABELING REQUIREMENT (WASHING/CLEANING LABEL, UKCA MARKING OR CE MARKING, IMPORTER/MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) FOR THE MARKET OF GREAT BRITAIN (ENGLAND, WALES AND SCOTLAND) WITH REFERENCE TO THE TOYS (SAFETY) REGULATIONS 2011

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not Applicable	----
UKCA marking or CE marking	Present	Packaging
Importer's Name & Address	Absent. See note 3	----
Manufacturer's Name & Address	Absent. See note 3	----
Product ID	Present	Packaging

Note:

1. A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed.
2. The UKCA marking should be affixed visibly, legibly and indelibly. UKCA marking should be visible from outside the packaging and its height must be at least 5mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other information enabling the toy to be identified, or where the size or nature of the toy precludes the information from being marked on the toy that the required information is provided on the packaging or in a document accompanying the toy.
5. Until 31 December 2027, the UKCA marking may be affixed to a document accompanying the toy. Where toys are too small or consist of small parts, the UKCA marking may be affixed to a label which is not affixed to the toy or a leaflet which accompanies the toy.
6. Until 31 December 2027, for the importers who imported the toy from an EEA state or Switzerland, are temporarily permitted to indicate their name, registered trade name or registered trade mark and a postal address on the toy's packaging or in a document accompanying the toy, instead of on the toy itself.
7. Until 11pm 31 December 2024, toys conforming to EU rules, including the CE marking, may be placed on the market of Great Britain. And on 24 January 2024, the UK government announced that it intends to legislate to continue recognition of EU requirements, including the CE marking, indefinitely for a range of product regulations in spring 2024.



The Toys (Safety) Regulations 2011 (S.I. 2011 No.1881) & its Amendments (including S.I. 2022 No.659) & Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – BS EN 71-3:2019+A1:2021 – Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to BS EN 71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES / Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis or LC-ICP-MS / organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)			MDL	Permissible Limit
	1	2	3		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	4	5	6		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	7	8	9		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium+ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	10	11	12		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	13	14	15		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium+ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	16	17	18		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	19	20	21		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Area, No.430, Jihua Road, Banian Community, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业区厂房4号 101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Test Item(s)	Result(s)		MDL	Permissible Limit
Specimen No.	22	23	--	--
Mass of trace amount (mg)	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	ND	ND	1	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	15	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	50	46000

Specimen Description:

1. Cream-white plastic (Body, bead set base)
2. Grey plastic (Body)
3. Pink-orange plastic (Body, car, button, switch, microphone)
4. Green plastic (Body, handle, hammer)
5. Red plastic (Handle)
6. Orange plastic (Handle, banana, animal face, doorbell, car key)
7. Mauve plastic (Handle, rotating gear)
8. Dark blue plastic (Handle, switch base, dashboard, bead set base)
9. Off-white plastic (Flashing drum)



SGS-CSTC Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Banlian) Industrial Plant Area, No.430, Jihua Road, Banlian Community, Banlian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com.cn
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编:518129 t:(86-755) 25328888 sgs.china@sgs.com

Specimen Description:

10. Pink plastic (Bead)
11. Purple plastic (Bead, rotating gear, music button, star)
12. Light green plastic (Bead, apple, animal face)
13. Yellow plastic (Bead, microphone switch, mirror, steering wheel, flying bead push button)
14. Blue plastic (Bead, microphone, cell phone)
15. Dark blue soft plastic (Bead set)
16. Cream soft plastic (Bead set)
17. Light orange soft plastic (Hammer)
18. Transparent plastic (Window, flying bead box, turntable)
19. Light orange plastic (Flying bead push button, mirror, volume switch)
20. Transparent plastic sheet (Mirror)
21. Light pink plastic (Turntable)
22. White paper label w/ multi-color, black coating (Sticker)
23. White woven cord (Banana, apple)

- Note:
- mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - + Soluble Chromium is not restricted by BS EN 71-3:2019+A1:2021, results shown only for reference

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- * Exceeds Permissible Limit



Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in BS EN 71-3:2019+A1:2021.

Bright brown coating on plastic (Cell phone)

Yellow coating on plastic (Cell phone)

Orange-red coating on plastic (Volume switch)

Red, pink, light green, dark yellow, dark blue, blue, light blue, orange-yellow, light pink, black (Pattern), white (Pattern, lettering), light grey, black-blue (Lettering) coating on plastic

N.B. : - Only applicable clauses were shown.

Note:

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the report:

N/A = Not Applicable

** = Visual Examination

DNI = Did Not Ignite

SE = Self-Extinguishing

IBE = Ignite But Self-Extinguished

SE within 50mm = Self-extinguished within 50 mm of flame application

Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability($k=2$), $w = U_{95}$. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (T_U):

Pass - when the measurement result is below $T_U - U_{95}$

Fail - when the measurement result is above $T_U + U_{95}$

Inconclusive - when the measurement result is falling in guard band [$T_U - U_{95}$, $T_U + U_{95}$]

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above $T_L + U_{95}$

Fail - when the measurement result is below $T_L - U_{95}$

Inconclusive - when the measurement result is falling in guard band [$T_L - U_{95}$, $T_L + U_{95}$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-501, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No.430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgs.com
中国·广东·深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号101-901、2号101、3号301-501 邮编: 518129 t:(86-755) 25328888 sgs.china@sgs.com

Sample Picture (As received)

Pic.1



SGS authenticate the photo on original report only

*** End of Report ***

