



BAKEE INDUSTRY CO.,LTD

Technical Report: (8823)177-0129

Date Received: Jun 26, 2023

Aug 4, 2023

Page 1 of 12

BAKEE INDUSTRY CO.,LTD
ROOM 518,SHANG GUAN MANSION,NO.2,NAN HU ER ROAD,
LUOCUN,NANHAI DISTRICT,FOSHAN CITY,GUANGDONG,
CHINA

Sample Description:	RIDE ON CAR	Sample Size:	2
Vendor:	BAKEE INDUSTRY CO.,LTD		
Manufacturer:	BAKEE INDUSTRY CO.,LTD	Style No(s):	W1019
Labeled Age Grade:	12 - 36 MONTHS	SKN/SKU No.:	NOT PROVIDE
Appropriate Age Grade:	NOT REQUESTED	PO No.:	NOT PROVIDE
Client Specified Age Grade:	NOT SPECIFIED	Ref #:	NOT PROVIDE
Tested Age Grade:	FROM 12 TO 36 MONTHS OF AGE	Country of Origin:	CHINA
UPC Code:	N/A	Assortment No.:	NOT PROVIDE
		Country of Destination :	EUROPE,SOUTH AMERICA, MIDDLE EAST,ASIA
Test Starting Date:	JUN 26, 2023	Test Finished Date:	AUG 4, 2023

EXECUTIVE SUMMARY:

Test Requested	Conclusion
Labeling requirements of "CE marking, manufacturer/ Importer name and address, and product identification" under "Directive 2009/48/EC Safety of Toy".	PASS
Mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018, clauses 1-7.	PASS
Flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020.	PASS
Migration of Certain Elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of toys", EN 71-3:2019+A1:2021.	PASS

BUREAU VERITAS SHENZHEN CO.,LTD
DONGGUAN BRANCH

Lisa Bai

Lisa Bai
Analytical lab technical ass. manager



BUREAU VERITAS SHENZHEN CO.,LTD
DONGGUAN BRANCH

Tone Tang

Tone Tang
Physics Lab Assistant Supervisor

RT/ Carmen Xiong

REMARK

If there are questions or concerns on this report, please contact the following persons:

Report Enquiry: (86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@bureauveritas.com

Business Contact: (86) 0769 85893595

This report shall not be reproduced except in full, without the written approval of our laboratory.

Bureau Veritas Shenzhen Co., Ltd., Dongguan Branch
No.96, Houjie, Guantai Road., Houjie,
Dongguan,Guangdong, China
Tel: +86-769-89982098
Fax: +86-769-85991080
www.cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



Tested Component(s) Description List:

Test Item(s)	Item / Component Description(s)	Location(s)	Style(s)
I001	Clear laminated multi color printed white paper with adhesive	Sticker	-
I002	Cyan plastic	Handle , connector , body	-
I003	White plastic	Button of handle , wheel	-
I004	Bright white plastic	Button of wheel	-
I005	Cyan soft plastic	Tire	-
I006	Pale cyan plastic	Body wing	-
I007	Transparent blue plastic	Body	-
I008	Blue plastic	Switch	-
I009	Yellow plastic	Star , frame , ring	-
I010	Sky blue plastic	Car , frame	-
I011	Green plastic	Ladybird , frame , ring	-
I012	Purple plastic	Ring	-
I013	Transparent plastic with adhesive	Tape	-
I014	Bright purple plastic	Ball	-
I015	Bright yellow plastic	Ball	-
I016	Bright pink plastic	Ball	-
I017	Bright blue plastic	Ball	-
I018	Red printed white paper	Words	-



RESULTS:

APPROPRIATE AGE GRADE DETERMINATION**

The Appropriate Age Grade is determined with reference to the EN71: Part 1 : 2014 +A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age Determination Guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2

Symbol	Explanation				
NM	The sample(s) DOES NOT MEET the requirement of this Subclause				
M	The sample(s) MEETS the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NT	Not Tested				
NP	None Present				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		

Remark:

***The above result was performed at Bureau Veritas (Shenzhen) laboratory.

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1 – 2014+A1 – 2018)****

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	M
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	M
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	M
4.15.1.3	Toys propelled by child – Strength	M
4.15.1.4	Toys propelled by child – Stability	M
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	M
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.26	Certain projectiles toys without stored energy	NA

Remark:

“***” The above result was performed at Bureau Veritas (Shenzhen) laboratory.



RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1 – 2014+A1 – 2018)****

Subclause	Requirement	Result
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	M
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS		
5.1	General	M
5.1a	Small parts – as received	M
5.1b	Small parts, sharp points, sharp edges – after tests	M
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA



RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
 (EN 71: PART 1 – 2014+A1 – 2018)****

Subclause	Requirement	Result
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	M
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	M
WARNINGS, INSTRUCTIONS FOR USE		
7.1	General	M
7.2	Toys not intended for children under 36 months	NA
7.5	Functional toys	NA

2009/48/EC GENERAL LABELING REQUIREMENT**

Requirement	Result
CE Mark	M
Manufacturer/ Importer name and address	M
Product Identification	M

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

Remark:

***The above result was performed at Bureau Veritas (Shenzhen) laboratory.



RESULTS:

FLAMMABILITY (EN 71 PART 2: 2020)**

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	NA
4.1	Flammable gases	NA
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by a child	NA
4.4	warning on product and packaging (10 – 30 mm/s)	NA
4.5	Soft-filled toys	NA

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

Remark:

***The above result was performed at Bureau Veritas (Shenzhen) laboratory.



RESULTS:

Migration of Certain Elements, EN 71-3:2019+A1:2021

Test Method: European Standard EN 71-3:2019+A1:2021 Section 8.

Class: Category III - Scraped off toy material

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
		I001	I002	I003	I004	I005
Aluminium (Al)	28130	29	ND	ND	ND	ND
Arsenic (As)	47	ND	ND	ND	ND	ND
Boron (B)	15000	2	ND	ND	ND	ND
Barium (Ba)	18750	ND	ND	ND	ND	ND
Cadmium (Cd)	17	ND	ND	ND	ND	ND
Cobalt (Co)	130	ND	ND	ND	ND	ND
Chromium III (Cr III)	460	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.053	ND#	ND	ND	ND	ND
Copper (Cu)	7700	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND
Manganese (Mn)	15000	5	ND	ND	ND	ND
Nickel (Ni)	930	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	ND	ND
Selenium (Se)	460	ND	ND	ND	ND	ND
Tin (Sn)	180000	ND	ND	ND	ND	ND
Organic tin	12	ND	ND	ND	ND	ND
Strontium (Sr)	56000	28	ND	ND	ND	ND
Zinc (Zn)	46000	ND	ND	ND	ND	ND
Mass of trace amount (gram)		-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS



BAKEE INDUSTRY CO.,LTD
 Technical Report: **(8823)177-0129**
 Aug 4, 2023
 Page 9 of 12

RESULTS:

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
	Category III	I006	I007	I008	I009	I010
Aluminium (Al)	28130	ND	ND	ND	ND	ND
Arsenic (As)	47	ND	ND	ND	ND	ND
Boron (B)	15000	ND	ND	ND	ND	ND
Barium (Ba)	18750	ND	ND	ND	ND	ND
Cadmium (Cd)	17	ND	ND	ND	ND	ND
Cobalt (Co)	130	ND	ND	ND	ND	ND
Chromium III (Cr III)	460	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.053	ND	ND	ND#	ND	ND
Copper (Cu)	7700	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND
Manganese (Mn)	15000	ND	ND	ND	ND	ND
Nickel (Ni)	930	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	ND	ND
Selenium (Se)	460	ND	ND	ND	ND	ND
Tin (Sn)	180000	ND	ND	ND	ND	ND
Organic tin	12	ND	ND	ND	ND	ND
Strontium (Sr)	56000	ND	ND	ND	ND	ND
Zinc (Zn)	46000	ND	ND	ND	ND	ND
Mass of trace amount (gram)		-	-	-	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS



BAKEE INDUSTRY CO.,LTD
 Technical Report: **(8823)177-0129**
 Aug 4, 2023
 Page 10 of 12

RESULTS:

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
	Category III	I011	I012	I013	I014	I015
Aluminium (Al)	28130	ND	ND	9	ND	ND
Arsenic (As)	47	ND	ND	ND	ND	ND
Boron (B)	15000	ND	ND	ND	ND	ND
Barium (Ba)	18750	ND	ND	2	ND	ND
Cadmium (Cd)	17	ND	ND	ND	ND	ND
Cobalt (Co)	130	ND	ND	ND	ND	ND
Chromium III (Cr III)	460	ND	ND	ND	ND	ND
Chromium VI (Cr VI)	0.053	ND	ND	ND#	ND	ND
Copper (Cu)	7700	ND	ND	ND	ND	ND
Mercury (Hg)	94	ND	ND	ND	ND	ND
Manganese (Mn)	15000	ND	ND	3	ND	ND
Nickel (Ni)	930	ND	ND	ND	ND	ND
Lead (Pb)	23	ND	ND	ND	ND	ND
Antimony (Sb)	560	ND	ND	ND	ND	ND
Selenium (Se)	460	ND	ND	ND	ND	ND
Tin (Sn)	180000	ND	ND	ND	ND	ND
Organic tin	12	ND	ND	ND	ND	ND
Strontium (Sr)	56000	ND	ND	5	ND	ND
Zinc (Zn)	46000	ND	ND	4	ND	ND
Mass of trace amount (gram)		-	-	0.0518	-	-
Conclusion		PASS	PASS	PASS	PASS	PASS



RESULTS:

Analyte	Requirement (mg/kg)	Result (mg/kg)				
		Test Item(s)				
	Category III	I016	I017	I018	-	-
Aluminium (Al)	28130	ND	ND	12	-	-
Arsenic (As)	47	ND	ND	ND	-	-
Boron (B)	15000	ND	ND	ND	-	-
Barium (Ba)	18750	ND	ND	ND	-	-
Cadmium (Cd)	17	ND	ND	ND	-	-
Cobalt (Co)	130	ND	ND	ND	-	-
Chromium III (Cr III)	460	ND	ND	ND	-	-
Chromium VI (Cr VI)	0.053	ND	ND	ND#	-	-
Copper (Cu)	7700	ND	ND	ND	-	-
Mercury (Hg)	94	ND	ND	ND	-	-
Manganese (Mn)	15000	ND	ND	3	-	-
Nickel (Ni)	930	ND	ND	ND	-	-
Lead (Pb)	23	ND	ND	ND	-	-
Antimony (Sb)	560	ND	ND	ND	-	-
Selenium (Se)	460	ND	ND	ND	-	-
Tin (Sn)	180000	ND	ND	ND	-	-
Organic tin	12	ND	ND	ND	-	-
Strontium (Sr)	56000	ND	ND	19	-	-
Zinc (Zn)	46000	ND	ND	ND	-	-
Mass of trace amount (gram)		-	-	0.0527	-	-
Conclusion		PASS	PASS	PASS	-	-

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyltin cation content in mg/kg

= Verified results (see note)

ND = Not detected

Detection Limit (mg/kg) :

For Type III - Al : 2 ; Sb : 2 ; As : 2 ; Ba : 2 ; B : 2 ; Cd : 2 ; Cr III : 0.15 ; Cr VI : 0.025 ; Co : 2 ; Cu : 2 ; Pb : 2 ; Mn : 2 ; Hg : 2 ; Ni : 2 ; Se : 2 ; Sr : 2 ; Sn : 2 ; Organic tin : 2 ; Zn : 2

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.

Note:

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: EN 71-3:2019+A1:2021, Annex F by Ion-chromatography with ICP-MS detector analysis.
- Organic tin: EN 71-3:2019+A1:2021, Annex G by Gas Chromatography-Mass Spectroscopy analysis.

RESULTS:



END OF REPORT