

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L476080-51-82808102-1
Report Reference LLE476080-20180828
Date 24-May-2023

Issued to: COSUN TECHNOLOGY (SHENZHEN) CO LTD
No.A7, Tongfuyu Industry Park
6th KangMing Road, Pingdi Sub-district
Longgang District
Shenzhen, Guangdong Sheng 518117
China

**This is to certify that
representative samples of**

IFDR - Low-voltage Lighting Systems, Power Units,
Luminaires and Fittings

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the
Standard(s) indicated on this Certificate.


Standard(s) for Safety: UL 2108, Edition 2, Issue Date 2015-12-07, Revision Date
2023-04-18

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L476080-51-82808102-1
Report Reference LLE476080-20180828J
Date 24-May-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
CS-FPC-XX-YYY-X-12	LED low-voltage luminaires, surface, class 2 luminaires
CS-FPC-XX-YYY-X-24	LED low-voltage luminaires, surface, class 2 luminaires
CS-FPCA-XX-YYY-X-12, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FPCB-XX-YYY-X-12, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FPCC-XX-YYY-X-24, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FPCD-XX-YYY-X-24, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FPCE-XX-YYY-X-24, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FPCF-XX-YYY-X-5, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L476080-51-82808102-1
Report Reference LLE476080-20180828J
Date 24-May-2023

CS-FR4-XX-YYY-X-12	LED low-voltage luminaires, surface, class 2 luminaires
CS-FR4-XX-YYY-X-24	LED low-voltage luminaires, surface, class 2 luminaires
CS-FR4A-XX-YYY-X-12, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FR4B-XX-YYY-X-24, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
KB-XX-YY-ZZ-05-AA	LED low-voltage luminaires, surface, class 2 luminaires
LB-XX-YY-ZZ-12-AA-BB	LED low-voltage luminaires, surface, class 2 luminaires
LB-XX-YY-ZZ-24-AA-BB	LED low-voltage luminaires, surface, class 2 luminaires

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L476080-71-82808102-1
Report Reference LLE476080-20180828」
Date 24-May-2023

Issued to: COSUN TECHNOLOGY (SHENZHEN) CO LTD
No.A7, Tongfuyu Industry Park
6th KangMing Road, Pingdi Sub-district
Longgang District
Shenzhen, Guangdong Sheng 518117
China

This is to certify that representative samples of IFDR7 - Low-voltage Lighting Systems, Power Units, Luminaires and Fittings Certified for Canada
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: CSA C22.2 NO. 250.2, 1st Ed., Issue Date: 2020-01-01

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L476080-71-82808102-1
Report Reference LLE476080-20180828J
Date 24-May-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
CS-FPC-XX-YYY-X-12	LED low-voltage luminaires, surface, class 2 luminaires
CS-FPC-XX-YYY-X-24	LED low-voltage luminaires, surface, class 2 luminaires
CS-FPCA-XX-YYY-X-12, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FPCB-XX-YYY-X-12, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FPCC-XX-YYY-X-24, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FPCD-XX-YYY-X-24, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FPCE-XX-YYY-X-24, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FPCF-XX-YYY-X-5, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L476080-71-82808102-1
Report Reference LLE476080-20180828J
Date 24-May-2023

CS-FR4-XX-YYY-X-12	LED low-voltage luminaires, surface, class 2 luminaires
CS-FR4-XX-YYY-X-24	LED low-voltage luminaires, surface, class 2 luminaires
CS-FR4A-XX-YYY-X-12, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
CS-FR4B-XX-YYY-X-24, XX can be any letter between A-Z or any number between 0-9 YYY can be any digit number Which does not exceed maximum LED number per meter, X can be any digit number which does not exceed max. watts per meter	Low Voltage Lighting Systems
KB-XX-YY-ZZ-05-AA	LED low-voltage luminaires, surface, class 2 luminaires
LB-XX-YY-ZZ-12-AA-BB	LED low-voltage luminaires, surface, class 2 luminaires
LB-XX-YY-ZZ-24-AA-BB	LED low-voltage luminaires, surface, class 2 luminaires

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>