



A P P R O V A L S ®

Certificate of Conformity/Approval

Certificate No.: SAA-220468-EA

Certificate Holder: Hangzhou G-Sun Lighting Co., Ltd.
No.3 Longhuang Road,
Jingshan Industrial Zone, Yuhang District,
Hangzhou 311116
P.R. China

Regulatory Definition: Light emitting semiconductor lamp (Self-ballasted)

Product Description: Self-ballasted LED Lamp

Standard/s: AS/NZS 62560:2017 Inc A1

Condition/s: Nil

Approval Marks: RCM (In accordance with AS/NZS 4417 and EESS requirements)
and
SAA-220468-EA (In accordance with NSW legislative requirements)

Initial Issue Date: 13 April 2022

Expiry Date: 13 April 2027

R.A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 13-04-22 220468
Page 1 of 6



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating/Marking
ST58-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
ST58-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
ST64-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
ST64-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
A60-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
A60-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
G80-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
G80-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
G95-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
G95-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
T28-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
T28-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
TX95-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact

R. A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 13-04-22 220468
Page 2 of 6



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating/Marking
TX95-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
G125-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
G125-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
WJX-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
WJX-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
PS160-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
PS160-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
G200-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
G200-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
3.5K-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
3.5K-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
DJP-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
DJP-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact

R.A. Nill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 13-04-22 220468

Page 3 of 6



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating/Marking
PS165-TX	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
PS165-TX B22	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
ST58-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
ST58-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
ST64-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
ST64-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
A60-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
A60-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
G80-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
G80-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
G95-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
G95-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
T28-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact

R.A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 13-04-22 220468

Page 4 of 6



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating/Marking
T28-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
TX95-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, E27, Non-dimmable, Not suitable for water contact
TX95-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 12mA 1.2W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
G125-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
G125-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
WJX-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
WJX-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
PS160-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
PS160-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
G200-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
G200-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
3.5K-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
3.5K-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact

R.A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 13-04-22 220468

Page 5 of 6



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating/Marking
DJP-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
DJP-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact
PS165-TX A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, E27, Non-dimmable, Not suitable for water contact
PS165-TX B22 A	Mirabella; Luce Bella; Olsent; Coles;	220-240V~ 50/60Hz 15mA 1.5W ta:25°C, B22d, Non-dimmable, Not suitable for water contact

R. A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 13-04-22 220468
Page 6 of 6