

TEST REPORT

<u>APPLICANT</u>	: XIN XIANG ALPHA MANUFACTURING LTD.
<u>ADDRESS</u>	: WEST OF BEIHUAN ROAD ,MUYE DISTRICT XINXIANG CITY ,HENAN PROVINCE CHINA 453000
<u>TESTED SAMPLE DESCRIPTION</u>	: ALL ABOUT CRYSTALS
<u>TESTED ITEM NO.</u>	: SR20807
<u>MANUFACTURER</u>	: XINXIANG ALPHA MANUFACTURING LTD.
<u>BUYER</u>	: XINXIANG ALPHA MANUFACTURING LTD.
<u>COUNTRY OF ORIGIN</u>	: CHINA
<u>AGE REQUESTED ON APPLICATION FORM</u>	: 8+
<u>APPROPRIATE AGE GRADE</u>	: OVER 8 YEARS
<u>LABELED AGE GRADE</u>	: 8+
<u>AGE GRADE APPLIED IN TESTING</u>	: OVER 8 YEARS
<u>SAMPLE RECEIVED DATE</u>	: 17-Nov-2022; 05-Dec-2022
<u>TEST PERIOD</u>	: 17-Nov-2022 to 07-Dec-2022

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

TEST REQUESTED	RESULT
EN 71 - 1: 2014 + A1: 2018 Safety of Toys - Mechanical and physical properties	PASS
Labeling requirement (Directive 2009/48/EC)	PASS
EN 71 - 2: 2020 Safety of Toys - Flammability	PASS
EN 71 - 3: 2019 + A1: 2021 Safety of Toys - Migration of Certain Elements	PASS
Total Cadmium Content according to Entry 23 of Annex XVII to Regulation (EC) No 1907/2006 and its amendments REACH Regulation (EC) No 552/2009, (EU) No 494/2011, (EU) No 835/2012 and (EU) No 2016/217	PASS
Phthalates according to Entry 51 & 52 of Regulation (EC) No 552/2009 and Regulation (EU) 2018/2005 amending Annex XVII of REACH Regulation (EC) No 1907/2006	PASS
Polycyclic Aromatic Hydrocarbons (PAHs) according to the Entry 50 of Annex XVII to REACH Regulation (EC) No 1907/2006, and its amendment Regulation (EU) No 1272/2013	PASS


The above sample(s) and sample information was/were submitted and identified on behalf of the applicant. Eurofins will not be liable for the authenticity of the information. This test report is valid for the tested sample only. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products. Unless otherwise required by the applicant or method/regulation, decision rule in this report did not consider the measurement uncertainty.

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

SIGNED FOR AND ON BEHALF OF
EUROFINS TESTING TECHNOLOGY (SHENZHEN) CO., LTD.



Coco Luo
Senior Lab Manager



Jamie Zhang
Toy Testing Manager

TESTED SAMPLE PHOTO(S)



EFSN22110954-C-0102

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China
Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

COMPONENT LIST

A ALL ABOUT CRYSTALS

Component No.	Component	Material	Color	Sample No.
1	Instruction book	Paper/printing	White/multicolor	A
2	Stick	Wood	Brown	A
3	Buckle	Plastic	Black	A
4	Rope	Textile	Black	A
5	Tweezers	Plastic	Dark blue	A
6	Magnifying glass	Plastic	Transparent	A
7	Bowl and measuring cup	Plastic	Transparent	A
12	Stone	Solid	Transparent purple	A
13	Stone	Solid	Transparent	A
14	Surface of stone	Plastic	Mint green	A
15	Surface of stone	Plastic	White	A
15a	Surface of stone-2 nd submission	Plastic	White	A
17	Printing on instruction book	Printing	Multicolor	A
18	Stick	Bamboo	Brown	A
20	CE label	Paper/glue/printing	White/transparent/black	A

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China
Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

TEST RESULT

EN 71 - 1: 2014 + A1: 2018 Safety of Toys - Mechanical and physical properties

Test Request: EN 71 - 1: 2014 + A1: 2018 Safety of Toys - Mechanical and physical properties

Section	Description	Result
4	General requirements	
4.1	Material cleanliness (by visual assessment)	P
4.2	Assembly	N/A
4.3	Flexible plastic sheeting	N/A
4.4	Toy Bags	N/A
4.5	Glass	N/A
4.6	Expanding Materials	N/A
4.7	Edges	P
4.8	Points and Metallic Wires	P
4.9	Protruding parts	N/A
4.10	Parts moving against each other	
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	N/A
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys	N/A
4.14	Enclosures	
4.14.1	Toys which a child can enter	N/A
4.14.2	Masks and helmets	N/A
4.15	Toys intended to bear the mass of a child	
4.15.1	Toys propelled by the child or by other means	N/A
4.15.2	Toy bicycles	N/A
4.15.3	Rocking horses and similar toys	N/A
4.15.4	Toys not propelled by a child	N/A
4.15.5	Toys scooters	N/A
4.16	Heavy immobile toys	N/A
4.17	Projectiles toys	
4.17.1	General	N/A
4.17.2	All projectiles	N/A
4.17.3	Projectile toy with stored energy	N/A
4.17.4	Certain projectile toys without stored energy	N/A
4.18	Aquatic toys and inflatable toys	N/A
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A
4.20	Acoustics	
4.20.2.1	General	N/A
4.20.2.2	Close-to-the-ear toys	N/A
4.20.2.3	Table-top or floor toys	N/A
4.20.2.4	Hand-held toys	N/A
4.20.2.5	Toys using headphones or earphones	N/A
4.20.2.6	Rattles	N/A
4.20.2.7	Squeeze toys	N/A
4.20.2.8	Pull-along or push toys	N/A
4.20.2.9	Percussion toys	N/A

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China

Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

TEST RESULT

Section	Description	Result
4.20.2.10	Wind toys	N/A
4.20.2.11	Cap-firing toys	N/A
4.20.2.12	Voice toys	N/A
4.21	Toys containing a non-electrical heat source	N/A
4.22	Small balls	N/A
4.23	Magnets	N/A
4.24	Yo-yo balls	N/A
4.25	Toys attached to food	N/A
4.26	Toy disguise costumes	N/A
4.27	Flying toys	
4.27.1	General	N/A
4.27.2	Rotors and propellers on flying toys	N/A
4.27.3	Rotors and propellers on remote controlled flying toys	N/A
5	Toys intended for children under 36 months	
5.1	General requirements	N/A
5.2	Soft-filled toys and soft-filled parts of a toy	N/A
5.3	Plastic sheeting	N/A
5.4	Cords, chains and electrical cables in toys	N/A
5.5	Liquid-filled toys	N/A
5.6	Speed limitation of electrically-driven ride-on toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size of certain toys	N/A
5.9	Toys comprising monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric-shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15	Sledges with cords for pulling	N/A
6	Packaging	N/A
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	N/A
7.3	Latex Balloons	N/A
7.4	Aquatic toys	N/A
7.5	Functional Toys	N/A
7.6	Hazardous sharp functional edges and points	N/A
7.7	Projectiles toys	N/A
7.8	Imitation protective masks and helmets	N/A
7.9	Toy kites	N/A
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	N/A
7.11	Toys intended to be strung across a cradle, cot, or perambulator	N/A
7.12	Liquid-filled teethingers	N/A
7.13	Percussion caps specifically designed for use in toys	N/A
7.14	Acoustics	N/A
7.15	Toys bicycles	N/A
7.16	Toys intended to bear the mass of a child	N/A
7.17	Toys comprising monofilament fibres	N/A
7.18	Toy scooters	N/A
7.19	Rocking horses and similar toys	N/A

TO BE CONTINUED

TEST RESULT

Section	Description	Result
7.20	Magnetic/electrical experimental sets	N/A
7.21	Toy with electrical cables exceeding 300mm in length	N/A
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	N/A
7.23	Toys intended to be attached to a cradle, cot or perambulator	N/A
7.24	Sledges with cords for pulling	N/A
7.25	Flying toys	N/A
7.25.1	Flying toys	N/A
7.25.2	Remote controlled flying toys	N/A
7.26	Improvised projectiles	N/A

Remark:

P = Pass F = Fail N/A = Not Applicable

Labeling requirement (Directive 2009/48/EC)

Test Request: Labeling requirement (Directive 2009/48/EC)

Labeling Content	Location	Conclusion
CE Mark	Packaging	Present
Importer's Name & Address	Product	Present
Manufacturer's Name & Address	Product	Present
Product ID	Product	Present
Washing/Cleaning Instruction	N/A	N/A

Remark:

N/A = Not Applicable

TO BE CONTINUED

TEST RESULT

EN 71 - 2: 2020 Safety of Toys - Flammability

Test Request: EN 71 - 2: 2020 Safety of Toys - Flammability

Section	Description	Result
4	Requirements	
4.1	General requirements	P
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by a child in play	N/A
4.4	Toys intended to be entered by a child	N/A
4.5	Soft-filled toys	N/A

Remark:

P = Pass

F = Fail

N/A = Not Applicable

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China
Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

TEST RESULT

EN 71 - 3 : 2019 + A1: 2021 Migration of Certain Elements(Category III)

Test Request: EN 71 - 3: 2019 + A1: 2021 Safety of Toys - Migration of Certain Elements
 Test Method: With reference to EN 71 - 3: 2019 + A1: 2021: Migration of certain elements.
 General Elements analysis was performed by ICP-MS.
 Soluble Chromium(VI) analysis was performed by IC-UV-Vis.
 Soluble Organic Tin analysis was performed by GC-MS.

Test Item(s):	Unit	Result							
		1	2	3	4	5	6	7	12
Mass of trace amount (mg)		-	-	-	-	-	-	-	-
Aluminium(Al)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Antimony(Sb)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Arsenic(As)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Barium(Ba)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Boron(B)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Cadmium(Cd)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Cobalt(Co)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Copper(Cu)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Lead(Pb)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Manganese(Mn)	mg/kg	ND	11	ND	ND	ND	ND	ND	ND
Mercury(Hg)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Nickel(Ni)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Selenium(Se)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Strontium(Sr)	mg/kg	34	ND	ND	ND	ND	ND	ND	ND
Tin(Sn)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Zinc(Zn)	mg/kg	ND	12	ND	ND	ND	ND	ND	ND
Chromium(Cr)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Organic Tin	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Chromium (VI) (Cr VI)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND
Chromium III (Cr III)	mg/kg	ND	ND	ND	ND	ND	ND	ND	ND

TO BE CONTINUED

TEST RESULT

Test Item(s):	Unit	Result				
		13	14(*)	15(*)	18	20(*)
Mass of trace amount (mg)		-	93.5	80.8	-	38.3
Aluminium(Al)	mg/kg	112	2963	2944	33	106
Antimony(Sb)	mg/kg	ND	ND	ND	ND	ND
Arsenic(As)	mg/kg	ND	ND	ND	ND	ND
Barium(Ba)	mg/kg	ND	99	ND	ND	ND
Boron(B)	mg/kg	ND	124	ND	ND	ND
Cadmium(Cd)	mg/kg	ND	ND	ND	ND	ND
Cobalt(Co)	mg/kg	ND	ND	ND	ND	ND
Copper(Cu)	mg/kg	ND	ND	ND	ND	ND
Lead(Pb)	mg/kg	ND	ND	ND	ND	ND
Manganese(Mn)	mg/kg	ND	ND	ND	31	ND
Mercury(Hg)	mg/kg	ND	ND	ND	ND	ND
Nickel(Ni)	mg/kg	ND	ND	ND	ND	ND
Selenium(Se)	mg/kg	ND	ND	ND	ND	ND
Strontium(Sr)	mg/kg	266	1537	50	ND	12
Tin(Sn)	mg/kg	ND	ND	ND	ND	ND
Zinc(Zn)	mg/kg	ND	ND	ND	ND	ND
Chromium(Cr)	mg/kg	ND	0.28	0.61	ND	0.21
Organic Tin	mg/kg	ND	ND	ND	ND	ND
Chromium (VI) (Cr VI)	mg/kg	ND	ND	ND	ND	ND
Chromium III (Cr III)	mg/kg	ND	ND	ND	ND	ND

Note:

- 1 mg/kg = 1 ppm = 0.0001%
- ND = Not Detected
- MDL = Method Detection Limit
- If migration of chromium exceeded the screening limit of Chromium (VI), the migration of Chromium (VI) was verified.
- If migration of tin exceeded the screening limit of organic tin, the migration of organic tin was verified.
- Migration of organic tin is calculated by adding the migration values expressed as tributyl tin for all the single organic tin compounds.

Remark:

. The weight of sample marked () available was less than 100mg, but greater than 10mg, so result was calculated as if 100mg of the sample was available.

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

TEST RESULT

Limits – MDLs per category type:

Test Item(s):	Unit	Limit	MDL	Limit	MDL	Limit	MDL
Category Type		I		II		III	
Soluble Lead (Pb)	mg/kg	2.0	1	0.5	0.2	23	10
Soluble Antimony (Sb)	mg/kg	45	10	11.3	10	560	10
Soluble Arsenic (As)	mg/kg	3.8	0.5	0.9	0.4	47	10
Soluble Barium (Ba)	mg/kg	1500	10	375	10	18750	10
Soluble Cadmium (Cd)	mg/kg	1.3	0.5	0.3	0.1	17	8
Soluble Mercury (Hg)	mg/kg	7.5	1	1.9	0.8	94	10
Soluble Selenium (Se)	mg/kg	37.5	1	9.4	1	460	10
Soluble Cobalt (Co)	mg/kg	10.5	1	2.6	1	130	10
Soluble Manganese (Mn)	mg/kg	1200	10	300	10	15000	10
Soluble Strontium (Sr)	mg/kg	4500	10	1125	10	56000	10
Soluble Zinc (Zn)	mg/kg	3750	10	938	10	46000	10
Soluble Copper (Cu)	mg/kg	622.5	10	156	10	7700	10
Soluble Aluminium (Al)	mg/kg	2250	10	560	10	28130	10
Soluble Nickel (Ni)	mg/kg	75	10	18.8	9	930	10
Soluble Tin (Sn)	mg/kg	15000	0.37	3750	0.08	180000	4.9
Soluble Chromium	mg/kg	-	0.02	-	0.005	-	0.05
Soluble Boron (B)	mg/kg	1200	10	300	10	15000	10
Soluble Organic Tin	mg/kg	0.9	0.1	0.2	0.05	12	0.1
Soluble Chromium III (Cr III)	mg/kg	37.5	5	9.4	4	460	5
Soluble Chromium VI (Cr VI)	mg/kg	0.02	0.01	0.005	0.002	0.053	0.025

Category I: dry, brittle, powder-like or pliable toy material

Category II: liquid or sticky toy material

Category III: scrapped-off toy material

"-" = Not Regulated

TO BE CONTINUED

TEST RESULT

Total Cadmium Content (REACH) - Coating

Test Request: Total Cadmium Content according to Entry 23 of Annex XVII to Regulation (EC) No 1907/2006 and its amendments REACH Regulation (EC) No 552/2009, (EU) No 494/2011, (EU) No 835/2012 and (EU) No 2016/217

Test Method: EPA 3051A: 2007, EPA 6010D: 2018.

Test Item(s)	Unit	Limit	MDL	Result	
				17	
Cadmium(Cd)	mg/kg	1000	10	ND	

Remark:

- MDL = Method Detection Limit
- 1 mg/kg = 1 ppm = 0.0001%
- ND = Not Detected

Total Cadmium Content(REACH) - Substrate or wet paint

Test Request: Total Cadmium Content according to Entry 23 of Annex XVII to Regulation (EC) No 1907/2006 and its amendments REACH Regulation (EC) No 552/2009, (EU) No 494/2011, (EU) No 835/2012 and (EU) No 2016/217

Test Method: EPA 3052: 1996, EPA 6010D: 2018.

Test Item(s)	Unit	Limit	MDL	Result	
				3+5+6	7+14+15
Cadmium(Cd)	mg/kg	100	10	ND	ND

Remark:

- MDL = Method Detection Limit
- 1 mg/kg = 1 ppm = 0.0001%
- ND = Not Detected

TO BE CONTINUED

TEST RESULT

Phthalates Content(REACH)

Test Request: Phthalates according to Entry 51 & 52 of Regulation (EC) No 552/2009 and Regulation (EU) 2018/2005 amending Annex XVII of REACH Regulation (EC) No 1907/2006

Test Method: Extraction by organic solvent, determination by GC-MS

Test Item(s)	CAS No.	Unit	Limit	MDL	Result			
					3+5+6	7	17	20
Dibutylphthalate (DBP)	84-74-2	%	-	0.005	ND	ND	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	-	0.005	ND	ND	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	-	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DiBP)	84-69-5	%	-	0.005	ND	ND	ND	ND
Sum of DEHP+DBP+BBP+DiBP	-	%	0.1	-	ND	ND	ND	ND
Di-n-octyl phthalate (DNOP)	117-84-0	%	-	0.005	ND	ND	ND	ND
Diisodecylphthalate (DIDP)	26761-40-0	%	-	0.005	ND	ND	ND	ND
Diisononylphthalate (DINP)	28553-12-0	%	-	0.005	ND	ND	ND	ND
Sum of DINP + DIDP + DNOP	-	%	0.1	-	ND	ND	ND	ND

TO BE CONTINUED

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com

TEST RESULT

Test Item(s)	CAS No.	Unit	Limit	MDL	Result	
					14	15a
Dibutylphthalate (DBP)	84-74-2	%	-	0.005	ND	ND
Benzylbutylphthalate (BBP)	85-68-7	%	-	0.005	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	%	-	0.005	ND	ND
Diisobutyl phthalate (DiBP)	84-69-5	%	-	0.005	ND	ND
Sum of DEHP+DBP+BBP+DiBP	-	%	0.1	-	ND	ND
Di-n-octyl phthalate (DNOP)	117-84-0	%	-	0.005	ND	ND
Diisodecylphthalate (DiDP)	26761-40-0	%	-	0.005	ND	ND
Diisononylphthalate (DINP)	28553-12-0	%	-	0.005	ND	ND
Sum of DINP + DiDP + DNOP	-	%	0.1	-	ND	ND

Remarks:

- MDL = Method Detection Limit
- 1 mg/kg = 1 ppm = 0.0001%
- ND = Not Detected

TO BE CONTINUED

TEST RESULT

PAHs(REACH)

Test Request: Polycyclic Aromatic Hydrocarbons (PAHs) according to the Entry 50 of Annex XVII to REACH Regulation (EC) No 1907/2006, and its amendment Regulation (EU) No 1272/2013

Test Method: Solvent extraction and quantification by gas chromatography-mass selective detection (GC-MS) with respect to AfPS GS 2019:01 PAK (PAK=PAHs) requirement

Test Item(s)	CAS No.	Unit	Limit	MDL	Result		
					3+5+6	7+14+15	17
Benzo(a)pyrene	50-32-8	mg/kg	0.5	0.1	ND	ND	ND
Benzo(e)pyrene	192-97-2	mg/kg	0.5	0.1	ND	ND	ND
Benzo(a)anthracene	56-55-3	mg/kg	0.5	0.1	ND	ND	ND
Benzo(b)fluoranthene	205-99-2	mg/kg	0.5	0.1	ND	ND	ND
Benzo(j)fluoranthene	205-82-3	mg/kg	0.5	0.1	ND	ND	ND
Benzo(k)fluoranthene	207-08-9	mg/kg	0.5	0.1	ND	ND	ND
Chrysene	218-01-9	mg/kg	0.5	0.1	ND	ND	ND
Dibenzo(a,h)anthracene	53-70-3	mg/kg	0.5	0.1	ND	ND	ND

Remarks:

- MDL = Method Detection Limit
- 1 mg/kg = 1 ppm = 0.0001%
- ND = Not Detected
- Material No.20 which is present on the samples available for testing in quantities less than 50mg are not evaluated.

Other Information / Remark:

According to the customer's requirement, the appointed material has been tested.

END OF THE REPORT

Eurofins Testing Technology (Shenzhen) Co., Ltd.

4/F., Building 3, Building 2, Runheng Electronic Park, Liuxian 2nd Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China
 Tel.: +86 755 8358 5700 • Fax: +86 755 8358 5701 • Email: info.hk@eurofins.com • Website: www.eurofins.com / www.pt.eurofins.com