

Mr. Ted Li Beauty World International Group Ltd Room 01, 21 F Prosper Commercial Bldg 9 Yin Chong St

Kowloon HONG KONG

Date: 2019/05/14 Subscriber: None PartySite: 1335374 File No: E479066 Project No: 4788889726 PD No: 19M14169

Type: L

PO Number:

Subject: Procedure And/Or Report Material

The following material resulting from the investigation under the above numbers is enclosed.

Issue

Date	Vol	L	Sec	Pag	es	Revised Date
		2		Revised	Index Page(s) 1	2019/05/03
2016/03	/01	2	1	Cert	of Compliance	
2016/03	/01	2	1	New	Description Page(s) 6A,8,9,10	2019/05/03
2016/03	/01	2	1	Revised	Description Page(s) 2,3,4,6,7	2019/05/03
2016/03	/01	2	1	New	Illustration(s) 5	2019/05/03
2016/03	/01	2	1	Revised	Illustration(s) 1,2,3,4	2019/05/03
2016/03/01		2	1	New	Test Record 4	2019/05/03

Purchase Order: Ted Li - February 1, 2019

Please file revised pages and illustrations in place of material of like identity. New material should be filed in its proper numerical order.

NOTE: Follow-Up Service Procedure revisions DO NOT include Cover Pages, Test Records and Conclusion Pages. Report revisions DO NOT include Authorization Pages, Indices, Section General Pages and Appendixes.

Please review this material and report any inaccuracies to UL's Customer Service Professionals. Contact information for all of UL's global offices can be found at http://ul.com/aboutul/locations.

If you'd like to receive updated materials FASTER, UL offers electronic access and/or delivery of this material. For more details, contact UL's Customer Service Professionals as shown above.

This material is provided on behalf of UL LLC(UL) or any authorized licensee of UL.

MEL File

File E479066 Vol. 2 Index Page 1 Issued: 2016-03-01 Revised: 2019-05-03

INDEX

Models	Section	Report Date	US and /or CN
BW-C7, BW-C7-18 Series employing Candelabra-Base Lamps, for indoor and outdoor use.	1	2016-03-01	US
BW-C9, BW-C9-18 Series employing Intermediate-Base Lamps, for indoor and outdoor use.	1	2016-03-01	US
BWC-C7 Series employing Candelabra-Base Lamps, for indoor and outdoor use.	1	2016-03-01	CN
BWC-C9 Series employing Intermediate-Base Lamps, for indoor and outdoor use.	1	2016-03-01	CN

CERTIFICATE OF COMPLIANCE

 Certificate Number
 20190513-E479066

 Report Reference
 E479066-20160301

Issue Date 2019-MAY-13

Issued to: Beauty World International Group Ltd

Room 01, 21 F Prosper Commercial Bldg 9 Yin Chong St, Kowloon HONG KONG

This certificate confirms that STRINGS, DECORATIVE LIGHTING

representative samples of See Addendum Page.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 588, Seasonal and Holiday Decorative Products

CSA C22.2 No. 37-17, Decorative Lighting Products

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC





CERTIFICATE OF COMPLIANCE

Certificate Number 20190513-E479066

Report Reference E479066-20160301

Issue Date 2019-MAY-13

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Decorative Lighting Strings for indoor and outdoor use, parallel-connected, employing screw type, candelabra-base lampholders,

USL – Model: BW-C7, BW-C7-18 Series, followed by an alpha-numeric suffix. See NOMENCLATURE for further details.

USL - Model: BW-C9, BW-C9-18 Series employing Intermediate-Base Lamps, for indoor and outdoor use.

CNL - Model BWC-C7 Series, followed by an alpha-numeric suffix. See NOMENCLATURE for further details.

CNL - BWC-C9 Series employing Intermediate-Base Lamps, for indoor and outdoor use.

Models: BWX-C7-A1-1-75, BWX-C7-A1-5-20, BWX-C7-A1-5-80, BWX-C7-A1-7-6, BWX-C7-A1-7-24, BWX-C7-A1-7-61, Where "X" may be blank for USL or replaced by "C" to indicate CNL.

NOMENCLATURE:

BW -C7 -18 -A1 -x -y A B C D E F

Where:

USL Series Designation, "BW"				
CNL Series Designation, "BWC"				
"-C7" when provided with E12 base lampholders				
"-C9" when provided with E17 base lampholders				
"-18" for 18 AWG cord (USL only), blank for 20 AWG cord (USL/CNL)				
"-A1", part of nomenclature for all models				
Lamp wattage, x shall be replaced by "1", "5" or "7"				
y shall be replaced by No. of lamps, min. 7 for USL, min. 2 for CNL, maximum limited to number of lamps where the total wattage does not exceed:				
432 W with 5 A fused plug, 20 AWG only				
960 W with 8 A fused plug, 18 AWG only				



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



File E479066 Vol. 2 Sec. 1 Page 2 Issued: 2016-03-01 and Report Revised: 2019-05-03

NOMENCLATURE:

$$\frac{\text{BW}}{\text{A}} \ \frac{-\text{C7}}{\text{B}} \ \frac{\textbf{-18}}{\text{C}} \ \frac{-\text{A1}}{\textbf{D}} \ \frac{-\text{x}}{\textbf{E}} \ \frac{-\text{y}}{\textbf{F}}$$

Where:

*A =	USL Series Designation, "BW"					
	CNL Series Designation, "BWC"					
в =	"-C7" when provided with E12 base lampholders					
	"-C9" when provided with E17 base lampholders					
C =	"-18" for 18 AWG cord (USL only), blank for 20 AWG cord (USL/CNL)					
D =	"-A1", part of nomenclature for all models					
*E =	Lamp wattage, x shall be replaced by "1", "5" or "7"					
	y shall be replaced by No. of lamps, min. 7 for USL, min. 2 for					
* F =	CNL, maximum limited to number of lamps where the total wattage					
	does not exceed:					
	432 W with 5 A fused plug, 20 AWG only					
	960 W with 8 A fused plug, 18 AWG only					

ENGINEERING CONSIDERATIONS (NOT FOR UL REPRESENTATIVE USE):

USL indicates these decorative lighting strings have been evaluated to the Standard for Seasonal and Holiday Decorative Products, UL 588, 19th Edition.

* CNL indicates these decorative lighting strings have been evaluated to the Standard for Decorative Lighting Products, CSA C22.2 No. 37-17, 6th Edition.

These products are for use with a maximum input voltage rating of 120 V, 60 Hz, and are for temporary use, which is a period of installation and use not exceeding 90 days per year.

CONSTRUCTION DETAILS:

* Replacement Fuses - Each product shall be provided with at least one Listed spare fuse of the same current rating as the attachment plug.