



中国国家强制性产品认证证书

证书编号: 2020011002301121

委托人名称、地址

上海欧切斯智能科技有限公司
上海市闵行区双柏路 888 号 35 幢 4 楼

生产者(制造商)名称、地址

上海欧切斯智能科技有限公司
上海市闵行区双柏路 888 号 35 幢 4 楼

生产企业名称、地址

苏州飘梦电子科技有限公司
中国江苏省苏州市吴江区黎里镇临沪大道 7667 号

产品名称和系列、规格、型号

LED 模块用交流电子控制装置(LED 控制装置, 控制端口调光, 独立式, 恒流模式, 安全特低电压, $t_a: 50^{\circ}\text{C}$, $t_c: 90^{\circ}\text{C}$, II 类, IP20, 适宜于直接安装在普通可燃材料表面, 定温热保护: 110°C)

见附件; 输入: 220-240V~50/60Hz

产品标准和技术要求

GB 17625.1-2012; GB/T 17743-2017; GB 19510.1-2009; GB 19510.14-2009

上述产品符合强制性产品认证实施规则 CNCA-C10-01:2014 的要求,
特发此证。

发证日期: 2020 年 06 月 29 日 有效期至: 2022 年 03 月 31 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2020 年 06 月 08 日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询

经中国合格评定国家认可委员会认可 CNAS C001-P



主任:

陆楠



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2020011002301121

NAME AND ADDRESS OF THE APPLICANT

Shanghai Euchips Intelligent Technology Co., Ltd.
Floor 4, Building 35, No. 888 Shuangbai Road, Minhang District, Shanghai, China

NAME AND ADDRESS OF THE MANUFACTURER

Shanghai Euchips Intelligent Technology Co., Ltd.
Floor 4, Building 35, No. 888 Shuangbai Road, Minhang District, Shanghai, China

NAME AND ADDRESS OF THE FACTORY

Suzhou Dreamotiv Electronic Co., Ltd.
No. 7667, Linhu Avenue, Li Li Town, Wujiang District, Suzhou, Jiangsu, China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Controlled Port Dimming, Independent, Constant Current Mode, SELV, ta:50°C, tc:90°C, Class II, IP20, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C)

See Appendix; Input: 220-240V~ 50/60Hz

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2012;GB/T 17743-2017;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C10-01:2014).

Valid from: Jun.29,2020

Valid until: Mar.31,2022

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Jun.08,2020

The certificate information is available through CNCA's website: www.cnca.gov.cn

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附 录

第 1 页 共 3 页

证书编号: 2020011002301121

纸 号: 2558720

型号	输入功率	额定输入电流	额定输出电流	额定输出电压	输出功率
EUP30D-1HMC-0	36W	Max. 0.17A	550mA	9-45Vdc, Max. 50Vdc	Max. 30W
			600mA	9-45Vdc, Max. 50Vdc	
			650mA	9-45Vdc, Max. 50Vdc	
			700mA	9-43Vdc, Max. 50Vdc	
			750mA	9-40Vdc, Max. 50Vdc	
			800mA	9-38Vdc, Max. 50Vdc	
			850mA	9-35Vdc, Max. 50Vdc	
			900mA	9-34Vdc, Max. 50Vdc	
EUP30AD-1HMC-0	36W	Max. 0.17A	550mA	9-45Vdc, Max. 50Vdc	Max. 30W
			600mA	9-45Vdc, Max. 50Vdc	
			650mA	9-45Vdc, Max. 50Vdc	
			700mA	9-43Vdc, Max. 50Vdc	
			750mA	9-40Vdc, Max. 50Vdc	
			800mA	9-38Vdc, Max. 50Vdc	
			850mA	9-35Vdc, Max. 50Vdc	
			900mA	9-34Vdc, Max. 50Vdc	
EUP30D-2HMC-0	36W	Max. 0.17A	550mA	9-45Vdc, Max. 50Vdc	Max. 30W
			600mA	9-45Vdc, Max. 50Vdc	
			650mA	9-45Vdc, Max. 50Vdc	
			700mA	9-43Vdc, Max. 50Vdc	
			750mA	9-40Vdc, Max. 50Vdc	
			800mA	9-38Vdc, Max. 50Vdc	
			850mA	9-35Vdc, Max. 50Vdc	
			900mA	9-34Vdc, Max. 50Vdc	

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 2 页 共 3 页

证书编号：2020011002301121

纸 号：2558720

EUP30D-1HMC-0 -600	36W	Max. 0. 17A	600mA	9-45Vdc, Max. 50Vdc	Max. 30W
			700mA	9-43Vdc, Max. 50Vdc	
			800mA	9-38Vdc, Max. 50Vdc	
			900mA	9-34Vdc, Max. 50Vdc	
EUP26D-1HMC-0	31W	Max. 0. 17A	400mA	9-45Vdc, Max. 50Vdc	Max. 26W
			450mA	9-45Vdc, Max. 50Vdc	
			500mA	9-45Vdc, Max. 50Vdc	
			550mA	9-45Vdc, Max. 50Vdc	
			600mA	9-41Vdc, Max. 50Vdc	
			650mA	9-38Vdc, Max. 50Vdc	
			700mA	9-35Vdc, Max. 50Vdc	
			750mA	9-33Vdc, Max. 50Vdc	
EUP26AD-1HMC-0	31W	Max. 0. 17A	400mA	9-45Vdc, Max. 50Vdc	Max. 26W
			450mA	9-45Vdc, Max. 50Vdc	
			500mA	9-45Vdc, Max. 50Vdc	
			550mA	9-45Vdc, Max. 50Vdc	
			600mA	9-41Vdc, Max. 50Vdc	
			650mA	9-38Vdc, Max. 50Vdc	
			700mA	9-35Vdc, Max. 50Vdc	
			750mA	9-33Vdc, Max. 50Vdc	
EUP26D-2HMC-0	31W	Max. 0. 17A	400mA	9-45Vdc, Max. 50Vdc	Max. 26W
			450mA	9-45Vdc, Max. 50Vdc	
			500mA	9-45Vdc, Max. 50Vdc	
			550mA	9-45Vdc, Max. 50Vdc	
			600mA	9-41Vdc, Max. 50Vdc	
			650mA	9-38Vdc, Max. 50Vdc	

注：此附录与证书同时使用时有效。



主 任：

陆 楠



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 3 页 共 3 页

证书编号: 2020011002301121

纸 号: 2558720

			700mA	9-35Vdc, Max. 50Vdc	
			750mA	9-33Vdc, Max. 50Vdc	

以上型号产品的输入规格均为: 220-240V~, 50/60Hz。

备注: 可按照铭牌上的说明, 通过拨动控制装置上的开关到不同档位, 调整 LED 控制装置的输出电流和输出电压。

注: 此附录与证书同时使用时有效。



主 任:

陆 楠



中国质量认证中心