

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. — This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name Brightpower Optoelectronic Technology Co., Ltd Other Name

Address NO.25 Dongxingyuan 1ST Road DongKeng Town Dongguan City Guangdong 523451 China

Client ID 103358 Global-Mark File Number: 103358-010 System 1 Approval

Certificate Number & Approval Mark GMA-512988-EA

Certification Standard(s) AS/NZS 62368.1:2018 Audio/video, information and communication technology equipment - Safety

requirements

Type of Certification Electrical Safety Product Scheme Global-Mark Electrical Product Safety Certification Scheme

CERTIFICATE DATES

Certificate Issue Date 9/07/2022


Certificate Last Update Date

Certification Expiry Date 9/07/2027

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





Revision Number 00






CERTIFIED ELECTR	CERTIFIED ELECTRICAL EQUIPMENT					
Declared Article	Product Description	Trade Name	Model Number	Rating		
Power Supply or Charger	100W Desktop GaN Charge	Brightpower Optoelectronic Technology Co., Ltd.	P100BD02A2C0	Input:100-240V~,50/60Hz,2.5A Max Output: USB-C1: 5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W. USB-C2: 5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W. PPS:3.3-11.0DC4.0A. USB-A1: 4.5VDC5.0A,22.5W;5.0VDC4.5A,22.5W;9.0VDC2.0A,18.0W;12.0VDC1.5A,18.0W. USB-A2: 4.5VDC5.0A,22.5W;5.0VDC4.5A,22.5W;9.0VDC2.A,18.0W;12.0VDC1.5A,18.0W. USB-C1+USB-C2:65W+30W(95W Max.) USB-C1+USB-A1: 65W+18W (83W Max.) USB-C1+USB-A2: 65W+18W (83W Max.) USB-C2+USB-A1: 65W+18W (83W Max.) USB-C2+USB-A2:65W+18W (83W Max.) USB-C2+USB-A2:65W+18W (83W Max.) USB-C1+USB-C2+USB-A2:65W+18W (83W Max.) USB-C1+USB-C2+USB-A2:65W+18W (83W Max.) USB-C1+USB-C2+USB-A2:65W+18W (83W Max.) USB-C1+USB-C2+USB-A2:65W+18W (83W Max.) USB-C1+USB-C2+USB-A2:45W+30W+18W(93W Max.) USB-C1+USB-C2+USB-A2:45W+30W+18W(93W Max.) USB-C1+USB-C2+USB-A2:45W+30W+18W (93W Max.)		

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.












	T			
Power Supply or	100W Desktop GaN Charge	Brightpower	P100BD12A2C0	Input:100-240V~,50/60Hz,2.5A Max Output:
Charger		Optoelectronic	/	USB-C1:
		Technology Co., Ltd.	A STATE OF THE STA	5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W.
			C.	USB-C2:
				5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W
				.PPS:3.3-11.0DC4.0A.
				USB-A1:
				4.5VDC5.0A,22.5W;5.0VDCC4.5A,22.5W;9.0VDC2.0A,18.0W;12.0VDC1.5A,18.0W.
		- A	7	USB-A2:
			7	4.5VDC5.0A,22.5W;5.0VDC4.5A,22.5W;9.0VDC2.A,18.0W;12.0VDC1.5A,18.0W.
			/	USB-C1+USB-C2:65W+30W(95W Max.)
				USB-C1+USB-A1: 65W+18W (83W Max.)
		A. Commercial Commerci	7.0	USB-C1+USB-A2: 65W+18W (83W Max.)
				USB-C2+USB-A1: 65W+18W (83W Max.)
		III		USB-C2+ USB-A2:65W+18W (83W Max.)
				USB-A1+USB-A2: 5.0VDC4.5A(22.5W Max.)
				USB-C1+USB-C2+USB-A1:45W+30W+18W(93W Max)
			- X	USB-C1+USB-C2+USB-A2:45W+30W+18W(93W Max)
				USB-C1 + USB-C2 + USB-A2: 45W+30W+18W (93W Max.)
				USB-C2 + (USB-A1 + USB-A2): 65W+22.5W (87.5W Max.)
				USB-C1 + USB-C2 + (USB-A1 + USB-A2): 45W+30W+22.5W (97.5W Max.)

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.












	T	T -	<i>(</i> 1)	
Power Supply or	100W Desktop GaN Charge	Brightpower	VB-P1002C2A	Input:100-240V~,50/60Hz,2.5A Max Output:
Charger		Optoelectronic		USB-C1:
		Technology Co., Ltd.		5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W.
			E. Carrier	USB-C2:
				5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W
				.PPS:3.3-11.0DC4.0A.
				USB-A1:
				4.5VDC5.0A,22.5W;5.0VDCC4.5A,22.5W;9.0VDC2.0A,18.0W;12.0VDC1.5A,18.0W.
			7	USB-A2:
		A STATE OF THE STA	7	4.5VDC5.0A,22.5W;5.0VDC4.5A,22.5W;9.0VDC2.A,18.0W;12.0VDC1.5A,18.0W.
				USB-C1+USB-C2:65W+30W(95W Max.)
		A		USB-C1+USB-A1: 65W+18W (83W Max.)
		1		USB-C1+USB-A2: 65W+18W (83W Max.)
				USB-C2+USB-A1: 65W+18W (83W Max.)
		41		USB-C2+ USB-A2:65W+18W (83W Max.)
				USB-A1+USB-A2: 5.0VDC4.5A(22.5W Max.)
				USB-C1+USB-C2+USB-A1:45W+30W+18W(93W Max)
			No. of the last of	USB-C1+USB-C2+USB-A2:45W+30W+18W(93W Max)
				USB-C1 + USB-C2 + USB-A2: 45W+30W+18W (93W Max.)
		V		USB-C2 + (USB-A1 + USB-A2): 65W+22.5W (87.5W Max.)
				USB-C1 + USB-C2 + (USB-A1 + USB-A2): 45W+30W+22.5W (97.5W Max.)

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.












		1	jai	
Power Supply or	100W Desktop GaN Charge	Brightpower	PD8008	Input:100-240V~,50/60Hz,2.5A Max Output:
Charger		Optoelectronic		USB-C1:
		Technology Co., Ltd.		5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W.
			C.	USB-C2:
				5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W
				.PPS;3.3-11.0DC4.0A.
				USB-A1:
				4.5VDC5.0A,22.5W;5.0VDCC4.5A,22.5W;9.0VDC2.0A,18.0W;12.0VDC1.5A,18.0W.
		- //	7	USB-A2:
		A CONTRACTOR OF THE PARTY OF TH		4.5VDC5.0A,22.5W;5.0VDC4.5A,22.5W;9.0VDC2.A,18.0W;12.0VDC1.5A,18.0W.
				USB-C1+USB-C2:65W+30W(95W Max.)
		A		USB-C1+USB-A1: 65W+18W (83W Max.)
				USB-C1+USB-A2: 65W+18W (83W Max.)
				USB-C2+USB-A1: 65W+18W (83W Max.)
		41		USB-C2+ USB-A2:65W+18W (83W Max.)
		III.		USB-A1+USB-A2: 5.0VDC4.5A(22.5W Max.)
				USB-C1+USB-C2+USB-A1:45W+30W+18W(93W Max)
			No.	USB-C1+USB-C2+USB-A2:45W+30W+18W(93W Max)
				USB-C1 + USB-C2 + USB-A2: 45W+30W+18W (93W Max.)
				USB-C2 + (USB-A1 + USB-A2): 65W+22.5W (87.5W Max.)
				USB-C1 + USB-C2 + (USB-A1 + USB-A2): 45W+30W+22.5W (97.5W Max.)

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.












,45.0W;20.0VDC5.0A,100.0W.
,45.0W;20.0VDC5.0A,100.0W
,18.0W.
3.0W.
1.5
1

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.












	T	1 -	<i>p</i> 1	
Power Supply or	100W Desktop GaN Charge	Brightpower	GAC100W-A	Input:100-240V~,50/60Hz,2.5A Max Output:
Charger		Optoelectronic		USB-C1:
		Technology Co., Ltd.		5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W.
			C.	USB-C2:
				5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W
				.PPS:3.3-11.0DC4.0A.
				USB-A1:
				4.5VDC5.0A,22.5W;5.0VDCC4.5A,22.5W;9.0VDC2.0A,18.0W;12.0VDC1.5A,18.0W.
			7	USB-A2:
		/		4.5VDC5.0A,22.5W;5.0VDC4.5A,22.5W;9.0VDC2.A,18.0W;12.0VDC1.5A,18.0W.
				USB-C1+USB-C2:65W+30W(95W Max.)
				USB-C1+USB-A1: 65W+18W (83W Max.)
		A. Carlotte		USB-C1+USB-A2: 65W+18W (83W Max.)
				USB-C2+USB-A1: 65W+18W (83W Max.)
		111		USB-C2+ USB-A2:65W+18W (83W Max.)
				USB-A1+USB-A2: 5.0VDC4.5A(22.5W Max.)
				USB-C1+USB-C2+USB-A1:45W+30W+18W(93W Max)
			No.	USB-C1+USB-C2+USB-A2:45W+30W+18W(93W Max)
				USB-C1 + USB-C2 + USB-A2: 45W+30W+18W (93W Max.)
				USB-C2 + (USB-A1 + USB-A2): 65W+22.5W (87.5W Max.)
				USB-C1 + USB-C2 + (USB-A1 + USB-A2): 45W+30W+22.5W (97.5W Max.)

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.











Power Supply or	100W Desktop GaN Charge	Brightpower	AG100	Input:100-240V~,50/60Hz,2.5A Max Output:
Charger		Optoelectronic	A	USB-C1:
		Technology Co., Ltd.		5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W.
				USB-C2:
				5.0VDC3.0A,15.0W;9.0VDC3.0A,27.0W;12.0VDC3.0A,36.0W;15.0VDC3.0A,45.0W;20.0VDC5.0A,100.0W
				.PPS:3.3-11.0DC4.0A.
				USB-A1:
				4.5VDC5.0A,22.5W;5.0VDCC4.5A,22.5W;9.0VDC2.0A,18.0W;12.0VDC1.5A,18.0W.
				USB-A2:
				4.5VDC5.0A,22.5W;5.0VDC4.5A,22.5W;9.0VDC2.A,18.0W;12.0VDC1.5A,18.0W.
				USB-C1+USB-C2:65W+30W(95W Max.)
				USB-C1+USB-A1: 65W+18W (83W Max.)
				USB-C1+USB-A2: 65W+18W (83W Max.)
		l.		USB-C2+USB-A1: 65W+18W (83W Max.)
				USB-C2+ USB-A2:65W+18W (83W Max.)
				USB-A1+USB-A2: 5.0VDC4.5A(22.5W Max.)
				USB-C1+USB-C2+USB-A1:45W+30W+18W(93W Max)
				USB-C1+USB-C2+USB-A2:45W+30W+18W(93W Max)
		i)		USB-C1 + USB-C2 + USB-A2: 45W+30W+18W (93W Max.)
				USB-C2 + (USB-A1 + USB-A2): 65W+22.5W (87.5W Max.)
				USB-C1 + USB-C2 + (USB-A1 + USB-A2): 45W+30W+22.5W (97.5W Max.)

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

For use with Brightpower Optoelectronic Technology Co., Ltd AV/IT Equipment

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



