



TEST REPORT

LAB NO. : 91242470285
DATE : Sep 04, 2024
PAGE : 1 OF 9

Applicant : HUBEI CLARE BABY PRODUCTS CO.,LTD
NO.3,2ND DEVELOPMENT ROAD,ECONOMIC DEVELOPMENT AREA,HANCHUAN CITY,HUBEI,CHINA

Date of Submission: 2024-09-03
Test Period: 2024-09-03 to 2024-09-04
Sample Mode: Sample Presentation
BV EE Ref. No. BV: /

Sample Description :		Sample(s) received is(are) stated to be:	
		Baby Stroller	
Reference/Type:	KB-620	Goods Exported to:	/
Country of Origin:	/	Labeled Age Grading :	FROM 0 TO 4 YEARS OF AGE
Supplier/Vendor:	/	Tested Age Grading :	FROM 0 TO 4 YEARS OF AGE
Manufacturer:	HUBEI CLARE BABY PRODUCTS CO.,LTD	Requested Age Grading :	FROM 0 TO 4 YEARS OF AGE

Test Item(s) : Details see page 3

SUMMARY OF TEST RESULTS

#	Test Item(s)	Reference Standard/Method	Result
1	Child care articles — Wheeled child conveyances — Part 1: Pushchairs and prams	EN1888-1:2018+A1:2022	PASS
2	Child care articles — Wheeled child conveyances — Part 2: Pushchairs for children above 15 kg up to 22 kg.	EN 1888-2:2018+A1:2022	PASS

Note: The tested part of the sample was specified by client.
The composite testing was performed as per client's request.
The test conclusion was given based on the results of tested part.



This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



LAB NO. : 91242470285
DATE : Sep 04,2024
PAGE : 2 OF 9

REMARK

If there are questions or concerns on this report, please contact the following persons:


General enquiry and invoicing

Crystal Yang
025-52076173,
crystal.yang@cn.bureauveritas.com

Technical enquiry

Sophia Yang
025-52076127
Sophia.yang@cn.bureauveritas.com

Bureau Veritas Consumer Products' Service Division (Shanghai) Nanjing Branch


SOPHIA YANG
CLIENT ASSISTANT MANAGER

Laboratory Test Location :
F19, BLK C, MOLING CENTER, NO.2 QINGSHUITING WEST ROAD, MOLING STREET,
JIANGNING DISTRICT NANJING, JIANGSU, CHINA, 211100
Tel: 86-25-52076128 Fax: 86-25-52076122

REMARK:

With the client's prior consent, the tests are subcontracted to other lab.



**BUREAU
VERITAS**

LAB NO. : 91242470285
DATE : Sep 04,2024
PAGE : 3 OF 9

TEST RESULTS

1.1 Child care articles — Wheeled child conveyances — Part 1: Pushchairs and prams

EN1888-1: 2018+A1:2022

EN 1888-1:2018+A1:2022		
Clause	Description	Results
6	Chemical hazards	Pass (See item 1.3)
7	Thermal hazards(EN71-2:2020)	Pass (See item 1.2)
8	Mechanical hazards	
8.1	Protective function	
8.1.1	Suitability of vehicle	
8.1.1.1	Requirements	
8.1.1.1.1	Vehicles intended for use from birth	Pass
8.1.1.1.2	Vehicles intended for use from 6 months of age	NA
8.1.1.1.3	Seat units	Pass
8.1.1.2.2	Ball retention test(45° inclined slope)	NA
8.1.2	Minimum internal height of pram body	Pass
8.1.3	Restrain system and fasteners	Pass
8.2	Entrapment hazards	
8.2.1	Holes and openings	Pass
8.2.2	Entrapment between the handle and the pram body	NA
8.3	Hazards from moving parts	
8.3.1	General	Pass
8.3.2	Shearing hazards	Pass
8.3.3	Crushing hazards, requirements	Pass
8.3.4	Wheels	Pass
8.3.5	Locking Mechanism(s)	
8.3.5.1	Folding system for storage or transportation	
8.3.5.1.1	Requirements	
8.3.5.1.1.1	General requirement	Pass



**BUREAU
VERITAS**

LAB NO. : 91242470285
DATE : Sep 04,2024
PAGE : 4 OF 9

8.3.5.1.1.2	Incomplete deployment	Pass
8.3.5.1.1.3	Unintentional release of locking mechanism(s)	Pass
8.3.5.1.2.1	General	Pass
8.3.5.1.2.2	Unintentional release of the locking mechanism by one single action	NA
8.3.5.1.2.3	Automatically returning operating device	Pass
8.3.5.1.2.4	Effectiveness of locking mechanism(s) on vehicles where the chassis can fold with the pram body or seat unit or car seat installed.	Pass
8.3.5.2	Pushchairs with rotating seat units	NA
8.3.5.3.1	Requirements for reversible handles	NA
8.3.5.3.2	Requirements for telescopic handles	NA
8.3.5.4	Requirements for the attachments of pram body and seat unit and car seats to the chassis	Pass
8.4	Entanglement hazards	NA
8.5	Choking and ingestion hazards	Pass
8.6	Suffocation hazards	
8.6.1	Internal lining of the pram body and seat unit	Pass
8.6.2	Plastic packaging	Pass
8.7	Hazardous edges and protrusions	Pass
8.8	Parking and braking devices	Pass
8.9	Stability	
8.9.1	Stability of vehicle	Pass
8.9.2	Longitudinal stability of a pram body with carrying handles	Pass
8.10	Structural integrity	
8.10.1	Carrying handles and handle anchorage points of pram bodies and detachable sea units	Pass
8.10.2	Strength and durability of attachment devices for pram bodies or seat unit or car seats.	Pass
8.10.3	Irregular surface test	Pass
8.10.4	Dynamic strength	Pass
8.10.5	Wheel strength	Pass
8.10.6	Handle strength	Pass



**BUREAU
VERITAS**

LAB NO. : 91242470285
DATE : Sep 04, 2024
PAGE : 5 OF 9

9	Durability of marking	Pass
10	Product information	
10.1	General	Pass
10.2	Marking of product	Pass
10.3	Purchase information	Pass
10.4	Instruction for use	Pass

Remark(s): NA = Not Applicable

1.2 Safety of Toys: Flammability – EN 71-2:2020

PASS

Clause	Parameter	Results
4.1	General requirements	Pass
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Remark(s): NA = Not Applicable

1.3 Safety of Toys: Migration of Certain Elements

EN 71-3:2019+A1:2021

General elements determined by ICP-MS

Chromium(VI) determined by IC-ICP-MS

Organic tin determined by GC-MS

Compound		Material				Limit (mg/kg)	RL (mg/kg)
		Category III ¹					
		1	2	3	4		
1	Aluminum (Al)	N.D.	N.D.	10	13	28130	10
2	Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	560	10
3	Arsenic(As)	N.D.	N.D.	N.D.	N.D.	47	5
4	Barium(Ba)	14	229	N.D.	N.D.	18750	10
5	Boron (B)	N.D.	N.D.	N.D.	N.D.	15000	10



**BUREAU
VERITAS**

LAB NO. : 91242470285
DATE : Sep 04,2024
PAGE : 6 OF 9

6	Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	N.D.	N.D.	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	N.D.	N.D.	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	130	10
10	Copper (Cu)	N.D.	N.D.	N.D.	N.D.	7700	10
11	Lead(Pb)	N.D.	N.D.	N.D.	N.D.	23	5
12	Manganese (Mn)	25	15	N.D.	N.D.	15000	10
13	Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	94	10
14	Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	930	10
15	Selenium(Se)	N.D.	N.D.	N.D.	N.D.	460	10
16	Strontium (Sr)	25	56	N.D.	N.D.	56000	10
17	Tin (Sn)	N.D.	N.D.	N.D.	N.D.	180000	4.9
18	Organic tin (Sn)	N.D. *2	N.D. *2	N.D. *2	N.D. *2	12*2	0.2*2
19	Zinc (Zn)	N.D.	38	19	12	46000	10
	Conclusion	PASS	PASS	PASS	PASS	-	-

Compound		Material	Limit (mg/kg)	RL (mg/kg)
		Category III ¹		
		5		
1	Aluminum (Al)	10	28130	10
2	Antimony (Sb)	N.D.	560	10
3	Arsenic(As)	N.D.	47	5
4	Barium(Ba)	N.D.	18750	10
5	Boron (B)	N.D.	15000	10
6	Cadmium (Cd)	N.D.	17	5
7	Chromium (III) (Cr)	N.D.	460	10
8	Chromium (VI) (Cr)	N.D.	0.053	0.053
9	Cobalt (Co)	N.D.	130	10
10	Copper (Cu)	N.D.	7700	10
11	Lead(Pb)	N.D.	23	5
12	Manganese (Mn)	N.D.	15000	10



**BUREAU
VERITAS**

LAB NO. : 91242470285
DATE : Sep 04, 2024
PAGE : 7 OF 9

13	Mercury (Hg)	N.D.	94	10
14	Nickel (Ni)	N.D.	930	10
15	Selenium (Se)	N.D.	460	10
16	Strontium (Sr)	N.D.	56000	10
17	Tin (Sn)	N.D.	180000	4.9
18	Organic tin (Sn)	N.D. *2	12*2	0.2*2
19	Zinc (Zn)	N.D.	46000	10
	Conclusion	PASS	-	-

Remark(s): (a) mg/kg: milligram per kilogram = part per million = ppm
(b) RL: Report limit
(c) N.D.: Not detected (result is less than RL)

*1: Categories of various materials:
Category I: Dry, brittle, powder like or pliable material
Category II: Liquid or sticky material
Category III: Scraped-off material
*2: Expressed as soluble Tributyltin.

2. EN 1888-2:2018+A1:2022, Child care articles — Wheeled child conveyances — Part 2: Pushchairs for children above 15 kg up to 22 kg
EN1888-2-2018+A1:2022

Clause	Description	Results
6	Mechanical hazards	
6.1	Restraint system	Pass
6.2	Parking and braking devices	Pass
6.3	Stability	Pass
6.4	Structural integrity	
6.4.1	Strength and durability of attachment devices for seat units	Pass
6.4.2	Irregular surface test	Pass
6.4.3	Dynamic strength	Pass
6.4.4	Handle strength	Pass
7	Product information	
7.1	Marking of product	Pass
7.2	Purchase information	Pass



**BUREAU
VERITAS**

LAB NO. : 91242470285
DATE : Sep 04,2024
PAGE : 8 OF 9

7.3	Instructions for use	Pass
-----	----------------------	------

Remark(s): NA = Not Applicable

Material List:

Material #	Position / Sample Description
1	Brown PU,armrest
2	Black coating,holder
3	Black plastic,holder
4	Beige fabric,body
5	Black textile,belt

Remark(s): The test material point is selected by client,the chemical test conclusions in the report only apply to the test material.

Remark: Above results Just For Reference



Photo(s):





**BUREAU
VERITAS**

LAB NO. : 91242470285
DATE : Sep 04,2024
PAGE : 9 OF 9



Test Sample photo



Product Photo

<<< <<< **END OF REPORT** >>> >>>