

納
豆
紅
麴

Nattokinase Red Yeast Rice



紅麴在大米上進行培養發酵，再經過複雜的生物工程技術提取天然脂質合成抑制劑 — 莫那可林 (Monacolins)，研究證明它是血管的“清道夫”，特別適合關注膽固醇人士服用。納豆紅麴是屬於保健食品，每一個人都可以食用納豆紅麴作為日常心血管保養，而日本人食用納豆已有百年以上的歷史，直至目前為止臨床研究尚未發現有任何副作用，品質安全可靠。

Red yeast is fermented on the rice, the natural lipid synthesis inhibitor – Monacolins is extracted by using biological engineering technology. It was proofed that red yeast can help to lower blood pressure , blood sugar, it is suitable for person who cares about the cholesterol level. Nattokinase Red Yeast Rice is classified under food, so everyone can consume it for health maintenance. Japanese had consumed Natta as food for over a century. So far, side effect has not found in clinical studies, it is a very safe and reliable product.

特點：

- 不含西藥成份
- 納豆激酶 - 高科技發酵技術採用非基因改造黃豆為原料，全程低温回收純化，並採用冷凍乾燥方式完全保存產品活性。
- 每顆含高單位納豆激酶 1200FU。

Features：

- Does not contain western drug
- Nattokinase – gone through fermentation process with non-GM soybeans as raw material that purified under low temperature
- Each capsule consists of Nattokinase 1200FU

血栓小知識及會導致之疾病

What is Thrombosis & the disease it may caused

血栓是在血管內產生的血塊，會導致血流的障礙。高血壓、腦梗塞、心肌梗塞、狹心症、尿酸痛風、脂肪肝、高血脂症、腰酸背痛、肩頸酸痛、循環系統疾病，耳鳴也都是由血栓所引發的疾病。

Intravascular thrombosis is due to blood vessels clog which affects blood circulation. Thrombosis may cause other health problem such as hypertension, cerebral infarction, myocardial infarction, angina, gout, uric acid, fatty liver, hyperlipidemia, back pain, neck pain, tinnitus and so on...



正常血流
Normal Vascular



異常血流
Abnormal Vascular

成份：每顆膠囊重630mg，含有亞麻籽油、經發酵的紅米粉末、納豆激酶、植物固醇、大蒜提取物、維生素B3及甘蔗原素

主要功效：

- 幫助溶解血管內的血塊，促進血液循環；
- 有助於降低低密度膽固醇，改善及加強心血管系統；
- 增強心血管系統健康。

建議食用方法：每天食用2次，每次2粒，餐後服。

Ingredients： Each capsule contains 630mg consists of Linseed Oil, Red Yeast Rice Powder (Fermented red rice), Nattokinase, Phytosterol, Garlic Extract, Niacinamide(Vitamin B3) & Policosanol

Effectiveness：

- Function of dissolving the blood clots , promote blood circulation
- Inhibition of Cholesterol synthesis , strengthen cardiovascular health
- Promote the health of the heart


Recommended Dosage： Consume 2 capsules each time, 2 times daily after meal.

適合人士：

- 有吸煙、喝酒習慣者
- 缺乏運動者
- 中老年人
- 愛吃肉類、高脂肪(油炸食物)或重口味者

注意事項：

- 不適用於懷孕或哺乳婦女及服用抗凝血相關的藥物 (如Warfarin)者
- 此為保健產品，不能代替醫生處方藥物
- 如任何人士正在服用醫生處方藥物，請先諮詢醫生建議
- 如服用後有不適情況持續，請即停止，及早求醫
- 適用於18歲或以上人士使用
- 請存放於陰涼處，避免陽光直接照射
- 請存放於遠離孩童之地方



Suitable for :

- Smoker or drinker
- Person who is lack of exercise
- The elderly
- Person who likes meat, high fat food or person who like strong flavor of food

Precaution :

- Not intended for use by pregnant or lactating women and patients taking Anticoagulant (warfarin)
- Not to replace medication
- Patients under medication or medical condition are advised to consult physician before taking this product
- If symptoms persist, please consult a physician
- Suitable for 18 years old and above
- Keep in a cool dry place and avoid direct sunlight
- Keep out of reach of children